Lot 148 Earlsbrook

Stage 1B, Earlsbrook, Lincoln



House & Land Package:

Family sized home featuring three bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$714,900

Home area: 148n			
Section area:			331m ²
– 3	₽ 1	窟 2	ه 1.5 €

Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- RibRaft foundation

- Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- Fully landscaped

P: (03) 977 2832 E: info@oakridgehomes.co.nz oakridgehomes.co.nz



Floor Layout



Site Location







P: (03) 977 2832E: info@oakridgehomes.co.nzoakridgehomes.co.nz

Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior			
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° metal pressed tile— corona shake – shake satin	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Monier 70 Series Brick
Feature cladding:	Abodo AW55 135×18mm	Entry door:	Thermally-Broken APL 860mm Latitud with urbo lever
Window joinery:	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 3.2m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan & extractor duct through fascia grille & soffit	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank – Province
Splashback tiles:	100×300mm subway tile (Kitchen only)	Window coverings:	Windoware Everyday Vinyl Collection Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan
Colour Scheme			
EXTERIOR		INTERIOR	
Roof:	Ebony	Ceilings:	Half black white
Fascia, gutter & downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main & boxed cor- ners):	Crevole with white mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	Vulcan natural	Kitchen splashback:	White gloss with misty grey grout





Specification

Kitchen, bench surface and splashback: Kitchen sink: Lazio NZLSS-55.45 single stainless steel sink Image: Comparison on pagative detail. Tiled splashback full ison of the top dank of colour scheme Kitchen tapware: Elementi Uno Gooseneck Image: Colour scheme Kitchen handles: Steef to plans and colour scheme Image: Colour scheme Image: Colour scheme Image: Colour scheme Kitchen tapware: Elementi Uno Gooseneck Image: Colour scheme Image: Colour scheme Image: Colour scheme Oven: Bosch HBET33BSOA Image: Colour scheme Image	Kitchen and Laundry			
12mm benchtop on negative detail. Tiled splasbback full length of back bench/well. *Refer to plans and colour scheme Kitchen tapware: Elementi Uno Gooseneck Oven: Bosch HBF133BSOA Bosch HBF133BSOA Bosch HBF133BSOA Sted and Orlati 4062 Titanium Rangehood: Bosch DWB97DM50A Laundry tub: Aquatica Laundra Studio *dependent on supply, similar fitting to be used if avaitable Besch DWB97DM50A Steveron 1Lblack Janter Studio *dependent on supply, similar fitting to be used if Dishwasher: Besch DWB97DM50A Besch DWB97DM50A Besch DWB97DM50A Staverton 1Lblack Janter Studio *dependent on supply, similar fitting to be used if Dishwasher: Besch DWB97DM50A Besch DWB97DM50A Besch DWB97DM50A Besch DWB97DM50A Staverton 1Lblack Janter Studio *dependent on supply, similar fitting to be used if Dishwasher: Polished edge direct fix1000×750mm Showers: Arena curved with moulded wall Dishwasher: Besch DWB97DM50A Shower / bath mixers: Elementi Uno back-to-wall 1700mm Basin mixers: Elementi Cura Shower / bath mixers: Elementi Cura	Kitchen, bench surface and splashback:		Kitchen sink:	
Elementi Uno Gooseneck Stefano Orlati 4062-Titanium Over: Bosch HBF133BSOA Bosch HBF133BSOA Image Stefano Orlati 4062-Titanium Rangehood: Bosch PKE611K17A Bosch DWB97DM50A Image Stefano Orlati 4062-Titanium Laundry tub: Image Stefano Orlati 4062-Titanium Aquatica Laundra Studio Image Stefano Orlati 4062-Titanium Stefano Orlati 4000 Image Stefano Orlati 4062-Titanium Aquatica Laundra Studio Image Stefano Orlati 4062-Titanium Aquatica Laundra Studio Image Stefano Orlati 4062-Titanium Stefano Orlati 4000 Image Stefano Orlati 4062-Titanium Bathrooms Image Stefano Orlati 4062-Titanium Showers: Toilets: Arena curved with moulded wall Image Stefano Image Stefano Orlati 4000 Image Stefano Orlati 4000×750mm Bath: Image Stefano Orlati 4000 Basin mixers: Image Stefano Orlati 4000×750mm Elementi Cura Image Stefano Orlati 4000×750mm Shower / bath mixers: Image Stefano Orlati 4000×750mm Elementi Cura Image Stefano Orlati 4000×750mm	12mm benchtop on negative detail. Tiled splash back bench/wall.		Lazio NZLSS-5545 single stainless steel sink	Ø
Oven: Bosch HBF133BSOA Bosch HBF133BSOA Image Soch Rangehood: Image Soch PKE611K17A Bosch DWB97DM5OA Image Soch SMU2ITSO1A Image Soch JWB97DM5OA Image Soch So	Kitchen tapware:	\bigcirc	Kitchen handles:	
Bosch HBF133BSOA Easch PKE611K17A Rangehood: Dishwasher: Bosch DWB97DM50A Image Construction Laundry tub: Bosch SMU2ITS01A Aquatica Laundra Studio Feature pendant: Staverton 1L—black Image Construction Vanities: Feature pendant: Elementi Novara, 2 drawer 750mm, French Image Construction Showers: Toilets: Arena curved with moulded wall Image Construction Bath: Elementi Uno back to wall Elementi Diseno back-to-wall 1700mm Image Construction Shower sildes: Image Construction Shower sildes: Image Construction	Elementi Uno Gooseneck		Stefano Orlati 4062— Titanium	
Rangehood: Bosch DWB97DM50A Laundry tub: Aquatica Laundra Studio Aquatica Laundra Studio *dependent on supply, similar fitting to be used if unavailable Bathrooms Vanities: Elementi Novara, 2 drawer 750mm, French Oak Mirrors: Polished edge direct fix—1000×750mm Foliets: Elementi Diseno back-to-wall 1700mm Showers: Arena curved with moulded wall Towel rails: Newtech 5 bar square—heated Newtech 5 bar square—heated Shower / bath mixers: Elementi Cura Shower slides: Bath spout:	Oven:		Ceramic cooktop:	
Bosch DWB97DM50A Bosch SMU2ITS01A Laundry tub: Feature pendant: Aquatica Laundra Studio Staverton 1L—black dependent on supply, similar fitting to be used if Staverton 1L—black Bathrooms Mirrors: Polished edge direct fix—1000×750mm Image: Staverton 1D Showers: Toilets: Arena curved with moulded wall Image: Staverton 1D Bath: Image: Staverton 1D Elementi Diseno back-to-wall 1700mm Image: Staverton 1D Basin mixers: Image: Staverton 1D Elementi Cura Image: Staverton 1D Shower slides: Staverton 1D	Bosch HBF133BSOA		Bosch PKE611K17A	
Laundry tub: Aquatica Laundra Studio *dependent on supply, similar fitting to be used if unavailable Bathrows Arena curved with moulded wall Dath: Elementi Diseno back-to-wall 1700mm Elementi Cura Shower slides: Shower slides:	Rangehood:		Dishwasher:	
Aquatica Laundra Studio *dependent on supply, similar fitting to be used if Bathrooms Vanities: Elementi Novara, 2 drawer 750mm, French Oak Folished edge direct fix—1000×750mm Showers: Arena curved with moulded wall Toilets: Elementi Diseno back-to-wall 1700mm Towel rails: Basin mixers: Elementi Cura Shower slides: Shower slides: Shower slides:	Bosch DWB97DM50A		Bosch SMU2ITS01A	
*dependent on supply, similar fitting to be used if Bathrooms Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Toilets: Elementi Diseno back-to-wall 1700mm Towel rails: Newtech 5 bar square—heated Basin mixers: Elementi Cura Shower slides: Bath spout: Tower slides:	Laundry tub:	A DA	Feature pendant:	T
unavailable Bathrooms Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Toilets: Elementi Diseno back-to-wall 1700mm Towel rails: Elementi Cura Shower slides: Bath spout: Shower slides:			Staverton 1L—black	
Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Toilets: Elementi Uno back to wall Bath: Elementi Diseno back-to-wall 1700mm Towel rails: Newtech 5 bar square—heated Basin mixers: Elementi Cura Shower slides: Bath spout: Shower slides:				
Elementi Novara, 2 drawer 750mm, French Oak Polished edge direct fix—1000×750mm Showers: Arena curved with moulded wall Image:				
Oak Showers: Arena curved with moulded wall Image: Disense back-to-wall 1700mm Bath: Elementi Disense back-to-wall 1700mm Image: Disense back-to-wall 1700m	Bathrooms			
Arena curved with moulded wall Elementi Uno back to wall Bath: Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura Shower / bath mixers: Elementi Cura Shower slides: Bath spout:		ħ	Mirrors:	10
Bath: Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura Shower / bath mixers: Elementi Cura Shower slides: Bath spout:	Vanities: Elementi Novara, 2 drawer 750mm, French			
Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura Shower / bath mixers: Elementi Cura Bath spout: Elementi Cura	Vanities: Elementi Novara, 2 drawer 750mm, French Oak		Polished edge direct fix—1000×750mm	
Basin mixers: Shower / bath mixers: Elementi Cura Elementi Cura Shower slides: Bath spout:	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers:		Polished edge direct fix—1000×750mm Toilets:	
Elementi Cura Elementi Cura Shower slides:	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall	
Shower slides: Bath spout:	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath:		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails:	
	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath: Elementi Diseno back-to-wall 1700mm		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails: Newtech 5 bar square—heated	
Elementi Rayne Elementi Uno	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath: Elementi Diseno back-to-wall 1700mm Basin mixers:		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails: Newtech 5 bar square—heated Shower / bath mixers:	
	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath: Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails: Newtech 5 bar square—heated Shower / bath mixers: Elementi Cura	
N 1	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath: Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura Shower slides:		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails: Newtech 5 bar square—heated Shower / bath mixers: Elementi Cura Bath spout:	











6 Browns Road, Christchurch ey.archiplus@gmail.com

021 0238 1905 Archiplus 021 0221 8868



W E N D E L B O R N P R O P E R T Y L T D LOT 148 EARLSBROOCK LINCOLN

lssue Concept Design Site Plan

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

Site Info

Site Address	Earlsbrook Lincoln
Legal Description	Lot 148
Site Area	331m²
Building Area	148.24m²
Roof Area*	161.08m²
Site Coverage	48.66%

Design Basis

Wind Zone	High
Earthquake Zone	2
Snow Zone	N4 < 100m
Exposure Zone	С

General Notes

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

Site bearings, dimensions and North point to be confirmed upon Certificate of Title when issued.

Revision	1
Date	22/06/2025
File No.	25151







WENDELBORN PROPERTY LTD LOT 148 EARLSBROOCK

LINCOLN

lssue Concept Design Floor Plan

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

Building Area

Over Frame	141.92m²	
Perimeter	52.20m	
Over Cladding	148.24m²	
Perimeter	53.16m	
Roof Area*	161.08m²	
Perimeter	53.22m	
*Roof area includes fascia & gutter.		

General

Main Cladding	70s Clay Brick
Feature Cladding	Abodo Vulcan Shiplap Weatherboard
Roof Pitch	25°
Roofing	Pressed Metal Tiles (Shake)
Stud Height	2.42m
Interior Door	1.98m High
Wardrobe Door	2.20m High
Cooktop	Ceramic Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Ensuite extractor fan ducting through fascia grille.

Legend

-	Distribution Board & Smart Meterbox
	Data Box
O SD	Smoke Detector 10 year long-life battery-operated & interconnected

Floor Covering

	_	

Carpet (excl. Garage)

Vinyl Planks

WINDOW SCHEDULE		
ID	Н	W
w01	2,130	960
w02	2,130	2,400
w03	1,400	1,800
w04	2,130	2,400
w05	1,100	1,200
w06	2,130	1,800
w07	1,100	600
w08	1,100	600
w09	1,400	1,500
w10	1,400	1,500
w11	1,100	1,200
w12	2,130	960

Revision Date File No.

1 22/06/2025 25151









W E N D E L B O R N P R O P E R T Y L T D

LOT 148 EARLSBROOCK LINCOLN

lssue Concept Design **Roof Plan**

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

Roof Cladding

25° Pressed metal tiles roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

Downpipe Catchment (Plan Area)

d.p.1	51m²
d.p.2	44m²
d.p.3	59m²

Roof Bracings

Refer to Truss Design.

Revision	1
Date	22/06/2025
File No.	25151



6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 021 0221 8868



W E N D E L B O R N P R O P E R T Y L T D

> LOT 148 EARLSBROOCK LINCOLN

Issue Concept Design Elevations

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.



C01	70 series brick on 50mm cavity.
C02	Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens.
R01	Pressed metal tiles roofing.
R02	Colorsteel Quad gutter supported by Colorsteel 185mm fascia.
R03	Colorsteel 75x55mm downpipes.
J01	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.
J02	Sectional garage door.
J03	APL entry door in thermally-broken powder coated aluminium frames.
S01	Drainage vent pipe.
S02	Heatpump outdoor unit on wall bracket.

<u>Legend</u>

w01	Window ID
SS	Security Stay
SG	Safety Glass

General Notes

Driveway to fall from 20mm max. below garage rebate.

Revision Date File No.

1 22/06/2025 **25151**







W E N D E L B O R N P R O P E R T Y L T D LOT 148 EARLSBROOCK

LINCOLN

Issue	Sectio
Concept Design	
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale

1:50 @ A3

.

Section Keys

- C01 70 series brick on 50mm cavity over building wrap on timber framing.
- C02 Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens over building wrap on timber framing.
- W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs (dwangs @ 480mm crs for shiplap WB). Top plates 90x45 + 140x35mm.
- W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- S01 Ribraft floor slab and foundation.
- T01 Roof trusses as per Truss Design.
- R01 Pressed metal tiles on 50x40mm battens over selfsupported roof underlay on trusses.
- R02 Colorsteel Quad gutter on 185mm Colorsteel fascia.
- R03 75x55mm Colorsteel downpipes with wall brackets.
- J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- J02 Sectional garage door. H3.1 timber reveals for painted finish.
- B01 R2.8 wall insulation batts.
- B02 R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.
- L01 4.5mm Hardie soffit linings for painted finish.
- L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- L03 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)

Revision	1
Date	22/06/2025
File No.	25151







W E N D E L B O R N P R O P E R T Y L T D LOT 148 EARLSBROOCK LINCOLN

Issue Concept Design

Landscape Plan

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

Legends



Lawn

Exposed Aggregate

Stonechip

Garden Bed with Bark



Timber Batten Edging between garden bed & lawn/ stonechip



Feature tree (1.8m high) in front yard



Revision	1
Date	22/06/2025
File No.	25151



Dwg:



Designer: Sarah Molyneux	Date: 25 Jun 25 Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: Customer: 1:20 The Buxus				KITCHENS



Designer:	Date: Client:	BC Ref:	Site Address:	Job#: Default	
Sarah Molyneux	25 Jun 25 Oakridge Homes				TRENDS
Dura:	Scale: Customer:				
Kitchen Elevation					KITCHENS
Kitchen Elevation	1 : 20 The Buxus				



Designer: Sarah Molyneux	Date: 25 Jun 25	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Buxus				KITCHENS



Designer: Sarah Molyneux	Date: 25 Jun 25	lient: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TOPNID
Dwg:	Scale: C	ustomer:				KLTCHENS
Pantry Plan	1 : 20	The Buxus				KTT CHENS



Designer: Sarah Molyneux	25 Jun 25 ^{Client:} Oakridge Home	BC Ref: S	Site Address:	Job#: Default	TRENDS
Dwg: Pantry Elevation	Scale: Customer: 1:20 The Buxus				KITCHENS



Designer: Sarah Molyneux	Date: 25 Jun 25	^{Client:} Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Pantry 3D Perspective	Scale:	Customer: The Buxus				KITCHENS





Client Name: Site Address: Acceptance Signature & Date:

Oakridge Homes The Buxus STD Garage Right Date: 16-06-2025 Plan Electrical & Lighting

Designed By: Mike Lew Phone: 03 338 42 03 338 4238 **Email & Web** info@smartsystems.net.nz smartsystems.net.nz

Plan: The Buxus STD Garage Right -Electrical Design

Electrical

	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA
Ŷ	Rangehood Single Switched Power Socket	1 EA
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA
₩° *	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA
\mathbf{a}	Tradesave Double Power Socket Horizontal (White) 10A	18 EA
С	Protective Capping for Socket Electrical in Joinery	1 EA
ሦ	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA
¥۲	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA
ألأ	Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)	1 EA
$ \mathbb{Y} $	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)	1 EA
⋫	Tradesave Slim Dishwasher Power Socket (White)	1 EA
^	Tradesave Garage Door Open/Close Press Switch (White)	1 EA
꽞	Tradesave Slim Garage Door Power Socket (White)	1 EA
#	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
	Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	6 EA
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA
\mathbf{X}	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
Ε	Extractor Fan Inline 150mm with up to 6m of Duct	3 EA
\square	Extractor Fan External Grille (White)	2 EA
	Fascia Grille (Supplied By Others)	1 EA
S	External 180° Infrared Movement Surface Mounted Sensor Up to 12M Range, Adjustable10sec - 15min time delay (White)	1 EA

The Buxus STD Garage Right - Electrical Designegend

Electrical

Item	Total
Recessed Downlight Prolux DL54 LED 10-Watt 160° Beam (Switchable 3K-4K-6K) White Fascia & Circuit	23 EA
Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
External LED Up/Down Round 2x 5W Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit	5 EA
Bulkhead Wall Light Robus Ohio LED 12W IP54 Oval Bulkhead c/w White & Black Trims & Circuit	1 EA
Tradesave Slim Light Switch 1-Gang (White)	12 EA
Tradesave Slim Light Switch 2-Gang (White)	3 EA
Tradesave Slim Light Switch 3-Gang (White)	2 EA
2-Way Light Circuit	2 EA
Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit	1 EA
Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA
No TV Aerial, Prewire Only (cable left in ceiling space)	1 EA
	Recessed Downlight Prolux DL54 LED 10-Watt 160° Beam (Switchable 3K-4K-6K) White Fascia & Circuit Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit External LED Up/Down Round 2x 5W Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit Bulkhead Wall Light Robus Ohio LED 12W IP54 Oval Bulkhead c/w White & Black Trims & Circuit Tradesave Slim Light Switch 1-Gang (White) Tradesave Slim Light Switch 2-Gang (White) 2-Way Light Circuit Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White

In the Area

About Earlsbrook

Only a 25 minute drive to Christchurch's CBD, Earlsbrook is situated on the southside of the semi-rural township of Lincoln. You're spoiled for choice with easy access to several walking and biking trails making Earlsbrook ideal for families, young professionals and retirees. Multiple early childhood centres are in Lincoln with Earlsbrook being zoned for Ararira Springs Primary School and Lincoln High School. Plans for a brand new primary school and daycare are underway within the development.

A new commercial space will be constructed in Earlsbrook which will include medical service options, cafes and a variety of shops. Earlsbrook will feature 45 hectares of green space including playgrounds and reserves featuring natural spring waterways with views of the Port Hills and the Southern Alps, offering the perfect balance of rural feel living and convenient access to urban amenities.

Lincoln and Surrounding Areas

Lincoln is a charming township on the outskirts of Christchurch City and is known for its vibrant community feel and the popular Lincoln University – the oldest agricultural teaching institution in the Southern hemisphere established in 1878.

Local residents have created a tight-knit community with a weekly local farmers and craft market where you will find some of the best produce available. An annual Santa Parade is hosted down the main street which provides insight into the surrounding farming community featuring Santa being towed by a tractor.

Lincoln is host to a multitude of amenities including medical centres, cafes, restaurants, public library, fitness centres, indoor sports facilities, playgrounds and dog walking areas. The township has seen substantial growth while maintaining several heritage buildings, some dating back to 1875 making Lincoln a special place.







A 10min drive will take you to New Zealand's fastest growing township, Rolleston. Rolleston features multiple shopping complexes – both retail and grocers, public swimming pool and a cinema to soon be constructed.

Lincoln's location makes for an easy journey to Little River and Banks Peninsula which features endless hills, bays and bush walking tracks for exploring – it is the definition of nature's playground on your doorstep.



P: (03) 977 2832 E: info@oakridgehomes.co.nz oakridgehomes.co.nz

Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:

- Ø Master Build 10-Year Guarantee
- ✓ 1 year warranty period
- Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Sull length tiled splashback to kitchen
- Ø Bosch appliances
- Subscription Exposed aggregate driveways and patios
- Insulated garage and garage door





If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832 **E:** info@oakridgehomes.co.nz

oakridgehomes.co.nz