

House and Land Package

Lot 148 Spring Grove, Stage 6, Belfast,

Christchurch

Dwelling	Section
Size	Size
160m ²	360m ²

\$779,900












Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

Spring Grove is conveniently located within a semi-rural setting close to Northwood Supa Centa which includes a supermarket, gym, café, restaurant and numerous retail outlets.

With forests and parks in close proximity and easy access in and out of the city it makes Spring Grove an appealing community for all.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 148 Spring Grove, Stage 6, Belfast, Christchurch

General:			
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior:			
Foundation:	TC2 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine
Roofing:	25° metal pressed tile— Corona shake	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	The Brickery—70 Series Brick
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 4.5m
Dwelling Interior:			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards
Extractor:	Extractor outlet through roof	Hot water cylinder:	Rheem 250L
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms
Landscaping:			
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.



Specification

Lot 148 Spring Grove, Stage 6, Belfast, Christchurch

Kitchen and Laundr	y:			
Kitchen, bench sur- face and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless stee sink	
Kitchen tapware:	Adesso Urban—Brushed nickel	Kitchen handles:	Stefano Orlati 4062 — Titanium	
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A	
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU	
Laundry tub:	Raymor 560x560 laundry tub	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black	



Specification

Lot 148 Spring Grove, Stage 6, Belfast, Christchurch

Bathrooms:			
Vanities:	Raymor Armada 750mm	Mirrors:	Polished edge direct fix—1000x750mm
Showers:	Arena curved with moulded wall	Toilets:	Newtech Casalino Back To Wall
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated
Basin mixers:	Paffoni BLU071	Shower / bath mixers:	Paffoni BLU010LUG CP
Shower slides:	Paffoni Brio 3F ZSAL194CR	Bath spout:	Paffoni Stick ZBOC041



Colour Scheme

Lot 148 Spring Grove, Stage 6, Belfast, Christchurch

Exterior:		Interior:	
Roof:	Obsidian	Ceilings:	Half black white
Fascia/ Gutter / Downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Chiffon with charcoal mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	All Black	Kitchen splashback:	White gloss with misty grey grout









Kitchen:







Site Info

Site Address 6 John Gibb Street

Spring Grove

Legal DescriptionLot 148Site Area360m²Building Area160.02m²Site Coverage44.45%

Design Basis

Wind Zone High

Earthquake Zone 2

Snow Zone N4 < 100m

С

Exposure Zone

General Notes

All dimensions shown are to <u>face of foundation</u> unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Site bearings, dimensions and north point subject to the Issue of Certificate of Title.

Site Levels

Levels shown are proposed Finished Ground Levels. FGL denotes Finished Ground Level. TK denotes Top of Kerb Level.

Vehicle Access Near Tree

The earthworks for driveway and crossing that will be undertaken within 5 metres of the base of the street tree will be undertaken by, or under the supervision of, a works arborist employed or contracted by the Council - Treetech.

6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 021 0221 8868

LOT 148 SPRING GROVE 6 JOHN GIBB STREET BELFAST CHCH Issue Concept Design

This plan is developed for the purchaser

and is copy right to Archiplus Ltd.

Scale 1:100 @ A3

Site Plan

Revision 1

Date 12/06/2024


File No.


Sheet No.


24127 (ORH. 3163)


•











Building Area

 Over Frame Perimeter
 153.88m² 56.66m

 Over Cladding Perimeter
 160.02m² 57.44m

 Roof Area*
 173.72m² 77.10m

 *Roof area includes fascia & gutter
 \$7.10m

General

Main Cladding 70s Clay Brick
Feature Cladding JH Axon
Roof Pitch 25°

Roofing

Pressed Metal Tile (Corona Shake)

Stud Height 2.42m

Interior Door 1.98m High

Wardrobe Door 2.20m High

Cooktop Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

Legend

Distribution Board & Smart Meter Box

Data Box

O O Smoke Detector with test and hush bottons to comply with NZBC F7/AS1

Floor Covering

Carpet (excl. Garage)

Vinyl Planks

	WINDOW SCHEDULE				
ID	Н	W			
w01	2,130	960			
w02	1,800	1,500			
w03	1,400	1,800			
w04	1,400	1,800			
w05	2,130	2,700			
w06	2,130	2,100			
w07	1,400	1,500			
w08	2,130	1,800			
w09	1,400	600			
w10	1,400	600			
w11	1,100	1,200			
w12	1,400	1,500			
w13	1,100	1,200			
w14	1,400	1,500			
w15	2,130	960			



LOT 148 SPRING GROVE 6 JOHN GIBB STREET BELFAST CHCH Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Floor Plan

Scale

1:100 @ A3


Revision
Date
File No.

12/06/2024

24127 (ORH. 3163)

Sheet No.

2







W E N D E L B O R N P R O P E R T Y L T D

LOT 148 SPRING GROVE 6 JOHN GIBB STREET BELFAST CHCH

Issue Concept Design

Elevations

Scale 1:100 @ A3

Revision 1
Date 12/06/2024

24127 (ORH. 3163)

File No.

Elevation Keys

battens.

70 series bricks over 50mm cavity.

JH Axon panels on 20mm cavity

Colorsteel Quad gutter supported

Pressed metal tiles roofing.

by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed

windows in thermally-broken

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

Security Stay

Safety Glass

Driveway to fall from 20mm max. below

General Notes

garage rebate.

powder coated aluminium frames.

APL entry door in thermally-broken

powder coated aluminium frames.

Heatpump outdoor unit on wall

Extractor outlet roof cowl.

C01

C02

R01

R02

J01

J02

J03

S01

S02

S03

w01


SS

SG

<u>Legend</u>

Sheet No.

3





C01	70 series bricks over 50mm cavity over building wrap on timber framing.
C02	JH Axon panels on 20mm cavity battens over building wrap on timber framing.
W01	External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
W02	Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
S01	Ribraft foundation.
T01	Roof trusses as per Truss Design.
T02	Extended truss top chords to form raking soffit. Refer to Truss Design.
R01	Pressed metal tiles roofing on 50x40mm timber battens over self-supported roof underlay on trusses.
R02	Colorsteel Quad gutter on 185mm Colorsteel fascia.
R03	75x55mm Colorsteel downpipes with wall bracket
J01	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium fram H3.1 timber reveals for painted finish.
	·

painted finish.

J02

R2.8 wall insulation batts.

R7.0 ceiling insulation batts. Compressed insulation B02 to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.

Sectional garage door. H3.1 timber reveals for

L01 4.5mm Hardie soffit linings for painted finish.

13mm Gib ceiling linings supported by 35mm L02 Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)

10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)

W E N D E L B O R N P R O P E R T Y L T D

LOT 148 SPRING GROVE 6 JOHN GIBB STREET BELFAST CHCH

Issue Concept Design This plan is developed for the purchaser

and is copy right to Archiplus Ltd.

Cross Section A-A

Scale

1:50 @ A3

Revision 12/06/2024 Date

24127 (ORH. 3163)

File No.

Sheet No.



24.00m 1.8m high fence **PATIO** Letterbox PROPOSED DWELLING **DRIVEWAY** Clothesline 1.8m high fence with gate 24.00m, 38° R.P.

Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

Cercis Hearts of Glod - Golden Redbud

Acer Palmatum Bloodgood - Japanese Maple Liquidambar Styraciflua - Sweetgum

Magnolia Grandiflora Blanchard

Malus Ioensis Plena

Prunus Autumnalis Southern Gem -

Flowering Cherry

*Planting species for garden bed are indicative-not to be limited to.

Legends

Lawn



Exposed Aggregate



Stonechip



Garden Bed with Bark



2m wide Landscape Strip, comprising 50% trees & shrubs





W E N D E L B O R N P R O P E R T Y L T D

LOT 148 SPRING GROVE 6 JOHN GIBB STREET BELFAST CHCH

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd. Scale


Landscape Plan

Revision 25/06/2024 Date

Sheet No.

24127 (ORH. 3163)

1




Benchtop Colour:
12mm square edge Tristone in Pure White
Back Wall Joinery Colour:
Bestwood Simply White Embossed
Island Joinery Colour:
Bestwood Subtle Grey Velvet
Negative Detail Joinery Colour:
Bestwood Subtle Grey Velvet
Handles:
4062-192/320-Titanium Grey
Sink:
Lazio NZLSS-5545 Stainless Single Bowl


Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default
Sarah Molyneux	20 Feb 24	Oakridge Homes	Job		Boldan
Dwg:	Scale:	Customer:			
Kitchen Plan	1:25	The Maple Modified			






Designer: Sarah Molyneux	Date: 20 Feb 24 Clier	Oakridge Homes	BC Ref: Site	e Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation		stomer: The Maple Modified				KITCHENS







Designer: Sarah Molyneux	Date: 20 Feb 24 Client: Oakridge Homes	BC Ref: Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: Customer: The Maple Modified			KITCHENS




Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: S	Site Address:	Job#: Default	TRENDS
^{Dwg:} Kitchen 3D Perspective	Scale:	Customer: The Maple Modified				KITCHENS




Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: Si	lite Address:	Job#: Default	TRENDS
Dwg: Pantry Plan	Scale: 1:20	Customer: The Maple Modified				KITCHENS






Designer: Sarah Molyneux	Date: Client: Oakridge Homes	BC Ref: Site Address:	Job#: Default	TRENDS
Dwg: Pantry Elevation	Scale: Customer: The Maple Modified			KITCHENS



Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Pantry 3D Perspective	Scale:	Customer: The Maple Modified				KITCHENS





Client Name: Oakridge Homes

Site Address: The Maple Modified - Garage Right (No Soffits)
Acceptance Signature & Date:

Date: Revised 21-06-2024 **Plan** Electrical & Lighting

Designed By: Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: Maple Modified Garage Right HS (No Soffits) - Electrical Design

Electrical						
	Item	Total				
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA				
·R/	Tradesave Rangehood Power Socket	1 EA				
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA				
₩°	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA				
\forall	Tradesave Double Power Socket Horizontal (White) 10A	20 EA				
C	Protective Capping for Socket Electrical in Joinery	1 EA				
SP.	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA				
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA				
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20 Amp max	1 EA				
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32 Amp max	1 EA				
*	Tradesave Slim Dishwasher Power Socket	1 EA				
^	Tradesave Garage Door Opener Press Button (White)	1 EA				
*	Tradesave Slim Garage Door Power Socket	1 EA				
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection	1 EA				
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA				
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	7 EA				
\forall	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA				
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA				
E	Extractor Fan Inline 150mm & up to 6m of duct	3 EA				
	Through Roof Cowl & Tube Supply 150mm (Installation excluded)	3 EA				
S	External 180-Degree Lighting Movement Sensor (White)	1 EA				
\otimes	Recessed LED Downlight Prolux DL54 with White Fascia & Circuit	24 EA				
\otimes	Recessed LED Downlight Prolux DL30 Tiltable 3K (White) and Circuit	1 EA				

Electrical

	Item	Total
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
⊕	External LED Up/Down Round Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit	5 EA
W	Tradesave Slim White Light Switch 1 Gang	12 EA
w	Tradesave Slim White Light Switch 2 Gang	6 EA
W	Tradesave Slim White Light Switch 3 Gang	1 EA
K IP	Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY	2-Way Light Circuit	2 EA
INT	Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring Fibre Hub	Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Main TV/Data	Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA