Lot 159 Earlsbrook

Stage 1B, Earlsbrook, Lincoln



House & Land Package:

Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$749,900

Home area: 159m²

Section area: 368m²

4







Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- · RibRaft foundation


- · Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- · Fully landscaped

P: (03) 977 2832

E: info@oakridgehomes.co.nz



Floor Layout



Site Location





P: (03) 977 2832

E: info@oakridgehomes.co.nz



Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior			
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Monier 70 Series Brick
Feature cladding:	James Hardie Linea	Entry door:	Thermally-Broken APL 860mm Latitud with urbo lever
Window joinery:	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 4.5m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet are to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan & extractor duct through fascia grille	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank - Province
Splashback tiles:	100×300mm subway tile (Kitchen only)	Window coverings:	Windoware Everyday Vinyl Collection Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan
Colour Scheme			
EXTERIOR		INTERIOR	
Roof:	Ebony	Ceilings:	Half black white
Fascia, gutter & downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Crevole with white mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	All black	Kitchen splashback:	White gloss with misty grey grout

P: (03) 977 2832


E: info@oakridgehomes.co.nz





Specification

Kitchen and Laundry Kitchen, bench surface and splashback: Kitchen sink: Custom made Melteca or Bestwood finished cabinetry. TriStone Lazio NZLSS-5545 single stainless steel sink 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme Kitchen handles: Kitchen tapware: Elementi Uno Gooseneck Stefano Orlati 4062- Titanium Oven: Ceramic cooktop: Bosch HBF133BSOA Bosch PKE611K17A Rangehood: Dishwasher: Bosch DWB97DM50A Bosch SMU2ITS01A Laundry tub: Feature pendant: Aquatica Laundra Studio Staverton 1L—black *dependent on supply, similar fitting to be used if unavailable **Bathrooms** Vanities: Mirrors: Elementi Novara, 2 drawer 750mm, French Polished edge direct fix—1000×750mm Oak Toilets: Showers: Arena curved with moulded wall Elementi Uno back to wall Bath: Towel rails: Elementi Diseno back-to-wall 1700mm Newtech 5 bar square—heated **Basin mixers:** Shower / bath mixers: Elementi Cura Elementi Cura **Shower slides: Bath spout:** Elementi Uno Elementi Rayne




E: info@oakridgehomes.co.nz









Site Info

Site Address Earlsbrook Lincoln Legal Description Lot 159 Site Area 368m² **Building Area** 159.36m² 173.39m² Roof Area* Site Coverage 47.12%

Design Basis

Wind Zone High 2 Earthquake Zone N4 < 100m Snow Zone Exposure Zone С

General Notes

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage

Refer to Sediment Control in Specification & implement where required.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within

All sealed driveway and patio areas to be min. 1:100 fall away from building.

W E N D E L B O R N P R O P E R T Y L T D


LOT 159 EARLSBROOK LINCOLN


Issue	Site Plan	l
Concept Design		
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale	1:100 @ A3


Date


File No.

25069









Building Area

Over Frame	152.85m²
Perimeter	57.44m
Over Cladding	159.36m²
Perimeter	58.55m
Roof Area* Perimeter *Roof area includes fasci	173.39m² 57.80m

General

Main Cladding 70s Clay Brick Feature Cladding JH Linea Weatherboard

Roof Pitch

Roofing Longrun Corrugated

2.42m Stud Height 1.98m high Interior Door 2.20m high Wardrobe Door Cooktop Ceramic Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Bath, Ens & Laundry to have mechanical ventilation through fascia grille.

Legend

Distribution Board & Smart Meterbox Data Box

Smoke Detector 10 year long-life battery-operated & interconnected

Floor Covering


Carpet (excl. Garage) Vinyl Planks


WINDOW SCHEDULE					
ID	Н	W			
w01	2,130	960			
w02	2,130	2,200			
w03	1,400	1,500			
w04	2,130	1,800			
w05	2,130	1,800			
w06	1,400	1,500			
w07	2,130	1,800			
w08	1,400	600			
w09	1,400	600			
w10	1,100	1,200			
w11	1,400	1,500			
w12	1,100	1,200			
w13	1,400	1,500			
w14	2,130	960			



and is copy right to Archiplus Ltd.

Floor Plan





Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.


<u>Downpipe Catchment</u> (Plan Area)

d.p.1	45m²
d.p.2	40m²
d.p.3	43m²
d.p.4	38m²

Roof Bracings

Refer to truss design.

1:100 @ A3





Scale

1:100 @ A3

Date File No.

Sheet No. Revision

25069

Elevation Keys

70 series brick on 50mm cavity.

on 20mm cavity battens. Colorsteel corrugate roofing.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

Security Stay

Safety Glass

Driveway to fall from 20mm max. below

General Notes

garage rebate.

James Hardie Linea weatherboard

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken

powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

C01

C02

R01 R02

R03

J01

J02

J03

S01


S02

w01


SS

SG

<u>Legend</u>











W E N D E L B O R N P R O P E R T Y L T D

LOT 159 EARLSBROOK LINCOLN

Issue	Cross Sections
Concept Design	
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale 1:50 @ A3

		Sheet No.
Revision	1	
Date	22/04/2025	5
File No.	25069	

<u> </u>	on royo
C01	70 series brick on 50mm cavity over building wrap on timber framing.
C02	James Hardie Linea weatherboard on 20mm cavit battens over building wrap on timber framing.
V01	100x100x6L veneer lintel with 100mm min. seating each side.
W01	External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
W02	Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
S01	Ribraft foundation.
T01	Roof trusses as per Truss Design.
T02	Extended truss top chords / outriggers to form raking soffit. Refer to Truss Design.
R01	Colorsteel corrugate roofing over self-supported roof underlay on 70x45mm purlins on trusses.
R02	Colorsteel Quad gutter on 185mm Colorsteel fascia.
R03	75x55mm Colorsteel downpipes with wall brackets
J01	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frame H3.1 timber reveals for painted finish.
J02	Sectional garage door. H3.1 timber reveals for painted finish.
B01	R2.6 wall insulation batts.
B02	$2\ x\ R3.6$ (165mm) double layer ceiling insulation batts.
B03	R3.6 (130mm x 1200mm) Gutter Line insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation ar roofing underlay.
L01	4.5mm Hardie soffit linings for painted finish.

13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm


10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)

Section Keys

L02

Gib Aqualine)





Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

<u>Legends</u>

Lawn



Exposed Aggregate



Stonechip



Garden Bed with Bark




Feature tree (1.8m high) in front yard



Timber Batten Edging between garden bed & lawn/ stonechip






Benchtop Colour:
12mm square edge Tristone in Pure White
Back Wall Joinery Colour:
Bestwood Simply White Embossed
Island Joinery Colour:
Bestwood Subtle Grey Velvet
Negative Detail Joinery Colour:
Bestwood Subtle Grey Velvet
Handles:
4062-192/320-Titanium Grey
Sink:


Lazio NZLSS-5545 Stainless Single Bowl


De	esigner:	Date:	Client:	BC Ref:	Site Address:	Job#: Default
	Sarah Molyneux	24 Feb 23	Oakridge Homes	Job		Bordan
D۱	vg:	Scale:	Customer:			
	Kitchen Plan	1:25	The Maple - Selwyn			





Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	THE STATE OF THE S
Sarah Molyneux	24 Feb 23	Oakridge Homes	Job		20.000.1	TRENDS
Dwg:	Scale:	Customer:	•			KITCHENS
Kitchen Elevation	1:20	The Maple - Selwyn				KITCHENS







Sarah Molyneux 24 Feb 23 Oakridge Homes Job Dwg: Customer: Kitchen Elevation 1:20 The Maple - Selwyn	Designer:	Date:	Client:	BC Ref:	Site Address:
Dwg: Scale: Customer:	Sarah Molyneux	24 Feb 23	Oakridge Homes	Job	
Kitchen Flevation 1 · 20 The Manle - Selwyn					
	Kitchen Flevation	1:20	The Maple - Selwyn		




This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.




Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	TH
Sarah Molyneux	24 Feb 23	Oakridge Homes	Job		Soldan	TRENDS
Dwg:	Scale:	Customer:	•			KITCHENS
Kitchen 3D Perspective		The Maple - Selwyn				KTICHENS



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: BC Ref: Oakridge Homes	Site Address:	Job#: Default	TRENDS
Dwg: Pantry Plan	Scale: 1:20	Customer: The Maple - Pantry V2			KITCHENS






Designer:	Date:	Client: BC Ref:	Site Address:	Job#: Default	
Sarah Molyneux	24 Feb 23	Oakridge Homes	ob	20.00.0	TRENDS
Dwg:	Scale:	Customer:			KITCHENS
Pantry Elevation	1:20	The Maple - Pantry V2			KIICHENS



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Pantry 3D Perspective	Scale:	Customer: The Maple - Pantry V2	•			KITCHENS





Client Name: Oakridge Homes
Site Address: The Maple V6 (Garage Left)

Acceptance Signature & Date:

Date: 28-04-2024
Plan Electrical & Lighting

Designed By: Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: The Maple V6 (Garage Left) - Electrical Design

Item Total Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase) 1 EA Pangehood Single Switched Power Socket 1 EA Tradesave Slim Single Power Socket (White) 10A - Fridge 1 EA Tradesave Slim Single Power Socket (White) 10A - Microwave 1 EA Tradesave Double Power Socket Horizontal (White) 10A 20 EA Protective Capping for Socket Electrical in Joinery 1 EA Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 20A (max) 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA Tradesave Slim Dishwasher Power Socket (White) 1 EA Tradesave Slim Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	
Rangehood Single Switched Power Socket Tradesave Slim Single Power Socket (White) 10A - Fridge 1 EA Tradesave Slim Single Power Socket (White) 10A - Microwave 1 EA Tradesave Double Power Socket Horizontal (White) 10A 20 EA Protective Capping for Socket Electrical in Joinery 1 EA Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 20A (max) 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA Tradesave Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Single Power Socket (White) 10A - Fridge 1 EA Tradesave Slim Single Power Socket (White) 10A - Microwave 1 EA Tradesave Double Power Socket Horizontal (White) 10A 20 EA Protective Capping for Socket Electrical in Joinery 1 EA Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max) 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA Tradesave Slim Dishwasher Power Socket (White) 1 EA Tradesave Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Single Power Socket (White) 10A - Microwave 1 EA Tradesave Double Power Socket Horizontal (White) 10A 20 EA Protective Capping for Socket Electrical in Joinery 1 EA Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max) 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA Tradesave Slim Dishwasher Power Socket (White) 1 EA Tradesave Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit 1 EA Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
★ Tradesave Double Power Socket Horizontal (White) 10A 20 EA C Protective Capping for Socket Electrical in Joinery 1 EA ♣ Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A 1 EA ♣ Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA ★ Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max) 1 EA ★ Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA ★ Tradesave Slim Dishwasher Power Socket (White) 1 EA ★ Tradesave Garage Door Open/Close Press Switch (White) 1 EA ★ Tradesave Slim Garage Door Power Socket (White) 1 EA ★ Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA ♣ Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit 1 EA ② Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max) 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA Tradesave Slim Dishwasher Power Socket (White) 1 EA Tradesave Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit 2 Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A 1 EA Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max) 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA Tradesave Slim Dishwasher Power Socket (White) 1 EA Tradesave Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max) 1 EA Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA Tradesave Slim Dishwasher Power Socket (White) 1 EA Tradesave Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
☆ Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max) 1 EA ☆ Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) 1 EA ☆ Tradesave Slim Dishwasher Power Socket (White) 1 EA ♠ Tradesave Garage Door Open/Close Press Switch (White) 1 EA ♣ Tradesave Slim Garage Door Power Socket (White) 1 EA ♣ Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA ♣ Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit 1 EA ⑤ Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) Tradesave Slim Dishwasher Power Socket (White) 1 EA Tradesave Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Dishwasher Power Socket (White) 1 EA Tradesave Garage Door Open/Close Press Switch (White) 1 Tradesave Slim Garage Door Power Socket (White) 1 Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit 1 EA Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Garage Door Open/Close Press Switch (White) 1 EA Tradesave Slim Garage Door Power Socket (White) 1 Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Garage Door Power Socket (White) 1 EA Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit 1 EA Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
© Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 7 EA	
Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit 2 EA & Installation	
Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) 2 EA	
E Extractor Fan Inline 150mm with up to 6m of Duct 3 EA	
Fascia Grille (Supplied By Others) 3 EA	
 External 180° Infrared Movement Surface Mounted Sensor Up to 12M Range, Adjustable10sec - 15min time delay (White) 	

Electrical

	Item	Total
\otimes	Recessed Downlight Prolux DL54 LED 10-Watt 160° Beam (Switchable 3K-4K-6K) White Fascia & Circuit	24 EA
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
⊕	External LED Up/Down Round 2x 5W Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit	5 EA
Θ	Bulkhead Wall Light Robus Ohio LED 12W IP54 Oval Bulkhead c/w White & Black Trims & Circuit	1 EA
w	Tradesave Slim Light Switch 1-Gang (White)	13 EA
w	Tradesave Slim Light Switch 2-Gang (White)	3 EA
w	Tradesave Slim Light Switch 3-Gang (White)	2 EA
FIP	Excel Life White IP Rated Light Switch 1 Gang	1 EA
Z _{IP}	Excel Life White IP Rated Light Switch 3-Gang	1 EA
2WY	2-Way Light Circuit	2 EA
INT	Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring Fibre Hub	Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit	1 EA
Main TV/Data	Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA

In the Area

About Earlsbrook

Only a 25 minute drive to Christchurch's CBD, Earlsbrook is situated on the southside of the semi-rural township of Lincoln. You're spoiled for choice with easy access to several walking and biking trails making Earlsbrook ideal for families, young professionals and retirees. Multiple early childhood centres are in Lincoln with Earlsbrook being zoned for Ararira Springs Primary School and Lincoln High School. Plans for a brand new primary school and daycare are underway within the development.

A new commercial space will be constructed in Earlsbrook which will include medical service options, cafes and a variety of shops. Earlsbrook will feature 45 hectares of green space including playgrounds and reserves featuring natural spring waterways with views of the Port Hills and the Southern Alps, offering the perfect balance of rural feel living and convenient access to urban amenities.





Lincoln and Surrounding Areas

Lincoln is a charming township on the outskirts of Christchurch City and is known for its vibrant community feel and the popular Lincoln University – the oldest agricultural teaching institution in the Southern hemisphere established in 1878.

Local residents have created a tight-knit community with a weekly local farmers and craft market where you will find some of the best produce available. An annual Santa Parade is hosted down the main street which provides insight into the surrounding farming community featuring Santa being towed by a tractor.

Lincoln is host to a multitude of amenities including medical centres, cafes, restaurants, public library, fitness centres, indoor sports facilities, playgrounds and dog walking areas. The township has seen substantial growth while maintaining several heritage buildings, some dating back to 1875 making Lincoln a special place.



A 10min drive will take you to New Zealand's fastest growing township, Rolleston. Rolleston features multiple shopping complexes – both retail and grocers, public swimming pool and a cinema to soon be constructed.

Lincoln's location makes for an easy journey to Little River and Banks Peninsula which features endless hills, bays and bush walking tracks for exploring – it is the definition of nature's playground on your doorstep.

P: (03) 977 2832

E: info@oakridgehomes.co.nz



Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:


- Master Build 10-Year Guarantee
- 1 year warranty period
- Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Full length tiled splashback to kitchen
- Bosch appliances
- Exposed aggregate driveways and patios
- (1) Insulated garage and garage door





The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832

E: info@oakridgehomes.co.nz