

Section

Size

382m²

House and Land Package

Lot 16 Maddisons Quarter, Stage 1, Faringdon Rolleston

\$769,900



Dwelling

Size

158m²




Family sized home featuring four bedrooms, master with ensuite and walk-in robe, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

Just twenty minutes from Christchurch, Rolleston has so much to offer. You are spoilt for choice within New Zealand's fasting growing community. Offering retailers, eateries, parks and reserves along with a newly established primary school and Rolleston college in close proximity. Only a short drive to central Rolleston with a shopping complex to cater all requirements.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 16 Maddisons Quarter, Stage 1, Faringdon, Rolleston

General:				
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk	
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre	
Dwelling Exterior:				
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine	
Roofing:	25° metal pressed tile— Corona shake	Fascia and gutter:	Dimond metal fascia and quad gutter	
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	Rockcote Graphex (15yr manufacturers Guarantee)	
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever	
Window joinery:	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 4.5m	
Dwelling Interior:				
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings	
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop	
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove	
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4	
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel	
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards	
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L	
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province	
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms	
Landscaping:				
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included	
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.	
		1		



Specification

Lot 16 Maddisons Quarter, Stage 1, Faringdon, Rolleston

Kitchen and Laundry	/:		
Kitchen, bench sur- face and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 40mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink
Kitchen tapware:	Adesso Urban— Brushed nickel	Kitchen handles:	Stefano Orlati 4062— Titanium
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU
Laundry tub:	Raymor 560x560 laundry tub	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black



Specification

Lot 16 Maddisons Quarter, Stage 1, Faringdon, Rolleston


Bathrooms:				
Vanities:	Raymor Armada 750mm	Mirrors:	Polished edge direct fix—1000x750mm	
Showers:	Arena curved with moulded wall	Toilets:	Elementi Uno with soft close seat	
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated	
Basin mixers:	Paffoni BLU071	Shower / bath mixers:	Paffoni BLU010LUG CP	
Shower slides:	Paffoni Brio 3F ZSAL194CR	Bath spout:	Paffoni Stick ZBOC041	



Colour Scheme

Lot 16 Maddisons Quarter, Stage 1, Faringdon, Rolleston

Exterior:		Interior:	
Roof:	Cypress	Ceilings:	Half black white
Fascia/ Gutter / Downpipes:	Flaxpod	Walls:	Black white
Window joinery:	Flaxpod	Interior doors:	Black white
Front door:	Flaxpod	Skirting:	Black white
Front door frame:	Flaxpod	Carpet:	Iron
Garage door:	Flaxpod	Vinyl plank:	Natural
Garage door frame:	Flaxpod	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Black White	Kitchen benchtop:	TriStone 40mm – Pure white
Exterior cladding (Axon):	Element	Kitchen splashback:	White gloss with misty grey grout








Kitchen:






ORIEL WAY

Kerb

Grass Berm





WENDELBORN PROPERTY LTD LOT 16 MADDISONS QUARTER ORIEL WAY ROLLESTON

lssue Concept Design

Site Info

Site Address	Oriel Way Maddisons Quarter
Legal Description	Lot 16
Site Area	382m²
Building Area	160.55m²
Roof Area*	199.19m²
Site Coverage	52.14%

Design Basis

Wind Zone	High
Earthquake Zone	2
Snow Zone	N4 < 100m
Exposure Zone	С

General Notes

All dimensions shown are to face of foundation unless noted otherwise.


Refer to Foundation Plan for foundation setout.


Refer to Drainage Plan for specific drainage info.


Refer to Sediment Control in Specification & implement where required.


All sealed driveway and patio areas to be min. 1:100 fall away from building.

Revision	3
Date	8/03/2024
File No.	24043









Archiplus 6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 021 0221 8868

W E N D E L B O R N P R O P E R T Y L T D LOT 16 MADDISONS QUARTER ORIEL WAY ROLLESTON

Issue Concept Design Floor Plan

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

Building Area

Over Frame	154.25m²
Perimeter	59.94m
Over Cladding	158.47m²
Perimeter	60.50m
Roof Area*	196.34m²
Perimeter	64.06m
*Roof area includes fas	cia & gutter.

<u>General</u>

Main Cladding	RCS Graphex System
Feature Cladding	JH Axon Panel
Roof Pitch	25°
Roofing	Pressed Metal Tiles (Corona Shake)
Stud Height	2.42m
Interior Door	1.98m high
Wardrobe Door	2.20m high
Cooktop	Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

Legend

Distribution Board & Smart Meter Box Data Box Smoke Detector with test and hush bottons to comply with NZBC F7/AS1

Floor Covering

_	_	_	_	

Carpet (excl. Garage)


Vinyl Planks


WINDOW SCHEDULE			
ID	Н	W	
w01	2,130	960	
w02	1,100	600	
w03	1,100	600	
w04	2,130	2,700	
w05	2,130	2,700	
w06	2,130	2,700	
w07	1,300	600	
w08	1,300	600	
w09	2,130	600	
w10	1,300	1,800	
w11	1,100	1,200	
w12	1,300	1,800	
w13	2,130	960	
w14	1,300	1,500	

 Revision
 3

 Date
 8/03/2024

 File No.
 24043





ey.archiplus@gmail.com 021 0238 1905 Archiplus 021 0221 8868



WENDELBORN PROPERTY LTD LOT 16 MADDISONS QUARTER ORIEL WAY ROLLESTON

lssue Concept Design **Roof Plan**

Scale

Roof Cladding

25° Pressed metal tiles roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.


Downpipe Catchment (Plan Area)

d.p.1	53m²
d.p.2	47m²
d.p.3	37m²
d.p.4	54m²

Roof Bracings

Refer to truss design.

File No.	24043
Date	8/03/2024
Revision	3



021 0238 1905

Archiplus 021 0221 8868

1:100 @ A3

Elevation Keys

C01	RCS Graphex 50mm panel with plastered finish on 20mm cavity battens.
C02	James Hardies Axon panel on 20mm cavity battens.
R01	Pressed metal tiles roofing (Corona Shake).
R02	Colorsteel Quad gutter supported by Colorsteel 185mm fascia.
R03	Colorsteel 75x55mm downpipes.
J01	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.
J02	Sectional garage door.
S01	Drainage vent pipe.
S02	Heatpump outdoor unit on wall bracket.


Legend

w01	Window ID
SS	Security Stay
SG	Safety Glass

General Notes

Driveway to fall from 20mm max. below garage rebate.

Revision	3
Date	8/03/2024
File No.	24043







WENDELBORN PROPERTY LTD LOT 16 MADDISONS QUARTER ORIEL WAY ROLLESTON


Issue Concept Design **Cross Section A-A**

Scale

Section Keys

- RCS Graphex 50mm panel with plastered finish on C01 20mm cavity battens over building wrap on timber framing.
- James Hardie Axon panel on 20mm cavity battens C02 over building wrap on timber framing.
- External walls 90x45mm studs @ 600mm crs, W01 dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
- W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- S01 Ribraft floor slab and foundation.
- T01 Roof trusses as per Truss Design.
- Pressed metal tiles roofing on 50x40mm timber R01 battens over self-supported roof underlay on trusses.
- R02 Colorsteel Quad gutter on 185mm Colorsteel fascia.
- R03 75x55mm Colorsteel downpipes with wall brackets.
- J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- Sectional garage door. H3.1 timber reveals for J02 painted finish.
- R2.8 wall insulation batts. B01
- R7.0 ceiling insulation batts. Compressed insulation B02 to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.
- 4.5mm Hardie soffit linings for painted finish. L01
- L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- L03 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)


Revision	3
Date	8/03/2024
File No.	24043



ORIEL WAY

Kerb

Grass Berm






WENDELBORN PROPERTY LTD LOT 16 MADDISONS QUARTER ORIEL WAY ROLLESTON


Issue Concept Design Landscape Plan


The landscaper will use an assortment of plants from the list below: Agapanthus Peter Pan - Dwarf blue Nile lily Acacia Limelight - Dwarf wattle Choisya Ternata - Mexican orange blossom Carex Secta - Makura sedge Lavandula angustifolia 'Hidcote' - English Lavender Pittosporum little gem Thuja occidentalis Smaragd - Emerald Cedar Viburnum tinus Eve Price Azalea Corokia geentys green Pseudowintera colorata 'Red Leopard' - Horopito/Pepper tree Camellia 'Cinnamon Cindy'



Note: Stain street facing fences









Designer: Sarah Molyneux	Date: 29 Feb 24 Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Dwg: Kitchen Elevation	Scale: Customer: WPL				KITCHENS
-					



Designer: Sarah Molyneux	Date: 29 Feb 24	Client: Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20	Customer: WPL				KITCHENS
						· · · · · · · · · · · · · · · · · · ·




Sarah Molyneux 29	9 Feb 24 Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Dwg: Kitchen Elevation	1:20 Customer: WPL				KITCHENS




Designer: Sarah Molyneux	Date: Clien	^{nt:} Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Dwg: Kitchen Elevation	Scale: Cust	tomer: WPL				KITCHENS




Designer: Sarah Molyneux	Date: 29 Feb 24	^{Client:} Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: WPL				KITCHENS
				· · · · · · · · · · · · · · · · · · ·		



Designer: Sarah Molyneux	Date: 29 Feb 24	Client: Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Dwg:	Scale:	Customer:				KITCHENS
Pantry Plan	1 : 20	WPL				KTECHENS
This is an existent destant and a				- - Is a second at a state of the second s		




Designer: Sarah Molyneux	29 Feb 24 Client: Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Pantry Elevation	Scale: Customer: WPL				KITCHENS
This is an evisional design and	where the velocity of the second s		- hear waid as into and as all an All dimensions and air-		



Designer: Sarah Molyneux	Date: 29 Feb 24 Client: Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Dwg:	Scale: Customer:				KITCHENS
Pantry Elevation	1:20 WPL				RITCHENS



Designer: Sarah Molyneux	Date: 29 Feb 24	Client: Oakridge Homes	BC Ref:	Site Address: Lot 16 Maddisons Quarter	Job#: 55208	TRENDS
Dwg: Pantry 3D Perspective	Scale:	Customer: WPL				KITCHENS





Client Name:Oakridge HomesSite Address:Lot 16, Maddisons Quarter, Oriel Way, RollestonAcceptance Signature & Date:

Date: 21-02-2024 Plan Electrical & Ligh

h	ti	n	a	
			3	

Plan: Lot 16 Maddisons Quarter, Oriel Way, Rolleston - Electrical Design

Electrical

	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA
R	Tradesave Rangehood Power Socket	1 EA
2000 F	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA
*	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA
\mathbf{a}	Tradesave Double Power Socket Horizontal (White) 10A	21 EA
ж	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA
ж	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA
ألأ	Tradesave Built-In Oven Hard-Wired Power Connection up to 20 Amp max	1 EA
₩	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32 Amp max	1 EA
꽞	Tradesave Slim Dishwasher Power Socket	1 EA
\mathbf{h}	Tradesave Garage Door Opener Press Button (White)	1 EA
꽞	Tradesave Slim Garage Door Power Socket	1 EA
₩	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
S	Smoke Detector Alarm - 230v Mains powered with 9V battery backup	3 EA
\mathbf{X}	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
Ε	Extractor Fan Inline 150mm & up to 6m of duct	3 EA
\boxtimes	Extractor Fan External Grill (White)	3 EA
S	External 180-Degree Lighting Movement Sensor (White)	1 EA
\otimes	Recessed LED Downlight Prolux DL54 with White Fascia & Circuit	31 EA
	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
w	Tradesave Slim White Light Switch 1 Gang	16 EA
•	Tradesave Slim White Light Switch 2 Gang	3 EA

Electrical

Item	Total
Tradesave Slim White Light Switch 3 Gang	2 EA
Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY 2-Way Light Circuit	3 EA
INT Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA