Lot 171 Earlsbrook

Stage 1B, Earlsbrook, Lincoln



House & Land Package:

Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$759,900

Home area: 157m²

Section area: 400m²

4

₽ 1

企2



Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- · RibRaft foundation


- · Modern bathroomware
- · Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- · Fully landscaped

P: (03) 977 2832

E: info@oakridgehomes.co.nz



Floor Layout



Site Location





P: (03) 977 2832

E: info@oakridgehomes.co.nz



Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior			
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Monier 70 Series Brick
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever
Window joinery: Tint to w02 & w03	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 4.5m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank – Province
Splashback tiles:	100×300mm subway tile (Kitchen only)	Window coverings:	Windoware Everyday Vinyl Collection - Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan
Colour Scheme			
EXTERIOR		INTERIOR	
Roof:	Ebony	Ceilings:	Half black white
Fascia: Gutter & downpipes:	Titania Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Crevole with white mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	All black	Kitchen splashback:	White gloss with misty grey grout

P: (03) 977 2832

E: info@oakridgehomes.co.nz



Specification

Kitchen and Laundry Kitchen, bench surface and splashback: Kitchen sink: Custom made Melteca or Bestwood finished cabinetry. TriStone Lazio NZLSS-5545 single stainless steel sink 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme Kitchen handles: Kitchen tapware: Elementi Uno Gooseneck Stefano Orlati 4062- Titanium Oven: Ceramic cooktop: Bosch HBF133BSOA Bosch PKE611K17A Rangehood: Dishwasher: Bosch DWB97DM50A Bosch SMU2ITS01A Laundry tub: Feature pendant: Aquatica Laundra Studio Staverton 1L—black *dependent on supply, similar fitting to be used if unavailable **Bathrooms** Vanities: Mirrors: Elementi Novara, 2 drawer 750mm, French Polished edge direct fix—1000×750mm Oak Toilets: Showers: Arena curved with moulded wall Elementi Uno back to wall Bath: Towel rails: Elementi Diseno back-to-wall 1700mm Newtech 5 bar square—heated **Basin mixers:** Shower / bath mixers: Elementi Cura Elementi Cura **Shower slides: Bath spout:** Elementi Uno Elementi Rayne



E: info@oakridgehomes.co.nz





26.20m 4,000 PATIO (Exposed Aggregate) 10.00m² 1x1/ outlook space 1x1/ outlook space 4x4 outlook space PATIO (Exposed Aggregate) 16.00m² DRIVEWAY & PATH (Exposed Aggregate) 45.62m² 6,000 Outdoor Living Area (min. dimension of 3m) 109.27 m² 26.20m



Site Address Earlsbrook Lincoln Legal Description Lot 171

Site Area 400m²

Building Area 157.97m²

Roof Area* 196.03m²

Site Coverage 49.01%

Design Basis

Wind Zone High
Earthquake Zone 2
Snow Zone N4 < 100m

Exposure Zone C

General Notes

All dimensions shown are to <u>face of foundation</u> unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

All sealed driveway and patio areas to be min. 1:100 fall away from building.


23/04/2025


25072


Revision

Date

File No.







Building Area

Over Frame	152.45m ²
Perimeter	58.94m
Over Cladding	157.97m ²
Perimeter	59.72m
Roof Area* Perimeter *Roof area includes fascia	196.03m ² 61.12m

General

Main Cladding 70s Clay Brick
Feature Cladding JH Axon Panel

Roof Pitch 25°

Roofing Longrun Corrugated

Stud Height 2.42m
Interior Door 1.98m high
Wardrobe Door 2.20m high
Cooktop Ceramic Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Tinted window to w02 & w03.

Legend

Distribution Board & Smart Meterbox

Data Box

Smoke Detector 10 year long-life battery-operated

& interconnected

Floor Covering



Vinyl Planks

WINDOW SCHEDULE					
ID	Н	W			
w01	2,130	960			
w02	2,130	2,200			
w03	500	1,800			
w04	1,100	1,200			
w05	1,400	1,500			
w06	1,100	1,200			
w07	1,400	1,800			
w08	2,130	2,400			
w10	2,130	2,400			
w11	1,400	1,500			
w12	1,400	1,500			
w13	2,130	750			
w14	1,400	1,500			
w15	2,130	960			




W E N D E L B O R N P R O P E R T Y L T D


> LOT 171 EARLSBROOK LINCOLN

ISS	ue
Concept	Design

Scale

1:100 @ A3





Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

Downpipe Catchment (Plan Area)

d.p.1	49m²
d.p.2	44m²
d.p.3	51m²
d.p.4	44m²

Roof Bracings

Refer to Truss Design.

and is copy right to Archiplus Ltd.

Roof Plan

1:100 @ A3

Date

File No.

25072





W E N D E L B O R N P R O P E R T Y L T D

LOT 171 EARLSBROOK

LINCOLN

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Elevations

Scale

Revision Date File No.

Sheet No.

1:100 @ A3

23/04/2025 25072

Elevation Keys

70 series brick on 50mm cavity.

James Hardie Axon panel on 20mm cavity battens.

Colorsteel corrugate roofing.

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes. Low E Argon filled double glazed

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

windows in thermally-broken powder coated aluminium frames.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

General Notes

garage rebate.

Security Stay Safety Glass

Driveway to fall from 20mm max. below

C01

C02

R01

R02

R03

J02

J03


S01

S02


w01


SS

<u>Legend</u>











W E N D E L B O R N P R O P E R T Y L T D

> LOT 171 EARLSBROOK LINCOLN

Issue Concept Design	Cross S	ections
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale	1:50 @ A3

Section Keys Co1 70 series brick on 50mm cavity over building underlay on timber framing.

C02 James Hardie Axon panel on 20mm cavity battens over building underlay on timber framing.

W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.

W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.

S01 Ribraft floor slab and foundation.

T01 Roof trusses as per Truss Design.

Ol Colorsteel corrugate roofing over self-supported roof underlay on 70x45mm purlins on trusses.

R02 Colorsteel Quad gutter on Colorsteel fascia.

R03 75x55mm Colorsteel downpipes with wall brackets.

J01 Low E Argon filled double glazed windows in

thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.

J02 Sectional garage door. H3.1 timber reveals for painted finish.

B01 R2.6 wall insulation batts.

B02 2 x R3.6 (165mm) double layer ceiling insulation batts.

B03 R3.6 (130mm x 1200mm) Gutter Line insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underlay.

B03 R3.6 ceiling insulation batts.

L01 4.5mm soffit linings for painted finish.

L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens direct fixed @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)


L03 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)



Revision 1
Date 23/04/2025 5
File No. 25072



SPRINGS ROAD



Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' - Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

<u>Legends</u>

Lawn



Exposed Aggregate



Stonechip



Garden Bed with Bark



Feature tree (1.8m high) in front yard




Timber Batten Edging between garden bed & lawn/ stonechip



25072

File No.



Benchtop Colour:

12mm square edge Tristone in Pure White
Back Wall Joinery Colour:

Bestwood Simply White Embossed
Island Joinery Colour:

Bestwood Subtle Grey Velvet
Negative Detail Joinery Colour:

Bestwood Subtle Grey Velvet

Handles:


4062-192/320-Titanium Grey

Sink:


Lazio NZLSS-5545 Stainless Single Bowl


Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default
Sarah Molyneux	24 Feb 23	Oakridge Homes			
Dwg:	Scale:	Customer:	•		
Kitchen Plan	1:25	The Oak			





Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1 : 20	Customer: The Oak				KITCHENS






^{gner:} Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default
Dwg:	Scale:	Customer:			
Kitchen Elevation	1:20	The Oak			





Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Oak				KITCHENS



Plan: The Oak V2 (Garage Right) - Electrical Design

Elec	trical	
	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA
·R/	Rangehood Single Switched Power Socket	1 EA
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA
MO	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA
\forall	Tradesave Double Power Socket Horizontal (White) 10A	19 EA
x	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)	1 EA
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)	1 EA
*	Tradesave Slim Dishwasher Power Socket (White)	1 EA
^	Tradesave Garage Door Open/Close Press Switch (White)	1 EA
*	Tradesave Slim Garage Door Power Socket (White)	1 EA
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
	Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	7 EA
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA
\forall	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
E	Extractor Fan Inline 150mm with up to 6m of Duct	3 EA
	Extractor Fan External Grille (White)	3 EA
S	External 180° Infrared Movement Surface Mounted Sensor Up to 12M Range, Adjustable10sec - 15min time delay (White)	1 EA
\otimes	Recessed Downlight Prolux DL54 LED 10-Watt 160° Beam (Switchable 3K-4K-6K) White Fascia & Circuit	29 EA

Electrical

	Item	Total
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
w	Tradesave Slim Light Switch 1-Gang (White)	11 EA
w	Tradesave Slim Light Switch 2-Gang (White)	4 EA
w	Tradesave Slim Light Switch 3-Gang (White)	1 EA
2WY	2-Way Light Circuit	1 EA
Smart Wiring Fibre Hub	Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit	1 EA
Main TV/Data	Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA

In the Area

About Earlsbrook

Only a 25 minute drive to Christchurch's CBD, Earlsbrook is situated on the southside of the semi-rural township of Lincoln. You're spoiled for choice with easy access to several walking and biking trails making Earlsbrook ideal for families, young professionals and retirees. Multiple early childhood centres are in Lincoln with Earlsbrook being zoned for Ararira Springs Primary School and Lincoln High School. Plans for a brand new primary school and daycare are underway within the development.

A new commercial space will be constructed in Earlsbrook which will include medical service options, cafes and a variety of shops. Earlsbrook will feature 45 hectares of green space including playgrounds and reserves featuring natural spring waterways with views of the Port Hills and the Southern Alps, offering the perfect balance of rural feel living and convenient access to urban amenities.





Lincoln and Surrounding Areas

Lincoln is a charming township on the outskirts of Christchurch City and is known for its vibrant community feel and the popular Lincoln University – the oldest agricultural teaching institution in the Southern hemisphere established in 1878.

Local residents have created a tight-knit community with a weekly local farmers and craft market where you will find some of the best produce available. An annual Santa Parade is hosted down the main street which provides insight into the surrounding farming community featuring Santa being towed by a tractor.

Lincoln is host to a multitude of amenities including medical centres, cafes, restaurants, public library, fitness centres, indoor sports facilities, playgrounds and dog walking areas. The township has seen substantial growth while maintaining several heritage buildings, some dating back to 1875 making Lincoln a special place.



A 10min drive will take you to New Zealand's fastest growing township, Rolleston. Rolleston features multiple shopping complexes – both retail and grocers, public swimming pool and a cinema to soon be constructed.

Lincoln's location makes for an easy journey to Little River and Banks Peninsula which features endless hills, bays and bush walking tracks for exploring – it is the definition of nature's playground on your doorstep.

P: (03) 977 2832

E: info@oakridgehomes.co.nz



Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:


- Master Build 10-Year Guarantee
- 1 year warranty period
- Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Full length tiled splashback to kitchen
- Bosch appliances
- Exposed aggregate driveways and patios
- (1) Insulated garage and garage door





The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832

E: info@oakridgehomes.co.nz