Lot 188 Arbor Green

Stage 10, Arbor Green, Springwood, Rolleston



House & Land Package:

Family sized home featuring three bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$669,900

Home area: 121m²

Section area: 297m²

魚 2



Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- · Healthy Homes compliant
- · RibRaft foundation

- · Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- · Fully landscaped


P: (03) 977 2832

E: info@oakridgehomes.co.nz


oakridgehomes.co.nz




Floor Layout



Site Location





P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz



Specification

| General | | | |
|------------------------------|---|--------------------------------------|--|
| Guarantee: | Master Build 10-Year | Insurance: | Builders All Risk |
| Warranty | 1 year from settlement | Utilities: | Mains supply including fibre |
| Dwelling Exterior | | | |
| Foundation: | TC1 RibRaft | Framing / trusses: | 2.42m LVL |
| Roofing: | 25° longrun corrugate | Fascia and gutter: | Dimond metal fascia and quad gutter |
| Downpipes: | Colorsteel 75×55 rectangular | Main cladding: | Monier 70 Series Brick |
| Feature cladding: | Abodo AW55 135×18mm | Entry door: | Thermally-Broken APL 860mm Latitud with urbo lever |
| Window joinery: | Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames | Garage door: | Insulated Coloursteel flat panel woodgrain 2.4m |
| Dwelling Interior | | | |
| Insulation: | As per Building Code. Including entire garage envelope - internal & external walls | Plasterboard: | Plasterboard - 10mm to walls, wet are to bathrooms and 13mm to ceilings |
| Gib stopping: | Grade 4 paint finish in accordance with AS/NZ 2311:2009 | External corners: | Square stop |
| Hinged doors: | 1980mm (horizontal V groove) | Wardrobe sliders: | 2200mm Horizontal V groove |
| Wardrobe shelving: | MDF shelf and rail | Cupboard shelving: | MDF shelves x4 |
| Door hardware: | Windsor Futura – Apex brushed nickel | Skirting board: | 60mm bevel |
| Electrical: | As per plan | Heatpump: | Fujitsu SET-ASTH22KNTA 6.0/6.5kw |
| Extractor: | Inline extractor fan & extractor duct through fascia grille | Hot water cylinder: | Rheem 250L |
| Carpet: | Belgotex Urban Twist | Vinyl plank: | Belgotex Luxury Plank - Province |
| Splashback tiles: | 100×300mm subway tile (Kitchen only) | Window coverings: | Windoware Everyday Vinyl Collection - Mystic. Excluding garage & bathrooms |
| Landscaping | | | |
| Driveway and patio: | Exposed aggregate – sealed | Vehicle crossing: | Included |
| Soft landscaping: | As per plan | Fencing: | As per plan |
| Colour Scheme | | | |
| EXTERIOR | | INTERIOR | |
| Roof: | Flaxpod | Ceilings: | Half black white |
| Fascia, gutter & downpipes: | Flaxpod | Walls: | Black white |
| Window joinery: | Flaxpod | Interior doors: | Black white |
| Front door: | Flaxpod | Skirting: | Black white |
| Front door frame: | Flaxpod | Carpet: | Iron |
| Garage door: | Flaxpod | Vinyl plank: | Natural |
| Garage door frame: | Flaxpod | Kitchen cabinetry: | Simply white |
| Soffits: | Half black white | Feature kitchen/ negative detail: | Subtle grey velvet |
| Exterior cladding (Main): | Crevole with white mortar | Kitchen benchtop: | TriStone 12mm – Pure white |
| Exterior cladding (Feature): | Vulcan natural | Kitchen splashback: | White gloss with misty grey grout |

P: (03) 977 2832


E: info@oakridgehomes.co.nz





Specification

Kitchen and Laundry Kitchen, bench surface and splashback: Kitchen sink: Custom made Melteca or Bestwood finished cabinetry. TriStone Lazio NZLSS-5545 single stainless steel sink 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme Kitchen handles: Kitchen tapware: Elementi Uno Gooseneck Stefano Orlati 4062- Titanium Oven: Ceramic cooktop: Bosch HBF133BSOA Bosch PKE611K17A Rangehood: Dishwasher: Bosch DWB97DM50A Bosch SMU2ITS01A Laundry tub: Feature pendant: Aquatica Laundra Studio Staverton 1L—black *dependent on supply, similar fitting to be used if unavailable **Bathrooms** Vanities: Mirrors: Elementi Novara, 2 drawer 750mm, French Polished edge direct fix—1000×750mm Oak Toilets: Showers: Arena curved with moulded wall Elementi Uno back to wall Bath: Towel rails: Elementi Diseno back-to-wall 1700mm Newtech 7 bar narrow square—heated **Basin mixers:** Shower / bath mixers: Elementi Cura Elementi Cura **Shower slides: Bath spout:** Elementi Uno Elementi Rayne




E: info@oakridgehomes.co.nz







NEW ROAD



Site Info

Site Address Arbor Green
Legal Description Lot 188
Site Area 297m²
Building Area 121.70m²
Roof Area* 135.67m²
Site Coverage 45.68%

Design Basis

Wind Zone High Earthquake Zone 2

Snow Zone N4 < 100m

Exposure Zone C

General Notes

All dimensions shown are to <u>face of foundation</u> unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info

Refer to Sediment Control in Specification & implement where required.


Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.


All sealed driveway and patio areas to be min. 1:100 fall away from building.


25102


File No.











Building Area

| Over Frame | 115.65m |
|----------------------------|-------------|
| Perimeter | 52.12m |
| Over Cladding | 121.70m |
| Perimeter | 53.41m |
| Roof Area* | 135.67m |
| Perimeter | 52.96m |
| *Roof area includes fascia | a & gutter. |

<u>General</u>

Main Cladding 70s Clay Brick

Feature Cladding Abodo Vulcan Shiplap

WB

25° Roof Pitch

Roofing Longrun Corrugated

Stud Height 2.42m 1.98m high Interior Door

2.20m high Wardrobe Door

Cooktop Ceramic Cooktop

> Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Ensuite extractor fan ducting through fascia grille.

Legend

Distribution Board and Smart Meter Box

Data Box

Smoke Detector 10 year long-life battery-operated

& interconnected

Floor Covering

Carpet (excl. Garage)

Vinyl Planks

WINDOW SCHEDULE ID w01 2,130 960 w02 2,130 1,500 w03 500 1,500 w04 1,400 1,500 w05 1,100 600 w06 500 1,800 w07 2,130 1,500 w08 2,130 2,400 w09 2,130 2,400 w10 2,130 900 w11 1,200 1,100 w12 2,130 910



and is copy right to Archiplus Ltd.


Floor Plan

Scale

25102

File No.





Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

Downpipe Catchment (Plan Area)

d.p.1 36m² d.p.2 51m² d.p.3 41m²

Roof Bracings

Refer to Truss Design.




Roof Plan

27/05/2025

25102

Date

File No.





6 Browns Road, Christchurch
ey.archiplus@gmail.com
021 0238 1905
021 0221 8868

W E N D E L B O R N P R O P E R T Y L T D LOT 188 ARBOR GREEN

ROLLESTON

Issue Concept Design

and is copy right to Archiplus Ltd.

This plan is developed for the purchaser

Elevations

Scale

1:100 @ A3

2 27/05/2025

Elevation Keys

70 series clay brick on 50mm

Colorsteel corrugate roofing.

weatherboard on 20mm horizontal castellated cavity battens.

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken

powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames

Heatpump outdoor unit on wall

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

Security Stay

Safety Glass

Driveway to fall from 20mm max. below

General Notes

garage rebate.

Abodo Vulcan shiplap

C01

C02

R01

R02

R03

J01

J02

J03

S01

S02

w01 SS

SG


Legend

Date 27/05/2 File No. **25102**

Revision

Section Keys

- C01 70 series brick on 50mm cavity over building wrap on timber framing.
- C02 Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens over building wrap on timber framing.
- W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs (Shiplap WB dwangs @ 480mm crs). Top plates 90x45 + 140x35mm.
- Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- S01 Ribraft Foundation.
- T01 Roof trusses as per Truss Design.
- Colorsteel corrugate roofing over self-supported R01 roof underlay on on 70x45mm purlins over trusses.
- Colorsteel Quad gutter on 185mm Colorsteel R02 fascia.
- 75x55mm Colorsteel downpipes with wall brackets.
- Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- Sectional garage door. H3.1 timber reveals for painted finish.
- R2.6 wall insulation batts.
- B02 2 x R3.6 (165mm) double layer ceiling insulation
- B03 R3.6 (130mm x 1200mm) Gutter Line insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underlay.
- L01 4.5mm Hardie soffit linings for painted finish.
- 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- 10mm Gib wall linings stopped smooth for painted






ROLLESTON

| Issue | Section A | A-A |
|--|-----------|-----------|
| Concept Design | | |
| This plan is developed for the purchaser and is copy right to Archiplus Ltd. | Scale | 1:50 @ A3 |







Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

<u>Legends</u>

Lawn

Exposed Aggregate



Stonechip



Garden Bed with Bark



Portuguese Laurel - Hedge to be a min. 800mm high at time of planting and a max of 600mm apart (stem to stem)



Tree - within 2m of road frontage. 2.5m high (at time of planting)

Macrocarpa posts 200x200mm with capping, supplied by Arbor Green.
To be installed by
Oakridge Homes. Mulseal and concrete encase posts, setback 900mm from road boundary and set off the driveway edge by 200mm



Timber Batten Edging




1.8m 'Picket Panel Juno' fence in black







1:100 @ A3




| Benchtop Colour: |
|---|
| 12mm square edge Tristone in Pure White |
| Back Wall Joinery Colour: |
| Bestwood Simply White Embossed |
| Island Joinery Colour: |
| Bestwood Subtle Grey Velvet |
| Negative Detail Joinery Colour: |
| Bestwood Subtle Grey Velvet |
| Handles: |
| 4062-192/320-Titanium Grey |
| Sink: |


Lazio NZLSS-5545 Stainless Single Bowl


| Designer: | Date: | | BC Ref: | Site Address: | Job#: Default |
|----------------|-----------|----------------|---------|---------------|---------------|
| Sarah Molyneux | 01 Mar 23 | Oakridge Homes | Job | | |
| Dwg: | Scale: | Customer: | | | |
| Kitchen Plan | 1:25 | The Koa | | | |





| Designer: Sarah Molyneux | Date: 01 Mar 23 | Client: Oakridge Homes | BC Ref: Site | e Address: Job#: Default | TRENDS |
|--------------------------|--------------------|---------------------------|--------------|--------------------------|----------|
| Dwg: Kitchen Elevation | Scale: 1 : 20 | Customer: The Koa | | | KITCHENS |






| Designer: Sarah Molyneux | Date: 01 Mar 23 | | BC Ref: Job | Site Address: | Job#: Default |
|-----------------------------|--------------------|----------------------|----------------|---------------|---------------|
| Dwg: Kitchen Elevation | Scale: 1 : 20 | Customer: The Koa | | | |





| Designer: Sarah Molyneux | Date: 01 Mar 23 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: Default | TDENIDS |
|-----------------------------|--------------------|------------------------|---------|---------------|---------------|----------|
| Dwg: | Scale: | Customer: | Job | | | IRENDS |
| Kitchen 3D Perspective | | The Koa | | | | KITCHENS |





Client Name: Oakridge Homes
Site Address: The Koa V3 (Garage Right)
Acceptance Signature & Date:

Date: Revised 23-05-2025 **Plan** Electrical & Lighting

Designed By: Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: The Koa V3 (Garage Right) - Electrical Design

| Elec | trical | |
|----------------|---|-------|
| | Item | Total |
| SWB/MB | Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase) | 1 EA |
| ·RV | Rangehood Single Switched Power Socket | 1 EA |
| Fridge | Tradesave Slim Single Power Socket (White) 10A - Fridge | 1 EA |
| ₩ _O | Tradesave Slim Single Power Socket (White) 10A - Microwave | 1 EA |
| \forall | Tradesave Double Power Socket Horizontal (White) 10A | 16 EA |
| × | Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A | 1 EA |
| 料 | Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A | 1 EA |
| * | Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max) | 1 EA |
| * | Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max) | 1 EA |
| * | Tradesave Slim Dishwasher Power Socket (White) | 1 EA |
| % | Tradesave Garage Door Open/Close Press Switch (White) | 1 EA |
| * | Tradesave Slim Garage Door Power Socket (White) | 1 EA |
| ₩ | Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) | 1 EA |
| 20 | Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit | 1 EA |
| | Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life | 5 EA |
| Ħ | Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation | 1 EA |
| Ħ | Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation | 1 EA |
| \forall | Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) | 2 EA |
| E | Extractor Fan Inline 150mm with up to 6m of Duct | 3 EA |
| | Extractor Fan External Grille (White) | 2 EA |
| | Fascia Grille (Supplied By Others) | 1 EA |

Electrical

| | Item | Total |
|--|---|-------|
| S | External 180° Infrared Movement Surface Mounted Sensor Up to 12M Range, Adjustable10sec - 15min time delay (White) | 1 EA |
| \otimes | Recessed Downlight Prolux DL54 LED 10-Watt 160° Beam (Switchable 3K-4K-6K) White Fascia & Circuit | 19 EA |
| • | Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit | 2 EA |
| ⊕ | External LED Up/Down Round 2x 5W Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit | 5 EA |
| Θ | Bulkhead Wall Light Robus Ohio LED 12W IP54 Oval Bulkhead c/w White & Black Trims & Circuit | 1 EA |
| w | Tradesave Slim Light Switch 1-Gang (White) | 10 EA |
| w | Tradesave Slim Light Switch 2-Gang (White) | 5 EA |
| FIP | Excel Life White IP Rated Light Switch 1 Gang | 1 EA |
| 2WY | 2-Way Light Circuit | 2 EA |
| INT | Tradesave Slim 3-way Intermediate Switching Light Circuit | 1 EA |
| Smart Wiring Fibre Hub | Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit | 1 EA |
| Main TV/Data | Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White | 1 EA |
| No Tri serial preview ofly (sold-list in calling space) | No TV Aerial, Prewire Only (cable left in ceiling space) | 1 EA |

In the Area

About Arbor Green

Arbor Green has everything that makes up a flourishing neighbourhood. Streets, landscaping and amenities that have been purposefully designed to bring people together and enhance everyday wellbeing.

Once complete, Arbor Green will have 1200 new homes built, a primary school and a central neighbourhood precinct that create two main gathering points, while multiple parks, pathways and cycleways ensure every resident can get around with safety and ease.



Rolleston and Surrounding Areas


Living in Arbor Green provides you with an open gateway to everything the Selwyn region has to offer.

Rolleston is Canterbury's second largest urban centre. Home to growing businesses, purpose-built facilities, high quality schools and a bevy of shops and eateries, life here is vibrant, easy and fun.

You'll be close to all those urban conveniences that make life easy. There are plenty of work and education opportunities nearby and Christchurch is just 20 minutes down the road. Head a little further afield and Canterbury's mountains, lakes and beaches are yours to discover.









Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:


- Master Build 10-Year Guarantee
- 1 year warranty period
- Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Full length tiled splashback to kitchen
- Bosch appliances
- Exposed aggregate driveways and patios
- Insulated garage and garage door





The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz