

House & Land Package

Lot 239 Kennedys Green, Stage 2

Halswell, Christchurch

Dwelling	Section
Size	Size
121m²	341m ²

\$759,900












House and land package featuring three bedrooms, master includes a walk-in wardrobe and ensuite, open plan kitchen, dining and living, family sized bathroom and internal access garaging. Designed with a patio from the living space enhancing the indoor / outdoor flow. Custom designer kitchen, quality fittings and full landscaping package included.


Within ten minutes drive to Christchurch City Centre Kennedys Green is surrounded by natural reserves and vast views of the Port Hills. Conveniently located within close proximity to the Halswell Shopping Centre where you will find various retail outlets, cafes, restaurants, a pharmacy and supermarket. Only steps from the recreational Quarry Park, sought-after Halswell School, public swimming pool and library Kennedys Green is a highly desirable location.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 239 Kennedys Green, Stage 2, Halswell, Christchurch

General:										
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk							
Warranty:	365 day from settlement	Utilities:	Sewer pump chamber & Fibre							
Dwelling Exterior:	Dwelling Exterior:									
Foundation:	TC2 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine							
Roofing:	25° metal pressed tile— corona shake	Fascia and gutter:	Dimond metal fascia and quad gutter							
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	The Brickery—70 Series Brick							
Feature cladding:	Abodo AW55 135x18mm	Entry door:	Thermally-broken APL 860mm Latitude with urbo lever							
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 2.4m							
Dwelling Interior:										
Insulation:	As per Building Code—Including entire garage envelope, internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings							
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop							
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove							
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4							
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel							
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards							
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L							
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province							
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms							
Landscaping:										
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included							
Soft landscaping:	As per plan	Fencing:	Internal fencing including one gate.							



Specification

Lot 239 Kennedys Green, Stage 2, Halswell, Christchurch

Kitchen and Laundry:							
Kitchen, bench sur- face and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink				
Kitchen tapware:	Greens Astro II Gooseneck Slim	Kitchen handles:	Stefano Orlati 4062— Titanium				
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A				
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU				
Laundry tub:	Aquatica Laundra Studio	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black				



Specification

Lot 239 Kennedys Green, Stage 2, Halswell, Christchurch

Bathrooms:			
Vanities:	Newtech Frank Plus 750mm	Mirrors:	Polished edge direct fix—1000x750mm
Showers:	Arena curved with moulded wall	Toilets:	Newtech Casalino Back To Wall
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated
Basin mixers:	Greens Astro II	Shower / bath mixers:	Greens Astro II Round
Shower slides:	Greens Glide Rainboost Adjustable	Bath spout:	Greens Legacy



Colour Scheme

Lot 239 Kennedys Green, Stage 2, Halswell, Christchurch

Exterior:		Interior:	
Roof:	Obsidian	Ceilings:	Half black white
Fascia/ Gutter / Downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry main:	Bestwood simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Crevole with white mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	Vulcan Straw	Kitchen splashback:	White gloss with misty grey grout


Exterior:




Interior:



Kitchen:





Site Info

Site Address

Kennedys Bush Road

Christchurch Lot 239

Legal Description Site Area Building Area

Site Coverage

341m² 121.83m² 35.73%

Design Basis

Wind Zone High Earthquake Zone 2

Snow Zone N4 < 100m Exposure Zone C

General Notes

All dimensions shown are to <u>face of foundation</u> unless noted otherwise.


Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage

Refer to Sediment Control in Specification & implement where required.

All sealed driveway and patio areas to be min. 1:100 fall away from building.


Site bearings, dimensions and north point subject to the Issue of Certificate of Title.






Scale

1:100 @ A3





Building Area

Over Frame 115.65m² 52.12m Over Cladding 121.83m² Perimeter 53.24m Roof Area* 153.56m² 55.56m Perimeter *Roof area includes fascia & gutter.

General

Main Cladding

Feature Cladding

Abodo Vulcan Shiplap (AW55)

70s Clay Brick

Roof Pitch

Roofing

Pressed Metal Tiles (Corona Shake)

Stud Height 2.42m Interior Door 1.98m high 2.20m high Wardrobe Door Cooktop Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

<u>Legend</u>

Distribution Board and Smart Meter Box

Data Box

Smoke Detector 10 year long-life battery-operated

& interconnected (Cavius)

Floor Covering



Vinyl Planks


WINDOW SCHEDULE				
ID	Н	W		
w01	2,130	960		
w02	2,130	1,200		
w03	500	1,500		
w04	1,400	1,500		
w05	1,100	600		
w06	500	1,800		
w07	1,400	1,500		
w08	2,130	2,400		
w09	2,130	2,400		
w10	500	2,400		
w11	1,100	1,200		
w12	2,130	960		



and is copy right to Archiplus Ltd.

Scale

1:100 @ A3







WENDELBORN PROPERTY LTD

LOT 239 KENNEDYS GREEN CHRISTCHURCH

Issue Concept Plan

This plan is developed for the purchaser and is copy right to Archiplus Ltd. Scale

Elevations

1:100 @ A3

Revision

Elevation Keys

cavity battens.

C02

R01

R02

R03 J01

J02

J03

S01

S02

w01 SS

SG

Legend

70 series clay bricks over 50mm

Abodo Vulcan shiplap WB (AW55) on 20mm horizontal castellated

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

APL entry door in thermally-broken

powder coated aluminium frames.

Heatpump outdoor unit on wall

Pressed metal tiles roofing.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

Security Stay

Safety Glass

Driveway to fall from 20mm max. below

Accoustic requirement to be

confirmed by engineer


General Notes

garage rebate.


3

25/07/2024 Date File No. 24136

01







B Section B
- Scale 1:50



W E N D E L B O R N P R O P E R T Y L T D LOT 239 KENNEDYS GREEN

CHRISTCHURCH

Issue	Cross Se	ections
Concept Plan		
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale	1:50 @ A3

	Cross S	Sections			Sheet No.
			Revision	01	
aser			Date	25/07/2024	4
as c i 	Scale	1·50 @ A3	File No	24136	

Section Keys

C02

S01

T01

R01

R02

R03

J02

B01

B02

L01

L02

C01 70 series bricks over 50mm cavity over building

over building wrap on timber framing.

W01 External walls 90x45mm studs @ 600mm crs,

Abodo Vulcan shiplap WB (AW55) on 20mm horizontal castellated cavity battens @ 480mm crs

dwangs @ 800mm crs (Dwangs @ 480mm crs for shiplap WB). Top plates 90x45 + 140x35mm.

Internal walls 90x45mm studs @ 600mm crs,

Pressed metal tiles roofing on 50x40mm timber

battens over self-supported roof underlay on

Colorsteel Quad gutter on 185mm Colorsteel

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

Sectional garage door. H3.1 timber reveals for

R7.0 ceiling insulation batts. Compressed insulation

R5.0 skilion ceiling insulation batts at coved ceiling.

4.5mm Hardie soffit linings for painted finish.13mm Gib ceiling linings supported by 35mm

Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm

10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)

to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required

H3.1 timber reveals for painted finish.

75x55mm Colorsteel downpipes with wall brackets.

wrap on timber framing.

dwangs @ 800mm crs.

SED Ribraft foundation.

trusses.

fascia.


painted finish.

Gib Aqualine)

R2.8 wall insulation batts.

to allow for the 25mm ventilation.

Roof trusses as per Truss Design.







Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price


Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' - Horopito/Pepper tree


Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.



KENNEDYS BUSH ROAD

Sheet No.




Benchtop Colour:
12mm square edge Tristone in Pure White
Back Wall Joinery Colour:
Bestwood Simply White Embossed
Island Joinery Colour:
Bestwood Subtle Grey Velvet
Negative Detail Joinery Colour:
Bestwood Subtle Grey Velvet
Handles:
4062-192/320-Titanium Grey
Sink:


Lazio NZLSS-5545 Stainless Single Bowl


_						
[Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default
	Sarah Molyneux	01 Mar 23	Oakridge Homes	Job		20.44.1
Ī	Dwg:	Scale:	Customer:			
	Kitchen Plan	1:25	The Koa			





Designer: Sarah Molyneux	Date: 01 Mar 23	Client: Oakridge Homes	BC Ref: S	ite Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20	Customer: The Koa				KITCHENS






Designer: Sarah Molyneux	Date: 01 Mar 23	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	
Dwg:	Scale:	Customer:	•			
Kitchen Elevation	1:20	The Koa				





Designer: Sarah Molyneux	Date: 01 Mar 23	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Koa	·			KITCHENS





Client Name: Oakridge Homes
Site Address: The Koa STD (Garage Left)
Acceptance Signature & Date:

Date: Revised 16-07-2024 **Plan** Electrical

Designed By: Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: The Koa STD (Garage LHS) - Electrical Design

Electrical					
	Item	Total			
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA			
(R)	Tradesave Rangehood Power Socket	1 EA			
2000 F	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA			
Mo	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA			
\forall	Tradesave Double Power Socket Horizontal (White) 10A	16 EA			
x	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA			
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA			
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20 Amp max	1 EA			
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32 Amp max	1 EA			
*	Tradesave Slim Dishwasher Power Socket	1 EA			
%	Tradesave Garage Door Opener Press Button (White)	1 EA			
*	Tradesave Slim Garage Door Power Socket	1 EA			
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection	1 EA			
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA			
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	5 EA			
*	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA			
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA			
E	Extractor Fan Inline 150mm & up to 6m of duct	3 EA			
	Extractor Fan External Grill (White)	3 EA			
S	External 180-Degree Lighting Movement Sensor (White)	1 EA			
\otimes	Recessed LED Downlight Prolux DL54 with White Fascia & Circuit	22 EA			
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA			
Θ	External LED Bulkhead Wall Light Ambius ABH8OL 3K (White) 8W & Circuit	1 EA			

Electrical

	Item	Total
w	Tradesave Slim White Light Switch 1 Gang	8 EA
w	Tradesave Slim White Light Switch 2 Gang	6 EA
NIP	Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY	2-Way Light Circuit	1 EA
INT	Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring Fibre Hub	Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Main TV/Data	Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA