

House and Land Package

Lot 268 Beachgrove, Kaiapoi,

North Canterbury

\$729,900








Family sized home featuring four bedrooms, master with ensuite and walk-in robe, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

Within thirty minutes drive to Christchurch City, Beachgrove is conveniently located within walking distance of the vibrant Kaiapoi town centre where you will find various retail outlets, cafes, restaurants, supermarkets, weekly farmers market and a movie theatre. There is a high school, primary schools and day care centres all within close proximity.

With Pines Beach recreational areas on your door step it makes Beachgrove an appealing community for all.



Floor Layout:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.





Specification

Lot 268 Beachgrove, Kaiapoi, North Canterbury

General:			
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk
Warranty:	365 day from settlement	Utilities:	Sewer pump chamber
Dwelling Exterior:			
Foundation:	TC2 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine
Roofing:	25° metal pressed tile— corona shake	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	Rockcote Graphex (15yr manufacturers guarantee)
Feature cladding:	James Hardie Axon	Entry door:	Thermally-broken APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 4.5m
Dwelling Interior:			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms
Landscaping:			
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Interna fencing including one gate.



Specification

Lot 268 Beachgrove, Kaiapoi, North Canterbury

Kitchen and Laundry:			
Kitchen, bench sur- face and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink
Kitchen tapware:	Greens Astro II Gooseneck Slim	Kitchen handles:	Stefano Orlati 4062— Titanium
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU
Laundry tub:	Aquatica Laundra Studio	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black



Specification

Lot 268 Beachgrove, Kaiapoi, North Canterbury

Bathrooms:				
Vanities:	Newtech Frank Plus 750mm	Mirrors:	Polished edge direct fix—1000x750mm	
Showers:	Arena curved with moulded wall	Toilets:	Newtech Casalino Back To Wall	
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated	
Basin mixers:	Greens Astro II	Shower / bath mixers:	Greens Astro II Round	
Shower slides:	Greens Glide Rainboost Adjustable	Bath spout:	Greens Legacy	



Colour Scheme

Lot 268 Beachgrove, Kaiapoi, North Canterbury


Exterior:		Interior:	
Roof:	Obsidian	Ceilings:	Half black white
Fascia / Gutter / Downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ nega- tive detail:	Subtle grey velvet
Exterior cladding (Main):	Black white	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	All black	Kitchen splashback:	White gloss with misty grey grout

Exterior:





Kitchen:



General Notes




All dimensions shown are to face of foundation unless noted otherwise. Refer to Foundation Plan for foundation

setout. Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Site bearings, dimensions and North point subject to Certificate of Title.









W E N D E L B O R N P R O P E R T Y L T D

LOT 268 BEACH GROVE 10 PENDER STREET KAIAPOI

lssue Concept Design Site Plan

Scale

Site Info


Site Address	10 Pender Street Beach Grove
Legal Description	Lot 268 DP 595347
Site Area	371m²
Building Area	156.94m²
Roof Area*	196.20m ²
Site Coverage	52.88%

Design Basis

Wind Zone	High
Earthquake Zone	2
Snow Zone	N4 < 100m
Exposure Zone	С

Revision	1	
Date	16/07/2024	
File No.	24129	







W E N D E L B O R N P R O P E R T Y L T D

LOT 268 BEACH GROVE 10 PENDER STREET KAIAPOI Issue Concept Design Floor Plan

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

Building Area

Over Frame	152.88m²
Perimeter	57.60m
Over Cladding	156.73m²
Perimeter	58.16m
Roof Area*	196.20m²
Perimeter	60.28m
*Roof area includes fas	cia & gutter.

<u>General</u>

Main Cladding	RCS Graphex	
Feature Cladding	JH Axon Panel	
Roof Pitch	25°	
Roofing	Pressed Metal Tiles (Corona Shake)	
Stud Height	2.42m	
Interior Door	1.98m high	
Wardrobe Door	2.20m high	
Cooktop	Ceramic Cooktop	

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

<u>Legend</u>

Distribution Board & Smart Meterbox Data Box

Smoke Detector with test and hush bottons to comply with NZBC F7/AS1

Floor Covering


_	

Carpet (excl. Garage)

Vinyl Planks

WINDOW SCHEDULE			
ID	Н	W	
w01	2,130	960	
w02	2,130	750	
w03	2,130	750	
w04	1,400	1,500	
w05	2,130	2,700	
w06	2,130	1,800	
w07	1,400	1,500	
w08	2,130	1,800	
w09	1,400	600	
w10	1,400	600	
w11	1,100	1,200	
w12	1,400	1,500	
w13	1,100	1,200	
w14	1,400	1,500	
w15	2,130	960	

Revision	1
Date	16/07/2024
File No.	24129



021 0238 1905 Archiplus 021 0221 8868



This plan is developed for the purchaser and is copy right to Archiplus Ltd. Scale

1:100 @ A3

Elevation Keys

 C01 RCS Graphex 50mm panel with plastered finish on 20mm cavity battens. C02 James Hardie Axon panel on 20mm cavity battens. R01 Pressed metal tiles roofing. R02 Colorsteel Quad gutter supported by Colorsteel 185mm fascia. R03 Colorsteel 75x55mm downpipes. J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. J02 Sectional garage door. J03 APL entry door in thermally-broker powder coated aluminium frames. S01 Drainage vent pipe. S02 Heatpump outdoor unit on wall bracket. 		
20mm cavity battens.R01Pressed metal tiles roofing.R02Colorsteel Quad gutter supported by Colorsteel 185mm fascia.R03Colorsteel 75x55mm downpipes.J01Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.J02Sectional garage door.J03APL entry door in thermally-broker powder coated aluminium frames.S01Drainage vent pipe.S02Heatpump outdoor unit on wall	C01	plastered finish on 20mm cavity
 R02 Colorsteel Quad gutter supported by Colorsteel 185mm fascia. R03 Colorsteel 75x55mm downpipes. J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. J02 Sectional garage door. J03 APL entry door in thermally-broker powder coated aluminium frames. S01 Drainage vent pipe. S02 Heatpump outdoor unit on wall 	C02	
NoSolutionby Colorsteel 185mm fascia.R03Colorsteel 75x55mm downpipes.J01Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.J02Sectional garage door.J03APL entry door in thermally-broker powder coated aluminium frames.S01Drainage vent pipe.S02Heatpump outdoor unit on wall	R01	Pressed metal tiles roofing.
 J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. J02 Sectional garage door. J03 APL entry door in thermally-broker powder coated aluminium frames. S01 Drainage vent pipe. S02 Heatpump outdoor unit on wall 	R02	
 windows in thermally-broken powder coated aluminium frames. J02 Sectional garage door. J03 APL entry door in thermally-broker powder coated aluminium frames. S01 Drainage vent pipe. S02 Heatpump outdoor unit on wall 	R03	Colorsteel 75x55mm downpipes.
 J03 APL entry door in thermally-broker powder coated aluminium frames. S01 Drainage vent pipe. S02 Heatpump outdoor unit on wall 	J01	windows in thermally-broken
powder coated aluminium frames.S01Drainage vent pipe.S02Heatpump outdoor unit on wall	J02	Sectional garage door.
S02 Heatpump outdoor unit on wall	J03	APL entry door in thermally-broken powder coated aluminium frames.
	S01	Drainage vent pipe.
	S02	


Legend

w01	Window ID
SS	Security Stay
SG	Safety Glass
CJ	Control Joint

General Notes


Driveway to fall from 20mm max. below garage rebate.

Revision	1
Date	16/07/2024
File No.	24129



Section Keys

- C01 RCS Graphex 50mm panel with plastered finish over 20mm cavity battens over building underlay on timber framing.
- James Hardie Axon panel on 20mm cavity battens C02 over building underlay on timber framing.
- External walls 90x45mm studs @ 600mm crs, W01 dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
- W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- S01 Ribraft floor slab and foundation.
- T01 Roof trusses as per Truss Design.
- R01 Pressed metal tile roofing on 50x40mm battens over self-supported roof underlay on trusses.
- Colorsteel Quad gutter on Colorsteel fascia. R02
- R03 75x55mm Colorsteel downpipes with wall brackets.
- J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- Sectional garage door. H3.1 timber reveals for J02 painted finish.
- R2.8 wall insulation batts. B01
- B02 R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.
- R5.0 skillion insulation batts at coved ceiling. B03
- L01 4.5mm soffit linings for painted finish.
- L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens direct fixed @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- 10mm Gib wall linings stopped smooth for painted L03 finish. (Wet area wall 10mm Gib Aqualine)



Ш ш $\mathbf{\mathcal{L}}$ ⊢ S ENDER ۵

⊢

Archiplus 021 0221 8868

021 0238 1905



WENDELBORN PROPERTY LTD

LOT 268 BEACH GROVE 10 PENDER STREET KAIAPOI

lssue Concept Design

Landscape Plan


Scale


This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3


Revision Date File No.

1 16/07/2024 24129





Designer: Sarah Molyneux	Date: 24 Feb 23 Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TDENIDS
Dwg:	Scale: Customer:	000	-		KLTCHENS
Kitchen Elevation	1 : 20 The Maple - Selwyn				KTICHEN 3




TRENDS	
KITCHENS	

Designer:


Sarah Molyneux

Date:


Scale:



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
^{Dwg:} Kitchen 3D Perspective	Scale:	^{Customer:} The Maple - Selwyn				KITCHENS




Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	
Sarah Molyneux	24 Feb 23	Oakridge Homes	Job		201441	TRENDS
Dwg:	Scale:	Customer:		1		
Pantry Plan	1:20	The Maple - Pantry V2				KITCHENS



Designer: Sarah Molyneux	24 Feb 23	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Pantry Elevation	Scale: 1:20	Customer: The Maple - Pantry V2				KITCHENS



Designer: Sarah Molyneux	Date: 24 Feb 23	^{Client:} Oakridge Homes	BC Ref: Job	Job#: Default	TRENDS
Dwg: Pantry 3D Perspective	Scale:	Customer: The Maple - Pantry V2			KITCHENS



Plan: The Maple Ver 5. STD (Garage Right) - Electrical Design

Electrical

2100		
	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard	1 EA
R	Tradesave Rangehood Plug	1 EA
2000	Tradesave Slim Single Power Socket - Fridge	1 EA
₩	Tradesave Slim Single Power Socket - Microwave	1 EA
\mathbf{x}	Tradesave Double Power Socket Horizontal (White) 10A	20 EA
С	Capping for sockets and/or switches in joinery	1 EA
ሦ	Tradesave Slim Double Power Socket With Oven Isolator Slot	1 EA
жŲ	Tradesave Slim Double Power Socket With Hob Isolator Slot	1 EA
ألأ	Tradesave Slim Built In Oven Connection 20A	1 EA
#	Tradesave Slim Electric Hob 32A	1 EA
꽞	Tradesave Slim Dishwasher Plug	1 EA
\mathbf{h}	Garage Door Opener Switch (White)	1 EA
꽞	Tradesave Slim Garage Door Socket & Switch	1 EA
\mathbf{A}	Tradesave Slim Hot Water Cylinder	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	7 EA
S/S	E-One Sewerage Grinder & IOTA Pump Power Connection	1 EA
\mathbf{X}	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA
Ε	Extractor Fan 150mm	3 EA
\boxtimes	Extractor Fan External Grill	3 EA
S	External 180 Degree Movement Sensor (White)	1 EA
\otimes	Recessed Downlight DL54 (White) and Circuit	30 EA

The Maple Ver 5. STD (Garage Right) - Electridae@ersign

Electrical

Item	Total
Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
Tradesave Slim White Light Switch 1 Gang	14 EA
Tradesave Slim White Light Switch 2 Gang	4 EA
Tradesave Slim White Light Switch 3 Gang	2 EA
Excel Life White IP Rated Light Switch 1 Gang	1 EA
2wy 2-Way Light Circuit	2 EA
INT Tradesave Slim 3-way Switching White	1 EA
Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Tradesave Slim Main TV/Data Socket (Cat6)	1 EA