# Lot 33 Pinewood Grange

Stage 3, Pinewood Grange, Rolleston



#### House & Land Package:

Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$749,900

Home area: 158m<sup>2</sup>

Section area: 368m<sup>2</sup>

₹ 4

**₽** 1

**企**2



#### Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- · RibRaft foundation

- · Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- · Fully landscaped


P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz



### Floor Layout



#### **Site Location**







E: info@oakridgehomes.co.nz



### **Specification**

General				
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk	
Warranty	1 year from settlement	Utilities:	Mains supply including fibre	
Dwelling Exterior				
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL	
Roofing:	25° metal pressed tile— corona shake – shake satin	Fascia and gutter:	Dimond metal fascia and quad gutter	
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Rockcote Graphex (15yr manufacturers guarantee)	
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever	
Window joinery:	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 4.5m	
Dwelling Interior				
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings	
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop	
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove	
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4	
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel	
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw	
Extractor:	Inline extractor fan & extractor duct through fascia grille	Hot water cylinder:	Rheem 250L	
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank – Province	
Splashback tiles:	100×300mm subway tile (Kitchen only)	Window coverings:	Windoware Everyday Vinyl Collection Mystic. Excluding garage & bathroom	
Landscaping				
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included	
Soft landscaping:	As per plan	Fencing:	As per plan	
Colour Scheme				
EXTERIOR		INTERIOR		
Roof:	Ebony	Ceilings:	Half black white	
Fascia, gutter & downpipes:	Ebony	Walls:	Black white	
Window joinery:	Ebony	Interior doors:	Black white	
Front door:	Ebony	Skirting:	Black white	
Front door frame:	Ebony	Carpet:	Iron	
Garage door:	Ebony	Vinyl plank:	Natural	
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white	
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet	
Exterior cladding (Main):	Mid grey	Kitchen benchtop:	TriStone 12mm – Pure white	
Exterior cladding (Feature):	All black	Kitchen splashback:	White gloss with misty grey grout	

**P**: (03) 977 2832

E: info@oakridgehomes.co.nz





### **Specification**


#### Kitchen and Laundry Kitchen, bench surface and splashback: Kitchen sink: Custom made Melteca or Bestwood finished cabinetry. TriStone Lazio NZLSS-5545 single stainless steel sink 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. \*Refer to plans and colour scheme Kitchen handles: Kitchen tapware: Elementi Uno Gooseneck Stefano Orlati 4062- Titanium Oven: Ceramic cooktop: Bosch HBF133BSOA Bosch PKE611K17A Rangehood: Dishwasher: Bosch DWB97DM50A Bosch SMU2ITS01A Laundry tub: Feature pendant: Aquatica Laundra Studio Staverton 1L—black \*dependent on supply, similar fitting to be used if unavailable **Bathrooms** Vanities: Mirrors: Elementi Novara, 2 drawer 750mm, French Polished edge direct fix—1000×750mm Oak Toilets: Showers: Arena curved with moulded wall Elementi Uno back to wall Bath: Towel rails: Elementi Diseno back-to-wall 1700mm Newtech 5 bar square—heated **Basin mixers:** Shower / bath mixers: Elementi Cura Elementi Cura **Shower slides: Bath spout:** Elementi Uno Elementi Rayne




E: info@oakridgehomes.co.nz









#### Site Info

Site Address 8 Accadia Drive

Pinewood Grange

Legal Description Lot 33 368m² Site Area **Building Area** 158.61m<sup>2</sup> Roof Area\* 174.79m<sup>2</sup> 47.50% Site Coverage

#### **Design Basis**

Wind Zone High Earthquake Zone 2 Snow Zone N4 < 100m

Exposure Zone С

#### **General Notes**

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage


Refer to Sediment Control in Specification & implement where required.


All sealed driveway and patio areas to be min. 1:100 fall away from building.


Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within


ACCADIA DRIVE











#### **Building Area**

Over Frame	154.74m²
Perimeter	56.08m
Over Cladding	158.61m <sup>2</sup>
Perimeter	56.72m
Roof Area* Perimeter *Roof area includes fasci	174.79m <sup>2</sup> 57.70m a & gutter

#### <u>General</u>

Main Cladding **RCS** Graphex Feature Cladding JH Axon Panel

Roof Pitch 25°

Roofing Pressed Metal Tile

(Shake)

Stud Height 2.42m

Interior Door 1.98m High 2.20m High Wardrobe Door

Ceramic Cooktop Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Bath, Ens & Laundry to have mechanical ventilation through fascia grille.

#### **Legend**

Distribution Board & Smart Meter Box

Data Box

Smoke Detector 10 year long-life battery-operated

& interconnected

#### Floor Covering



WINDOW SCHEDULE					
ID	Н	W			
w01	2,130	960			
w02	2,130	1,500			
w03	1,400	1,800			
w04	1,400	1,800			
w05	2,130	2,700			
w06	2,130	2,100			
w07	1,400	1,500			
w08	2,130	1,800			
w09	1,400	00 600			
w10	1,400	600			
w11	1,100	1,200			
w12	1,400	1,500			
w13	1,100	1,200			
w14	1,400	1,500			
w15	2,130	960			





Revision

Date

File No.

25140





#### Roof Cladding

25° Pressed metal tiles roofing over Thermakraft 215 roof underlay.

#### Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

#### **Downpipes**

75x55mm Colorsteel downpipes with wall brackets.

#### **Roof Penetrations**

Seal all pipe penetrations with Dektite flashing kit as per specification.

## Downpipe Catchment (Plan Area)

d.p.1	47r
d.p.2	40r
d.p.3	32r
d.p.4	47n
d.p.5	1n

#### **Roof Bracings**

Refer to truss design.



This plan is developed for the purchaser

and is copy right to Archiplus Ltd.


**Roof Plan** 

17/06/2025

25140

Date

File No.





PROPERTY LTD

8 ACCADIA DRIVE ROLLESTON LOT 33 PINEWOOD GRANGE Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

**Elevations** 

Scale

1:100 @ A3

Revision
Date
File No.

17/06/2025

25140

Sheet No.

**Elevation Keys** 

C02

R01

R02

R03

J01

J02

J03

S01 S02

Legend

w01

SS

SG

CJ

RCS Graphex 50mm panel with

plastered finish on 20mm cavity

JH Axon panel on 20mm cavity

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

Pressed metal tile roofing.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

Security Stay

Safety Glass


Control Joint

Driveway to fall from 20mm max. below

**General Notes** 


garage rebate.


4



#### Section Keys

- C01 RCS Graphex 50mm panel with plastered finish on 20mm cavity batten over building wrap on timber
- JH Axon panel on 20mm cavity batten over building C02 wrap on timber framing.
- W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 +
- W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- S01 Ribraft foundation.
- T01 Roof trusses as per Truss Design.
- R01 Pressed metal tiles on 50x40mm battens over selfsupported roof underlay on trusses.
- Colorsteel Quad gutter on 185mm Colorsteel R02 fascia.
- 75x55mm Colorsteel downpipes with wall brackets.
- Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- Sectional garage door. H3.1 timber reveals for painted finish.
- R2.8 wall insulation batts. B01
- B02 R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.
- 4.5mm Hardie soffit linings for painted finish.
- 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)





#### Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

\*Planting species for garden bed are indicative-not to be limited to.

#### <u>Legends</u>



Lawn



**Exposed Aggregate** 



Stonechip



Garden Bed with Bark




Timber Batten Edging between garden bed & lawn/ stonechip





25140


File No.




Benchtop Colour:
12mm square edge Tristone in Pure White
Back Wall Joinery Colour:
Bestwood Simply White Embossed
Island Joinery Colour:
Bestwood Subtle Grey Velvet
Negative Detail Joinery Colour:
Bestwood Subtle Grey Velvet
Handles:
4062-192/320-Titanium Grey
Sink:
Lazio NZLSS-5545 Stainless Single Bowl


Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	
Sarah Molyneux	20 Feb 24	Oakridge Homes	Job	1	Boladit	TRE
Dwg:	Scale:	Customer:	'			KITCH
Kitchen Plan	1:25	The Maple Modified				KIICH






Designer: Sarah Molyneux	Date: Client: 20 Feb 24	Oakridge Homes	Ref: Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20 Custor	omer: The Maple Modified			KITCHENS







Designer:	Date: Client:	BC Ref: Site Address:	Job#: Default	TM
Sarah Molyneux	20 Feb 24 Oakridge Homes	Job	= <del></del>	TRENDS
Dwg:	Scale: Customer:			KITCHENS
Kitchen Elevation	1:20 The Maple Modified			KITCHENS




Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: Sob	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Maple Modified				KITCHENS




Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Pantry Plan	Scale: 1 : 20	Customer: The Maple Modified				KITCHENS






Designer: Sarah Molyneux	Date: Client: Oakridge Homes	BC Ref: Site Address:	Job#: Default	TRENDS
Dwg: Pantry Elevation	Scale: Customer: The Maple Modified			KITCHENS



Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	te Address:	Job#: Default	TRENDS
Dwg: Pantry 3D Perspective	Scale:	Customer: The Maple Modified			KITCHENS





Client Name: Oakridge Homes
Site Address: The Manle Modifie

Site Address: The Maple Modified - Garage Left (No Soffits)
Acceptance Signature & Date:

**Date:** Revised 22-01-2025 **Plan** Electrical & Lighting

**Designed By:** Mike Lew **Phone:** 03 338 4238

**Email & Web** info@smartsystems.net.nz smartsystems.net.nz

# Plan: The Maple Modified - Garage Left (No Soffits) - Electrical Design

Electrical			
	Item	Total	
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA	
·R/	Tradesave Rangehood Power Socket	1 EA	
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA	
Mo	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA	
$\forall$	Tradesave Double Power Socket Horizontal (White) 10A	20 EA	
C	Protective Capping for Socket Electrical in Joinery	1 EA	
剁	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA	
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA	
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20 Amp max	1 EA	
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32 Amp max	1 EA	
*	Tradesave Slim Dishwasher Power Socket	1 EA	
<b>^</b>	Tradesave Garage Door Opener Press Button (White)	1 EA	
*	Tradesave Slim Garage Door Power Socket	1 EA	
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection	1 EA	
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA	
	Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life (White)	7 EA	
$\forall$	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA	
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA	
E	Extractor Fan Inline 150mm & up to 6m of duct	3 EA	
S	External 180-Degree Lighting Movement Sensor (White)	1 EA	
$\otimes$	Recessed LED Downlight Prolux DL54 with White Fascia & Circuit	25 EA	
$\otimes$	Recessed LED Downlight Prolux DL30 Tiltable 3K (White) and Circuit	1 EA	

#### Electrical

	Item	Total
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
<b>⊕</b>	External LED Up/Down Round Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit	5 EA
W	Tradesave Slim White Light Switch 1 Gang	15 EA
w	Tradesave Slim White Light Switch 2 Gang	5 EA
W	Tradesave Slim White Light Switch 3 Gang	1 EA
<b>K</b> IP	Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY	2-Way Light Circuit	2 EA
INT	Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring Fibre Hub	Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Main TV/Data	Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA

#### In the Area

#### **About Pinewood Grange**

Pinewood Grange is a new subdivision located in the heart of Rolleston, Canterbury. This vibrant community offers a unique blend of modern living and natural beauty, providing residents with the perfect balance between convenience and tranquility.

With its close proximity to schools, parks, and shopping centres, Pinewood Grange is the ideal place to call home. Our vision for this community is to create a welcoming and inclusive environment where families can thrive and create lasting memories.



#### Rolleston and Surrounding Areas

Living in Pinewood Grange provides you with an open gateway to everything the Selwyn region has to offer.

Rolleston is Canterbury's second largest urban centre. Home to growing businesses, purpose-built facilities, high quality schools and a bevy of shops and eateries, life here is vibrant, easy and fun.

You'll be close to all those urban conveniences that make life easy. There are plenty of work and education opportunities nearby and Christchurch is just 20 minutes down the road. Head a little further afield and Canterbury's mountains, lakes and beaches are yours to discover.





P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz



## Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

# Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:


- Master Build 10-Year Guarantee
- 1 year warranty period
- Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Full length tiled splashback to kitchen
- Bosch appliances
- Exposed aggregate driveways and patios
- Insulated garage and garage door





### The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz