Lot 332 Arbor Green

Stage 4, Arbor Green, Springwood, Rolleston



House & Land Package:

Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$774,900

Home area: 159m²

Section area: 438m²

= 4

₽ 1

流 2



Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- · RibRaft foundation

- · Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- Fully landscaped


P: (03) 977 2832

E: info@oakridgehomes.co.nz


oakridgehomes.co.nz




Floor Layout



Site Location







E: info@oakridgehomes.co.nz



Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior			
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Austral 70 Series Brick
Feature cladding:	James Hardie Axon	Entry door:	APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed win-	Garage door:	Insulated Coloursteel flat panel
Tint to w02 & w03	dows in thermally-broken powder coated aluminium frames		woodgrain 4.5m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank - Province
Kitchen, bench surface and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 30mm square edge benchtop. Tiled splashback full length of back bench/wall.	Window coverings:	Windoware Everyday Vinyl Collection - Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan



E: info@oakridgehomes.co.nz






Specification

Kitchen and Laundry *Refer to pla Kitchen tapware: Kitchen sink: Elementi Uno Gooseneck Lazio NZLSS-5545 single stainless steel sink Oven: Kitchen handles: Bosch HBF133BSOA Stefano Orlati 4062 — Titanium Powerpack: Ceramic cooktop: Bosch DHL755BAU Bosch PKE611K17A Dishwasher: Laundry tub: Aquatica Laundra Studio Bosch SMU2ITS01A *dependent on supply, similar fitting to be used if unavailable **Bathrooms** Vanities: Mirrors: Elementi Novara, 2 drawer 750mm, French Polished edge direct fix—1000×750mm Oak Toilets: Showers: Elementi Uno back to wall Arena curved with moulded wall Towel rails: Elementi Diseno back-to-wall 1700mm Newtech 5 bar square—heated **Basin mixers:** Shower / bath mixers: Elementi Cura Elementi Cura **Shower slides: Bath spout:** Elementi Uno Elementi Rayne









Colour Schedule

Exterior Colours

Colour Scheme					
EXTERIOR					
Roof:	Ebony	Garage door:	Ebony		
Fascia, gutter & downpipes:	Ebony	Garage door frame:	Ebony		
Window joinery:	Ebony	Soffits:	Half black white		
Front door:	Ebony	Exterior cladding (Main):	Chiffon with charcoal mortar		
Front door frame:	Ebony	Exterior cladding (Feature):	All black		









Interior Colours

Colour Scheme					
INTERIOR					
Ceilings:	Half black white	Kitchen benchtop:	TriStone 30mm – Demeter		
Walls:	Black white	Kitchen back wall & island back panel:	Cirrus		
Interior doors:	Black white	Kitchen front island panel & boxed ends:	Fiordland elm		
Skirting:	Black white	Kitchen splashback:	Zellige Argilla Gloss 100×100		
Carpet:	Iron	Feature pendant:	Minota 1.5 linear black		
Vinyl plank:	Natural				












P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz





General Notes

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage

Refer to Sediment Control in Specification & implement where required.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected property.

Site Info

Site Address 27 Buxus Way

Arbor Green


Lot 332 DP 624732 Legal Description

438m² Site Area **Building Area** 159.40m² Roof Area* 194.68m² 44.45% Site Coverage

Design Basis

High 2

> N4 < 100m С



6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 Archiplus 021 0221 8868

 $W \ E \ N \ D \ E \ L \ B \ O \ R \ N$ PROPERTY LTD

LOT 332 ARBOR GREEN 27 BUXUS WAY ROLLESTON

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Site Plan

Scale

1:100 @ A3


Date File No.


Revision 16/12/2025


25271


Sheet No.











Building Area

Over Frame	152.45m²
Perimeter	58.94m
Over Cladding	159.40m²
Perimeter	60.08m
Roof Area* Perimeter	194.68m² 61.12m

<u>General</u>

Main Cladding 70s Clay Brick
Feature Cladding James Hardie Axon

Panel

Roof Pitch 25°

Roofing Longrun Corrugated

Stud Height 2.42m
Interior Door 1.98m high
Wardrobe Door 2.20m high

Cooktop Ceramic Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Tint to w02 & w03

Legend

Distribution Board & Smart Meterbox

Data Box

Smoke Detector 10 year long-life battery-operated

& interconnected

Floor Covering




WINDOW SCHEDULE						
ID H W						
w01	2,130	960				
w02	2,130	1,800				
w03	500	1,800				
w04	1,100	1,200				
w05	1,400	1,500				
w06	1,100	1,200				
w07	1,400	1,800				
w08	2,130	2,400				
w09	2,130	2,400				
w10	1,400	1,500				
w11	1,400	1,500				
w12	2,130	750				
w13	1,400	1,500				
w14	2,130	960				



1:100 @ A3





Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.


<u>Downpipe Catchment</u> (<u>Plan Area</u>)

d.p.1	48r
d.p.2	44r
d.p.3	51r
d.p.4	41r
d.p.5	3r

Roof Bracings

Refer to Truss Design.

1:100 @ A3





W E N D E L B O R N P R O P E R T Y L T D

LOT 332 ARBOR GREEN 27 BUXUS WAY ROLLESTON

Issue Concept Design

1:100 @ A3

Date

File No.

25271

Sheet No.

Elevation Keys

70 series brick on 50mm cavity.

James Hardie Axon panel on 20mm cavity battens.

Colorsteel corrugate roofing.

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed

APL entry door in thermally-broken

powder coated aluminium frames.

Heatpump outdoor unit on wall

windows in thermally-broken powder coated aluminium frames.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

General Notes

garage rebate.

Security Stay Safety Glass

Driveway to fall from 20mm max. below

C01

C02

R01

R02

R03

J01

J02

J03


S01

S02


w01

SS

<u>Legend</u>











$W \ E \ N \ D \ E \ L \ B \ O \ R \ N$ PROPERTY LTD

LOT 332 ARBOR GREEN 27 BUXUS WAY ROLLESTON

Issue	Cross Sections
Concept Design	
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale 1:50, 1:10 @

Cr	oss Sections	
		Revision
		Date
Sca	le 1:50, 1:10 @ A3	File No.

		Sheet No.
n	1	
	16/12/2025	5

25271

Section Keys

140x35mm.

painted finish.

battes.

R2.6 wall insulation batts.

R3.6 (165mm) insulation batts.

ceiling 13mm Gib Aqualine)

4.5mm soffit linings for painted finish.

13mm Gib ceiling linings supported by 35mm Rondo ceiling battens direct fixed @ 600mm crs. Stopped smooth for painted finish. (Wet area

10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)

dwangs @ 800mm crs.

Ribraft floor slab and foundation.

Roof trusses as per Truss Design.

C02

W02

S01

T01

R02

R03

J01

J02

B01

B02

B03

R04

L01

C01 70 series brick on 50mm cavity over building underlay on timber framing.

James Hardie Axon panel on 20mm cavity battens over building underlay on timber framing. W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 +

Internal walls 90x45mm studs @ 600mm crs,

Colorsteel corrugate roofing over self-supported roof underlay on 70x45mm purlins on trusses.

75x55mm Colorsteel downpipes with wall brackets.

2 x R3.6 (165mm) double layers celing insulation

R3.6 (140mm) insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underly.


Colorsteel Quad gutter on Colorsteel fascia.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

H3.1 timber reveals for painted finish. Sectional garage door. H3.1 timber reveals for







Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

<u>Legends</u>

La

Lawn

Exposed Aggregate

Stonechip



Garden Bed with Bark

Portuguese Laurel -Hedge to be a min. 800mm high at time of planting and a max of 600mm apart (stem to stem)



Tree - within 2m of road frontage. 2.5m high (at time of planting)

Macrocarpa posts 200x200mm with capping, supplied by Arbor Green. To be installed by Oakridge Homes. Mulseal and concrete encase posts, setback 900mm from road boundary and set off the driveway edge by 200mm


Timber Batten Edging

1.8m 'Picket Panel Juno' fence in black




Fencing


6 Browns Road, Christchurch
ey.archiplus@gmail.com
021 0238 1905
021 0221 8868




Designer: Sarah Molyneux	Date: O4 Nov 25 Client: Oakridge Hom	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Plan	Scale: Customer: The Oak				KITCHENS




Designer: Sarah Molyneux	Date: O4 Nov 25 Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: Customer: The Oak				KITCHENS






Designer: Sarah Molyneux	Date: 04 Nov 25	Oakridge Homes	BC Ref:	Site Address:	Job#: Default 	TRENDS
Dwg:	Scale:	Customer:				KITCHENS
Kitchen Elevation	1:20	The Oak				



Designer: Sarah Molyneux	Date: 04 Nov 25	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Kitchen 3D Perspective	Scale:	Customer: The Oak				KITCHENS



Plan: Option B - The Minota - The Oak V2 (Garage Right) - Electrical Design

Electrical					
	Item	Total			
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA			
·R/	Rangehood Single Switched Power Socket	1 EA			
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA			
Mo	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA			
\forall	Tradesave Double Power Socket Horizontal (White) 10A	19 EA			
x	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA			
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA			
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)	1 EA			
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)	1 EA			
*	Tradesave Slim Dishwasher Power Socket (White)	1 EA			
^	Tradesave Garage Door Open/Close Press Switch (White)	1 EA			
*	Tradesave Slim Garage Door Power Socket (White)	1 EA			
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)	1 EA			
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA			
	Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	7 EA			
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA			
*	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA			
E	Extractor Fan Inline 150mm with up to 6m of Duct	3 EA			
\boxtimes	Extractor Fan External Grille (White)	3 EA			
S	External 180° Infrared Movement Surface Mounted Sensor Up to 12M Range, Adjustable10sec - 15min time delay (White)	1 EA			
\otimes	Recessed Downlight Prolux DL54 LED 10-Watt 160° Beam (Switchable 3K-4K-6K) White Fascia & Circuit	29 EA			

Electrical					
Item	Total				
Tradesave Slim Light Switch 1-Gang (White)	11 EA				
Tradesave Slim Light Switch 2-Gang (White)	4 EA				
Tradesave Slim Light Switch 3-Gang (White)	1 EA				
2WY 2-Way Light Circuit	1 EA				
Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit	1 EA				
Tradesave Slim Main UHF TV/Dual Network Data Sockets Cat-6 (White)	1 EA				
Kitchen Pendants					
Item	Total				
Pendant Light - Minota 1.5m Pendant LED (Black) & Circuit	1 EA				

In the Area

About Arbor Green

Arbor Green has everything that makes up a flourishing neighbourhood. Streets, landscaping and amenities that have been purposefully designed to bring people together and enhance everyday wellbeing.

Once complete, Arbor Green will have 1200 new homes built, a primary school and a central neighbourhood precinct that create two main gathering points, while multiple parks, pathways and cycleways ensure every resident can get around with safety and ease.



Rolleston and Surrounding Areas

Living in Arbor Green provides you with an open gateway to everything the Selwyn region has to offer.

Rolleston is Canterbury's second largest urban centre. Home to growing businesses, purpose-built facilities, high quality schools and a bevy of shops and eateries, life here is vibrant, easy and fun.

You'll be close to all those urban conveniences that make life easy. There are plenty of work and education opportunities nearby and Christchurch is just 20 minutes down the road. Head a little further afield and Canterbury's mountains, lakes and beaches are yours to discover.









Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:


- Master Build 10-Year Guarantee
- 1 year warranty period
- Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Full length tiled splashback to kitchen
- Bosch appliances
- Exposed aggregate driveways and patios
- Insulated garage and garage door





The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz