Lot 35 Pinewood Grange

Stage 3, Pinewood Grange, Rolleston



House & Land Package:

Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$749,900

Home area: 160m²

Section area: 368m²

∃ 4 🕮 1

魚 2

Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- · RibRaft foundation

- · Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- · Fully landscaped


P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz



Floor Layout



Site Location







E: info@oakridgehomes.co.nz



Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior			
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° metal pressed tile— colortile - bond	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Austral 70 Series Brick
Feature cladding:	James Hardie Linea	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 4.5m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan & extractor duct through fascia grille	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank – Province
Splashback tiles:	100×300mm subway tile (Kitchen only)	Window coverings:	Windoware Everyday Vinyl Collection - Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan
Colour Scheme			
EXTERIOR		INTERIOR	
Roof:	Grey Friars	Ceilings:	Half black white
Fascia, gutter & downpipes:	Grey Friars	Walls:	Black white
Window joinery:	Grey Friars	Interior doors:	Black white
Front door:	Grey Friars	Skirting:	Black white
Front door frame:	Grey Friars	Carpet:	Iron
Garage door:	Grey Friars	Vinyl plank:	Natural
Garage door frame:	Grey Friars	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Sea salt with white mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	Stack	Kitchen splashback:	White gloss with misty grey grout

P: (03) 977 2832

E: info@oakridgehomes.co.nz





Specification


Kitchen and Laundry Kitchen, bench surface and splashback: Kitchen sink: Custom made Melteca or Bestwood finished cabinetry. TriStone Lazio NZLSS-5545 single stainless steel sink 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme Kitchen handles: Kitchen tapware: Elementi Uno Gooseneck Stefano Orlati 4062- Titanium Oven: Ceramic cooktop: Bosch HBF133BSOA Bosch PKE611K17A Rangehood: Dishwasher: Bosch DWB97DM50A Bosch SMU2ITS01A Laundry tub: Feature pendant: Aquatica Laundra Studio Staverton 1L—black *dependent on supply, similar fitting to be used if unavailable **Bathrooms** Vanities: Mirrors: Elementi Novara, 2 drawer 750mm, French Polished edge direct fix—1000×750mm Oak Toilets: Showers: Arena curved with moulded wall Elementi Uno back to wall Bath: Towel rails: Elementi Diseno back-to-wall 1700mm Newtech 5 bar square—heated **Basin mixers:** Shower / bath mixers: Elementi Cura Elementi Cura **Shower slides: Bath spout:** Elementi Uno Elementi Rayne




E: info@oakridgehomes.co.nz









ACCADIA DRIVE

Site Info

Site Address 4 Accadia Drive

Pinewood Grange

 Legal Description
 Lot 35

 Site Area
 368m²

 Building Area
 160.10m²

 Roof Area*
 173.65m²

 Site Coverage
 47.19%

Design Basis

Wind Zone High
Earthquake Zone 2
Snow Zone N4 < 100m

Exposure Zone C

General Notes

All dimensions shown are to <u>face of foundation</u> unless noted otherwise.

Refer to Foundation Plan for foundation setout.


Refer to Drainage Plan for specific drainage info.


Refer to Sediment Control in Specification & implement where required.


All sealed driveway and patio areas to be min. 1:100 fall away from building.


Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

1:100 @ A3









Building Area

Over Frame	153.73m²
Perimeter	55.48m
Over Cladding	160.10m ²
Perimeter	56.29m
Roof Area*	173.65m ²
Perimeter	57.10m
*Roof area includes fascia	

<u>General</u>

Main Cladding 70s Clay Brick Feature Cladding JH Linea Weatherboard

Roof Pitch 25°

Roofing Pressed Metal Tiles

(Bond)

Stud Height 2.42m 1.98m High Interior Door 2.20m High Wardrobe Door

Ceramic Cooktop Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Bath, Ens & Laundry to have mechanical ventilation through fascia grille.

Legend

Distribution Board & Smart Meter Box

Data Box

Smoke Detector 10 year long-life battery-operated

& interconnected

Floor Covering



WINDOW SCHEDULE						
ID	Н	W				
w01	2,130	960				
w02	2,130	900				
w03	2,130	900				
w04	1,400	1,800				
w05	1,400	1,800				
w06	2,130	2,700				
w07	2,130	2,100				
w08	1,400	1,500				
w09	2,130	1,800				
w10	1,400	600				
w11	1,400	600				
w12	1,100	1,200				
w13	1,400	1,500				
w14	1,100	1,200				
w15	1,400	1,500				
w16	2,130	960				





25142

Date

File No.

Sheet No.





Roof Cladding

25° Pressed metal tiles roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

<u>Downpipe Catchment</u> (<u>Plan Area</u>)

d.p.1	46m²
d.p.2	40m²
d.p.3	32m²
d.p.4	47m²

Roof Bracings

Refer to truss design.




1:100 @ A3

25142

File No.

Sheet No.





 $W \ E \ N \ D \ E \ L \ B \ O \ R \ N$ PROPERTY LTD

4 ACCADIA DRIVE ROLLESTON LOT 35 PINEWOOD GRANGE

Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Elevations

Scale

1:100 @ A3

Revision 17/06/2025

25142

Sheet No.

Elevation Keys

70 series bricks over 50mm cavity.

James Hardie Linea weatherboard

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

windows in thermally-broken powder coated aluminium frames.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

General Notes

garage rebate.

Security Stay Safety Glass

Driveway to fall from 20mm max. below

on 20mm cavity battens. Pressed metal tiles roofing.

C01

C02

R01 R02

R03

J01

J02

J03

S01

S02


w01

SS

SG

<u>Legend</u>

Date File No.






C01	70 series bricks over 50mm cavity over building wrap on timber framing.
C02	James Hardie Linea weatherboard on 20mm cavity battens over building wrap on timber framing.
V01	100x100x6L shelf angle fixed to timber lintel with 75x10mm coach screw @ 450mm crs. Shelf angle sized as per Branz Appraised Two Storey Clay Brick Veneer Construction.
V02	100x100x6L veneer lintel with 100mm min. seating each side.
W01	External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
W02	Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
S01	Ribraft foundation.
T01	Roof trusses as per Truss Design.
T02	Extended truss top chords to form raking soffit. Refer to Truss Design.
R01	Pressed metal tiles on 50x40mm battens over self-supported roof underlay on trusses.
R02	Colorsteel Quad gutter on 185mm Colorsteel fascia.
R03	75x55mm Colorsteel downpipes with wall brackets
J01	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames H3.1 timber reveals for painted finish.
J02	Sectional garage door. H3.1 timber reveals for painted finish.
B01	R2.8 wall insulation batts.
B02	R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plat as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.
L01	4.5mm Hardie soffit linings for painted finish.
L02	13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
L03	10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)


Revision

Date

File No.

25142





Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' - Horopito/Pepper tree

Camellia 'Cinnmon Cindy'


*Planting species for garden bed are indicative-not to be limited to.

<u>Legends</u>





Garden Bed with Bark






File No.

17/06/2025


25142




Benchtop Colour:
12mm square edge Tristone in Pure White
Back Wall Joinery Colour:
Bestwood Simply White Embossed
Island Joinery Colour:
Bestwood Subtle Grey Velvet
Negative Detail Joinery Colour:
Bestwood Subtle Grey Velvet
Handles:
4062-192/320-Titanium Grey
Sink:
Lazio NZLSS-5545 Stainless Single Bowl


Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	
Sarah Molyneux	20 Feb 24	Oakridge Homes	Job	1	Boladit	TRE
Dwg:	Scale:	Customer:	'			KITCH
Kitchen Plan	1:25	The Maple Modified				KIICH






Designer: Sarah Molyneux	Date: Client: 20 Feb 24	Oakridge Homes	Ref: Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20 Custor	omer: The Maple Modified			KITCHENS







Designer:	Date: Client:	BC Ref: Site Address:	Job#: Default	TM
Sarah Molyneux	20 Feb 24 Oakridge Homes	Job	= 	TRENDS
Dwg:	Scale: Customer:			KITCHENS
Kitchen Elevation	1:20 The Maple Modified			KITCHENS




Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: Sob	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Maple Modified				KITCHENS




Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Pantry Plan	Scale: 1 : 20	Customer: The Maple Modified				KITCHENS






Designer: Sarah Molyneux	Date: Client: Oakridge Homes	BC Ref: Site Address:	Job#: Default	TRENDS
Dwg: Pantry Elevation	Scale: Customer: The Maple Modified			KITCHENS



Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	te Address:	Job#: Default	TRENDS
Dwg: Pantry 3D Perspective	Scale:	Customer: The Maple Modified			KITCHENS





Client Name: Oakridge Homes
Site Address: The Manle Modifie

Site Address: The Maple Modified - Garage Left (No Soffits)
Acceptance Signature & Date:

Date: Revised 22-01-2025 **Plan** Electrical & Lighting

Designed By: Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: The Maple Modified - Garage Left (No Soffits) - Electrical Design

Electrical						
	Item	Total				
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA				
·R/	Tradesave Rangehood Power Socket	1 EA				
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA				
Mo∕	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA				
\forall	Tradesave Double Power Socket Horizontal (White) 10A	20 EA				
C	Protective Capping for Socket Electrical in Joinery	1 EA				
剁	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA				
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA				
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20 Amp max	1 EA				
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32 Amp max	1 EA				
*	Tradesave Slim Dishwasher Power Socket	1 EA				
^	Tradesave Garage Door Opener Press Button (White)	1 EA				
*	Tradesave Slim Garage Door Power Socket	1 EA				
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection	1 EA				
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA				
	Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life (White)	7 EA				
\forall	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA				
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA				
E	Extractor Fan Inline 150mm & up to 6m of duct	3 EA				
S	External 180-Degree Lighting Movement Sensor (White)	1 EA				
\otimes	Recessed LED Downlight Prolux DL54 with White Fascia & Circuit	25 EA				
\otimes	Recessed LED Downlight Prolux DL30 Tiltable 3K (White) and Circuit	1 EA				

Electrical

	Item	Total
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
⊕	External LED Up/Down Round Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit	5 EA
W	Tradesave Slim White Light Switch 1 Gang	15 EA
w	Tradesave Slim White Light Switch 2 Gang	5 EA
W	Tradesave Slim White Light Switch 3 Gang	1 EA
K IP	Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY	2-Way Light Circuit	2 EA
INT	Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring Fibre Hub	Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Main TV/Data	Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA

In the Area

About Pinewood Grange

Pinewood Grange is a new subdivision located in the heart of Rolleston, Canterbury. This vibrant community offers a unique blend of modern living and natural beauty, providing residents with the perfect balance between convenience and tranquility.

With its close proximity to schools, parks, and shopping centres, Pinewood Grange is the ideal place to call home. Our vision for this community is to create a welcoming and inclusive environment where families can thrive and create lasting memories.



Rolleston and Surrounding Areas

Living in Pinewood Grange provides you with an open gateway to everything the Selwyn region has to offer.

Rolleston is Canterbury's second largest urban centre. Home to growing businesses, purpose-built facilities, high quality schools and a bevy of shops and eateries, life here is vibrant, easy and fun.

You'll be close to all those urban conveniences that make life easy. There are plenty of work and education opportunities nearby and Christchurch is just 20 minutes down the road. Head a little further afield and Canterbury's mountains, lakes and beaches are yours to discover.





P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz



Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:


- Master Build 10-Year Guarantee
- 1 year warranty period
- Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Full length tiled splashback to kitchen
- Bosch appliances
- Exposed aggregate driveways and patios
- Insulated garage and garage door





The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz