

House and Land Package

Lot 37 Pinewood Grange, Stage 1, Rolleston

Dwelling	Section	
Size	Size	
147m ²	403m ²	

\$729,900












Family sized home featuring three bedrooms, master with ensuite and walk-in robe, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.


Just twenty minutes from Christchurch, Pinewood Grange is one of Rolleston's newest developments located on the fringe of the township, an easy six minute drive to the CBD offers eateries, retail shops, medical centre, cafes and restaurants. You are spoilt for choice with schooling options including a daycare centre and Lemonwood primary within a two minute drive and another primary school on target to be delivered in 2026, Rolleston College is a short distance away making this an ideal area for growing families. Foster Park and the Aquatic Centre are conveniently located for recreational activities including sports clubs and swimming lessons. Secure your new home in Pinewood Grange and enjoy what this neighbourhood has to offer.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 37 Pinewood Grange, Stage 1, Rolleston

General:					
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk		
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre		
Dwelling Exterior:					
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine		
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter		
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	Rockcote Graphex (15 year manufacturers guarantee)		
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever		
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 4.5m		
Dwelling Interior:					
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings		
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop		
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove		
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4		
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel		
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards		
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L		
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province		
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms		
Landscaping:					
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included		
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.		



Specification

Lot 37 Pinewood Grange, Stage 1, Rolleston

Kitchen and Laundr	Citchen and Laundry:					
Kitchen, bench sur- face and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 40mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink			
Kitchen tapware:	tchen tapware: Greens Astro II Gooseneck Slim		Stefano Orlati 4062 — Titanium			
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A			
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU			
Laundry tub:	Aquatica Laundra Studio	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black			



Specification

Lot 37 Pinewood Grange, Stage 1, Rolleston


Bathrooms:	Bathrooms:					
Vanities:	Newtech Frank Plus 750mm	Mirrors:	Polished edge direct fix—1000x750mm			
Showers:	Arena curved with moulded wall	Toilets:	Elementi Uno with soft close seat			
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated			
Basin mixers:	Greens Astro II	Shower / bath mixers:	Greens Astro II Round			
Shower slides:	Greens Glide Rainboost Adjustable	Bath spout:	Greens Legacy			



Colour Scheme


Lot 37 Pinewood Grange, Stage 1, Rolleston


Exterior:		Interior:		
Roof:	Ebony	Ceilings:	Half black white	
Fascia/ Gutter / Downpipes:	Ebony	Walls:	Black white	
Window joinery:	Ebony	Interior doors:	Black white	
Front door:	Ebony	Skirting:	Black white	
Front door frame:	Ebony	Carpet:	Iron	
Garage door:	Ebony	Vinyl plank:	Natural	
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white	
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet	
Exterior cladding (Main):	Mid grey	Kitchen benchtop:	TriStone 40mm – Pure white	
Exterior cladding (Feature):	All black	Kitchen splashback:	White gloss with misty grey grout	






Kitchen:







Site Info

Site Address Pinewood Grange

Legal DescriptionLot 37Site Area403m²Building Area147.12m²Roof Area*189.18m²Site Coverage46.94%*Roof area includes fascia & gutter.

Design Basis

Wind Zone High
Earthquake Zone 2
Snow Zone N4 < 100m

Exposure Zone C

General Notes

All dimensions shown are to <u>face of</u> <u>foundation</u> unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Site bearings, dimensions and North point to be confirmed upon Certificate of Title when issued.

ROAD


23.26m


and is copy right to Archiplus Ltd.


Revision

Date

File No.







Building Area

143.16m² Over Frame 61.12m Over Cladding 147.02m² Perimeter 61.60m 189.18m² Roof Area* 65.70m Perimeter *Roof area includes fascia & gutter

General

Main Cladding **RCS** Graphex Feature Cladding James Hardie Axon

Panel

Roof Pitch 25°

Roofing Longrun Corrugated

Stud Height 2.42m Interior Door 1.98m High Wardrobe Door 2.20m High

Cooktop Ceramic Cooktop

> Note: Kitchen layout indicative only, refer to Kitchen Design for details.

Legend

Distribution Board & Smart Meter Box

Data Box

Smoke Detector with test and hush bottons to

comply with NZBC F7/AS1

Floor Covering

Carpet (excl. Garage)

Vinyl Planks


	WINDOW SCHEDULE						
ID	D H W						
w01	2,130	960					
w02	750	2,000					
w03	2,130	1,200					
w04	2,130	1,500					
w05	2,130	900					
w06	2,130	900					
w07	2,130	2,700					
w08	2,130	1,800					
w09	1,400	600					
w10	1,400	600					
w11	1,100	600					
w12	1,100	1,200					
w13	2,130	960					
w14	1,400	1,500					
w15	1,400	1,500					




ROLLESTON

24182

File No.





Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

Downpipe Catchment (Plan Area)

d.p.1	47r
d.p.2	40r
d.p.3	47r
d.p.4	45r

Roof Bracings


Refer to truss design.




1:100 @ A3

Scale







SouthEast Elevation



WENDELBORN PROPERTY LTD LOT 37 PINEWOOD GRANGE ROLLESTON

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Elevations

Revision 15/10/2024

Elevation Keys

C02

R01

R02

R03

J01

J02

J03

S02

w01 SS

SG

Legend

RCS Graphex 50mm panels with

plastered finish on 20mm cavity

James Hardie Axon panels on 20mm cavity battens.

Colorsteel corrugate roofing. Colorsteel steel Quad gutter supported by Colorsteel 185mm

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken

powder coated aluminium frames.

APL entry door in thermally-broken

powder coated aluminium frames.

Heatpump outdoor unit on wall

Sectional garage door.

Drainage vent pipe.

Window ID

Security Stay

Safety Glass Control Joint

Driveway to fall from 20mm max. below

General Notes

garage rebate.


Sheet No.

24182


1:100 @ A3 Scale

Date

File No.









W E N D E L B O R N P R O P E R T Y L T D LOT 37 PINEWOOD GRANGE ROLLESTON

Issue Concept Design	Cross S	ections
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale	1:50, 1:10 @ A3

		Sheet No.
Revision	1	
Date	15/10/2024	5
File No.	24182	

Section Keys

C02

W01

W02

S01

T01

T02

R01

R02

J01

J02

B01

B02

B03

L01

L02

fascia.

painted finish.

roofing underlay

Gib Aqualine)

R2.6 wall insulation batts.

C01 RCS Graphex 50mm panels with plastered finish

over building wrap on timber framing.

Roof trusses as per Truss Design.

raking soffit, refer to Truss Design.

dwangs @ 800mm crs..

Ribraft Foundation.

on 20mm cavity batten over building wrap on timber

James Hardie Axon panels on 20mm cavity battens

External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 +

Internal walls 90x45mm studs @ 600mm crs,

Extended truss top chords / outriggers to form

Colorsteel corrugate roofing over self-supported

75x55mm Colorsteel downpipes with wall brackets.

thermally-broken powder coated aluminium frames.

roof underlay on 70x45mm purlins on trusses.

Colorsteel Quad gutter on 185mm Colorsteel

Low E Argon filled double glazed windows in

Sectional garage door. H3.1 timber reveals for

2 x R3.6 (165mm) double layer ceiling insulation

R3.6 (130mm x 1200mm) Gutter Line insulation batts cut to size between the trusses and fit at the

first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and


H3.1 timber reveals for painted finish.


R3.6 (165mm) ceiling insulation batts.

4.5mm Hardie soffit linings for painted finish.13mm Gib ceiling linings supported by 35mm

Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm

10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)





Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

Cercis Hearts of Glod - Golden Redbud

Acer Palmatum Bloodgood - Japanese Maple

Liquidambar Styraciflua - Sweetgum

Magnolia Grandiflora Blanchard

Malus Ioensis Plena

Prunus Autumnalis Southern Gem -Flowering Cherry

*Planting species for garden bed are indicative-not to be limited to.

Legends

Lawn



Exposed Aggregate



Stonechip




Garden Bed with Bark





Sheet No.







Benchtop Colour:
40mm square edge Tristone in Pure White
Main Joinery Colour:
Bestwood Simply White Embossed
Island Joinery Colour:
Bestwood Subtle Grey Velvet
Handles:
4062-192/320-Titanium Grey
Sink:
Lazio NZLSS-5545 Stainless Single Bowl

[Designer:	Date:	Client:	BC Ref:	Site Address:	Job#:
	Sarah Molyneux	14 Mar 24	Oakridge Homes			
Ī	Dwg:	Scale:	Customer:			
_	Kitchen Plan	1:25	The Kauri Modified			
_						







Designer: Sarah Molyneux	Date: 14 Mar 24	Client: BC Re Oakridge Homes	Job#:	TRENDS
Dwg: Kitchen Elevation	Scale: 1 : 20	Customer: The Kauri Modified		KITCHENS




Designer: Sarah Molyneux	Date: 14 Mar 24	Client: Oakridge Homes	BC Ref:	Site Address:	Job#:	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20	Customer: The Kauri Modified	l			KITCHENS






Sarah Molyneux 14 Mar 24 Oakridge Homes TRENDS	
Sarah Molyneux 14 Mar 24 Oakridge Homes	
Dwg: Scale: Customer:	
Kitchen Elevation 1:20 The Kauri Modified	



Designer: Sarah Molyneux	Date: 14 Mar 24		Ref:	Site Address:	Job#:	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Kauri Modified				KITCHENS





Client Name: Oakridge Homes

Site Address: The Kauri Modified - Garage RHS
Acceptance Signature & Date:

Date: Revised 16-07-2024 **Plan** Electrical & Lighting

Designed By: Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: The Kauri Modified (Garage RHS) - Electrical Design

Elec	Electrical					
	Item	Total				
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA				
R	Tradesave Rangehood Power Socket	1 EA				
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA				
Mo	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA				
\forall	Tradesave Double Power Socket Horizontal (White) 10A	17 EA				
×	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA				
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA				
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20 Amp max	1 EA				
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32 Amp max	1 EA				
*	Tradesave Slim Dishwasher Power Socket	1 EA				
%	Tradesave Garage Door Opener Press Button (White)	1 EA				
*	Tradesave Slim Garage Door Power Socket	1 EA				
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection	1 EA				
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA				
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	6 EA				
\forall	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA				
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA				
E	Extractor Fan Inline 150mm & up to 6m of duct	3 EA				
\boxtimes	Extractor Fan External Grill (White)	3 EA				
S	External 180-Degree Lighting Movement Sensor (White)	1 EA				
\otimes	Recessed LED Downlight Prolux DL54 with White Fascia & Circuit	27 EA				
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA				
W	Tradesave Slim White Light Switch 1 Gang	10 EA				

Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White

1 EA