

House and Land Package

Lot 39 Pinewood Grange, Stage 1, Rolleston

Dwelling	Section
Size	Size
140m ²	383m ²

\$704,900









1 2 1




Family sized home featuring three bedrooms, master with ensuite and walk-in robe, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.


Just twenty minutes from Christchurch, Pinewood Grange is one of Rolleston's newest developments located on the fringe of the township, an easy six minute drive to the CBD offers eateries, retail shops, medical centre, cafes and restaurants. You are spoilt for choice with schooling options including a daycare centre and Lemonwood primary within a two minute drive and another primary school on target to be delivered in 2026, Rolleston College is a short distance away making this an ideal area for growing families. Foster Park and the Aquatic Centre are conveniently located for recreational activities including sports clubs and swimming lessons. Secure your new home in Pinewood Grange and enjoy what this neighbourhood has to offer.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 39 Pinewood Grange, Stage 1, Rolleston

General:								
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk					
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre					
Dwelling Exterior:								
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine					
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter					
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	The Brickery—70 Series Brick					
Feature cladding:	Abodo AW55 135x18mm	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever					
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 2.4m					
Dwelling Interior:								
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings					
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop					
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove					
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4					
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel					
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards					
Extractor:	Extractor outlet through roof	Hot water cylinder:	Rheem 250L					
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province					
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms					
Landscaping:								
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included					
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.					



Specification

Lot 39 Pinewood Grange, Stage 1, Rolleston

Kitchen and Laundr	y:		
Kitchen, bench sur- face and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink
Kitchen tapware:	Greens Astro II Gooseneck Slim	Kitchen handles:	Stefano Orlati 4062— Titanium
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU
Laundry tub:	Aquatica Laundra Studio	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black



Specification

Lot 39 Pinewood Grange, Stage 1, Rolleston

Bathrooms:			
Vanities:	Newtech Frank Plus 750mm	Mirrors:	Polished edge direct fix—1000x750mm
Showers:	Arena curved with moulded wall	Toilets:	Elementi Uno with soft close seat
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated
Basin mixers:	Greens Astro II	Shower / bath mixers:	Greens Astro II Round
Shower slides:	Greens Glide Rainboost Adjustable	Bath spout:	Greens Legacy



Colour Scheme

Lot 39 Pinewood Grange, Stage 1, Rolleston


Exterior:		Interior:	
Roof:	Ebony	Ceilings:	Half black white
Fascia/ Gutter / Downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Crevole with white mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	Vulcan natural	Kitchen splashback:	White gloss with misty grey grout





Kitchen:





General Notes

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage

Refer to Sediment Control in Specification & implement where required.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Site bearings, dimensions and north point subject to the Issue of Certificate of Title.

Site Info

Site Address Pinewood Grange

Legal Description Lot 39 Site Area 383m² **Building Area** 140.36m² 155.87m² Roof Area* 40.70% Site Coverage


Design Basis

Wind Zone High 2 Earthquake Zone

Snow Zone N4 < 100m

С

Exposure Zone





ROAD





LOT 39 PINEWOOD GRANGE ROLLESTON

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Site Plan

Scale

1:100 @ A3


Revision Date


File No.

12/09/2024

24156

Sheet No.





Building Area

134.58m² 50.82m Over Frame Perimeter Over Cladding 140.36m² Perimeter 51.94m 155.87m² Roof Area* 52.28m Perimeter *Roof area includes fascia & gutter.

<u>General</u>

Main Cladding 70s Bricks

Feature Cladding

Abodo Vulcan Shiplap WB

Roof Pitch 25°

Roofing Longrun Corrugate

Stud Height 2.42m Interior Door 1.98m High 2.20m High Wardrobe Door Cooktop Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

<u>Legend</u>

Distribution Board & Smart Meterbox

Data Box

Smoke Detector 10 year SD long-life battery-operated

& interconnected (Cavius)

Floor Covering

Carpet (excl. Garage)

Vinyl Planks

	WINDOW SCHEDULE					
ID	Н	W				
w01	2,130	960				
w02	2,130	2,700				
w03	2,130	2,700				
w04	2,130	900				
w05	2,130	1,800				
w06	1,100	600				
w07	1,100	1,200				
w08	1,400	1,500				
w09	1,400	1,500				
w10	2.130	960				







WENDELBORN PROPERTY LTD

1:100 @ A3

24156

File No.







25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

<u>Downpipes</u>

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

<u>Downpipe Catchment</u> (<u>Plan Area</u>)

d.p.1	11m²
d.p.2	52m²
d.p.3	39m²
d.p.4	48m²

Roof Bracings

Refer to Truss Design.



ROLLESTON


This plan is developed for the purchaser

and is copy right to Archiplus Ltd.

Roof Plan

24156

File No.









ROLLESTON

Issue Concept Design

and is copy right to Archiplus Ltd.

1:100 @ A3 Scale

Elevations

Revision 12/09/2024 Date

24156

File No.

Sheet No.

Elevation Keys

70 series brick veneer over 50mm

Abodo Vulcan shiplap WB on 20mm horizontal castellated cavity

Colorsteel corrugate roofing. Colorsteel Quad gutter supported

by Colorsteel 185mm fascia. Colorsteel 75x55mm downpipes.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

Security Stay

Safety Glass Veneer Lintel

Driveway to fall from 20mm max. below

Minimum seating in adjacent veneer. On openings up to and including 2.0m, a seating of 100mm each side is required. On openings over 2.0m, a seating of 200mm is

General Notes

garage rebate. Veneer lintel fixing

required.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

Extractor outlet roof cowl.

C01

C02

R01

R02

R03 J01

J02

J03

S01

S02

S03

w01

SS


SG

VL

<u>Legend</u>

Section Keys


- C01 70 series bricks over 50mm cavity over building wrap on timber framing.
- C02 Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens over building wrap on timber framing.
- External walls 90x45mm studs @ 600mm crs, W01 dwangs @ 800mm crs (dwangs @ 480mm crs for shiplap WB). Top plates 90x45 + 140x35mm.
- Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- S01 Ribraft floor slab and foundation.
- Roof trusses as per Truss Design. T01
- T02 Extended truss top chords / outriggers to form raking soffit. Refer to Truss Design.
- R01 Colorsteel corrugate roofing over self-supported roof underlay on 70x45mm purlins on trusses.
- R02 Colorsteel Quad gutter on 185mm Colorsteel
- R03 75x55mm Colorsteel downpipes with wall brackets.
- J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- Sectional garage door. H3.1 timber reveals for J02 painted finish.
- B01 R2.6 wall insulation batts.
- B02 2 x R3.6 (165mm) double layer ceiling insulation batts.
- R3.6 (130mm x 1200mm) Gutter Line insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underlay.
- 4.5mm Hardie soffit linings for painted finish. L01
- 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped L02 smooth for painted finish. (Wet area ceiling 13mm
 - 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)





(03) 325 2068









Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English

Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

Cercis Hearts of Glod - Golden Redbud

Acer Palmatum Bloodgood - Japanese Maple

Liquidambar Styraciflua - Sweetgum


Magnolia Grandiflora Blanchard

Malus Ioensis Plena

Prunus Autumnalis Southern Gem -

Flowering Cherry

*Planting species for garden bed are indicative-not to be limited to.











LOT 39 PINEWOOD GRANGE ROLLESTON

24156


File No.




Kitchen Plan



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1:20	Customer: The Poplar				KITCHENS






Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default
Sarah Molvneux	24 Feb 23	Oakridge Homes			Bordan
D	OI-	0			
Dwg:	Scale:	Customer:			
Kitchen Elevation	1:20	The Poplar			
rateriori Elevation		o . op.a.			





Designer: Sarah Molyneux	Date: 24 Feb 23	Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Poplar				KITCHENS



Plan: The Poplar (Garage Left) - Electrical Design

Elec	trical	
	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard	1 EA
·R	Tradesave Rangehood Plug	1 EA
2000 F	Tradesave Slim Single Power Socket - Fridge	1 EA
₩°	Tradesave Slim Single Power Socket - Microwave	1 EA
\forall	Tradesave Double Power Socket Horizontal (White) 10A	18 EA
×	Tradesave Slim Double Power Socket With Oven Isolator Slot	1 EA
料	Tradesave Slim Double Power Socket With Hob Isolator Slot	1 EA
*	Tradesave Built In Oven Connection 20A	1 EA
*	Tradesave Slim Electric Hob 32A	1 EA
*	Tradesave Slim Dishwasher Plug	1 EA
%	Garage Door Opener Switch (White)	1 EA
*	Tradesave Slim Garage Door Socket & Switch	1 EA
*	Tradesave Slim Hot Water Cylinder	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	5 EA
\forall	Tradesave Slim Heated Towel Rail Circuit & Installation	2 EA
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA
E	Extractor Fan 150mm	3 EA
	Through Roof Cowl & Tube Supply 150mm	3 EA
S	External 180 Degree Movement Sensor (White)	1 EA
\otimes	Recessed Downlight DL54 (White) and Circuit	24 EA
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
(External Up/Down LED Wall Light Ambius 2x 5W Square (Black) & Circuit	5 EA

Electrical

Item	Total
Tradesave Slim White Light Switch 1 Gang	11 EA
Tradesave Slim White Light Switch 2 Gang	4 EA
Tradesave Slim White Light Switch 4 Gang	1 EA
2WY 2-Way Light Circuit	2 EA
Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Tradesave Slim Main TV/Data Socket (Cat6)	1 EA