## Lot 43 Arbor Green

Stage 4, Arbor Green, Springwood, Rolleston



#### House & Land Package:

Family sized home featuring three bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$676,900

Home area: 121m<sup>2</sup>

Section area: 275m<sup>2</sup>

₹ 3







#### Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- · RibRaft foundation


- Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- · Fully landscaped

P: (03) 977 2832


E: info@oakridgehomes.co.nz




### Floor Layout



#### **Site Location**





P: (03) 977 2832

E: info@oakridgehomes.co.nz



### Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior			
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Austral 70 Series Brick
Feature cladding:	Abodo AW55 135×18mm	Entry door:	Thermally-Broken APL 860mm Latitud with urbo lever
Window joinery: Tint to w02 & w03	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 2.4m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan & extractor duct through fascia grille & soffit	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank - Province
Kitchen, bench surface and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 30mm square edge benchtop. Tiled splash- back full length of back bench/wall.	Window coverings:	Windoware Everyday Vinyl Collection Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan



E: info@oakridgehomes.co.nz






### **Specification**

#### Kitchen and Laundry \*Refer to pla Kitchen tapware: Kitchen sink: Elementi Uno Gooseneck Lazio NZLSS-5545 single stainless steel sink Oven: Kitchen handles: Bosch HBF133BSOA Stefano Orlati 4062 — Titanium Powerpack: Ceramic cooktop: Bosch DHL755BAU Bosch PKE611K17A Dishwasher: Laundry tub: Aquatica Laundra Studio Bosch SMU2ITS01A \*dependent on supply, similar fitting to be used if unavailable **Bathrooms** Vanities: Mirrors: Elementi Novara, 2 drawer 750mm, French Polished edge direct fix—1000×750mm Oak Toilets: Showers: Elementi Uno back to wall Arena curved with moulded wall Towel rails: Elementi Diseno back-to-wall 1700mm Newtech 5 bar square—heated **Basin mixers:** Shower / bath mixers: Elementi Cura Elementi Cura **Shower slides: Bath spout:** Elementi Uno Elementi Rayne









### Colour Schedule

#### **Exterior Colours**

Colour Scheme			
EXTERIOR			
Roof:	Ebony	Garage door:	Ebony
Fascia, gutter & downpipes:	Ebony	Garage door frame:	Ebony
Window joinery:	Ebony	Soffits:	Half black white
Front door:	Ebony	Exterior cladding (Main):	Karekare with charcoal mortar
Front door frame:	Ebony	Exterior cladding (Feature):	Vulcan natural









#### **Interior Colours**

Colour Scheme			
INTERIOR			
Ceilings:	Half black white	Kitchen benchtop:	TriStone 30mm – Pure White
Walls:	Black white	Kitchen back wall & island back panel:	Simply White
Interior doors:	Black white	Kitchen front island panel & boxed ends:	Vintage ash
Skirting:	Black white	Kitchen splashback:	Zellige Salvia Gloss 100×100
Carpet:	Iron	Feature pendant:	Sabinar 400 white
Vinyl plank:	Natural		













**P**: (03) 977 2832


E: info@oakridgehomes.co.nz

















#### **Building Area**

Over Frame	115.74m
Perimeter	52.92m
Over Cladding	121.94m
Perimeter	54.04m
Roof Area* Perimeter *Roof area includes fas	137.44m 53.36m cia & gutter.

#### <u>General</u>

Main Cladding 70s Clay Brick

Feature Cladding

Abodo Vulcan Shiplap Weatherboard (AW55)

Roof Pitch

Roofing

Longrun Corrugated 2.42m

Stud Height 1.98m high Interior Door

Wardrobe Door 2.20m high

Cooktop Ceramic Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Ensuite extractor fan ducting through fascia grille.

Note 3: Window tint to w02 & w03

#### Legend

Distribution Board and Smart Meter Box

Data Box

Smoke Detector 10 year long-life battery-operated

& interconnected

#### Floor Covering



	WINDOW SCHEDULE							
ID	Н	W						
w01	2,130	960						
w02	2,130	1,500						
w03	500	1,500						
w04	1,400	1,500						
w05	1,100	600						
w06	500	1,800						
w07	2,130	1,500						
w08	2,130	2,400						
w09	2,130	2,400						
w10	2,130	900						
w11	1,100	1,200						
w12	2,130	910						




and is copy right to Archiplus Ltd.

Floor Plan

25243

File No.





#### Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

#### Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

#### **Downpipes**

75x55mm Colorsteel downpipes with wall brackets.

#### **Roof Penetrations**

Seal all pipe penetrations with Dektite flashing kit as per specification.

# <u>Downpipe Catchment</u> (Plan Area)

d.p.1	39r
d.p.2	51r
d.p.3	39r
d.p.4	2r

#### **Roof Bracings**


Refer to Truss Design.

and is copy right to Archiplus Ltd.

Scale

1:100 @ A3

25243







W E N D E L B O R N
P R O P E R T Y L T D

17 ESTIVAL DRIVE ROLLESTON

Issue Concept Design

Design

Elevations

Scale

1:100 @ A3

1 14/11/2025

25243

Revision

Date

File No.

**Elevation Keys** 

70 series brick on 50mm cavity.

Colorsteel corrugate roofing.

by Colorsteel 185mm fascia.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

Security Stay

Safety Glass

Driveway to fall from 20mm max. below

**General Notes** 

garage rebate.

weatherboard on 20mm horizontal castellated cavity battens.

Colorsteel Quad gutter supported

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames

Heatpump outdoor unit on wall

Abodo Vulcan shiplap

C01

C02

R01

R02

R03 J01

J02

J03

S01

S02


w01 SS


SG


<u>Legend</u>

Sheet No.

4







C01	70 series brick on 50mm cavity over building wrap on timber framing.
C02	Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens over building wrap on timber framing.

21 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs (dwangs @ 480mm crs for shiplap WB). Top plates 90x45 + 140x35mm.

W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.

S01 Ribraft Foundation.

T01 Roof trusses as per Truss Design.

R01 Colorsteel corrugate roofing over self-supported roof underlay on on 70x45mm purlins over trusses.

R02 Colorsteel Quad gutter on 185mm Colorsteel fascia.

75x55mm Colorsteel downpipes with wall brackets.

101 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.

J02 Sectional garage door. H3.1 timber reveals for painted finish.

B01 R2.6 wall insulation batts.

B02  $2 \times R3.6$  (165mm) double layer ceiling insulation batts.

B03 R3.6 (140mm) insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underlay.


4.5mm Hardie soffit linings for painted finish.

L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)

3 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)







#### Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' - Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

\*Planting species for garden bed are indicative-not to be limited to.

#### <u>Legends</u>

Lawn

Exposed Aggregate



Stonechip



Garden Bed with Bark



Portuguese Laurel -Hedge to be a min. 800mm high at time of planting and a max of 600mm apart (stem to stem)



Tree - within 2m of road frontage. 2.5m high (at time of planting)

Macrocarpa posts 200x200mm with capping, supplied by Arbor Green. To be installed by Oakridge Homes. Mulseal and concrete encase posts, setback 900mm from road boundary and set off the driveway edge by 200mm



Timber Batten Edging




'Picket Panel Juno' fence in black






Revision


Sheet No.




Designer: Sarah Molyneux	Date: 12 Sept 25	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
<sup>Dwg:</sup> Kitchen Plan	Scale: 1 : 25	Customer: The Koa	·			KITCHENS




Designer:	Date:	Client:	BC Ref: Si	ite Address:	Job#: Default	TM
Sarah Molyneux	12 Sept 25	Oakridge Homes	Job			TRENDS
Dwg:		Customer:				KITCHENS
Kitchen Elevation	1:20	The Koa				RITCHENS






Designer:	Date: Clie	ent:	BC Ref:	Site Address:	Job#: Default	71/
Sarah Molyneux	12 Sept 25	Oakridge Homes	Job		2018811	TRENDS
Dwg:	Scale: Cu:	istomer:	'			KITCHENS
Kitchen Elevation	1:20	The Koa				KIICHENS



Designer: Sarah Molyneux	Date: 12 Sept 25	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Koa	·			KITCHENS





Client Name: Oakridge Homes
Site Address: The Koa V3 (Garage Right)
Acceptance Signature & Date:

**Date:** Revised 17-11-2025

**Plan** Electrical & Lighting with Sabinar Pendants

**Designed By:** Mike Lew **Phone:** 03 338 4238

**Email & Web** info@smartsystems.net.nz smartsystems.net.nz

# Plan: Option A - The Sabinar - The Koa V3 (Garage Right) - Electrical Design

Item       Total            ■ Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)        1 EA            Ψ Rangehood Single Switched Power Socket        1 EA            Ψ Tradesave Slim Single Power Socket (White) 10A - Fridge        1 EA            Ψ Tradesave Slim Single Power Socket (White) 10A - Microwave        1 EA            Ψ Tradesave Double Power Socket Horizontal (White) 10A        16 EA            Ψ Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A        1 EA            Ψ Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A        1 EA            Ψ Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A        1 EA            Ψ Tradesave Slim Double Power Socket (White) 10A        1 EA            Ψ Tradesave Slim Double Power Socket (White) 10A        1 EA            Ψ Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)        1 EA            Ψ Tradesave Slim Dishwasher Power Socket (White)        1 EA            Ψ Tradesave Garage Door Open/Close Press Switch (White)        1 EA            Ψ Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)        1 EA            Ψ Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)        1 EA </th <th>Elec</th> <th>trical</th> <th></th>	Elec	trical	
™       Rangehood Single Switched Power Socket       1 EA         ™       Tradesave Slim Single Power Socket (White) 10A - Fridge       1 EA         W       Tradesave Slim Single Power Socket (White) 10A - Microwave       1 EA         W       Tradesave Double Power Socket Horizontal (White) 10A       16 EA         W       Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A       1 EA         W       Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A       1 EA         W       Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A       1 EA         W       Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)       1 EA         W       Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)       1 EA         W       Tradesave Slim Dishwasher Power Socket (White)       1 EA         W       Tradesave Slim Garage Door Open/Close Press Switch (White)       1 EA         W       Tradesave Slim Garage Door Power Socket (White)       1 EA         W       Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)       1 EA         W       Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)       1 EA         Image: Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit       1 EA         Orca OM866S-10RF Wireless Interc		Item	Total
Tradesave Slim Single Power Socket (White) 10A - Fridge 1 EA  Tradesave Slim Single Power Socket (White) 10A - Microwave 1 EA  Tradesave Double Power Socket Horizontal (White) 10A 16 EA  Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A 1 EA  Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA  Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA  Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A 1 EA  Tradesave Slim Double Power Socket With Hob Isolator Switch (White) 10A 1 EA  Tradesave Slim Electric Hob Hard-Wired Power Connection up to 20A (max) 1 EA  Tradesave Slim Dishwasher Power Socket (White) 1 EA  Tradesave Slim Dishwasher Power Socket (White) 1 EA  Tradesave Slim Garage Door Open/Close Press Switch (White) 1 EA  Tradesave Slim Garage Door Power Socket (White) 1 EA  Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White) 1 EA  Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit 1 EA  Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) 2 EA	SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA
Tradesave Slim Single Power Socket (White) 10A - Microwave  1 EA  Tradesave Double Power Socket Horizontal (White) 10A  16 EA  Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A  1 EA  Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A  1 EA  Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A  1 EA  Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)  1 EA  Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)  1 EA  Tradesave Slim Dishwasher Power Socket (White)  1 EA  Tradesave Garage Door Open/Close Press Switch (White)  1 EA  Tradesave Slim Garage Door Power Socket (White)  1 EA  Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)  1 EA  Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)  1 EA  Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)  2 EA	(R)	Rangehood Single Switched Power Socket	1 EA
	Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA
Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A  1 EA  Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A  1 EA  Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A  1 EA  Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)  1 EA  Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)  1 EA  Tradesave Slim Dishwasher Power Socket (White)  1 EA  Tradesave Garage Door Open/Close Press Switch (White)  1 EA  Tradesave Slim Garage Door Power Socket (White)  1 EA  Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)  1 EA  Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit  1 EA  Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit  8 Installation  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit 1 EA  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)  2 EA	₩ <sub>O</sub>	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA
Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A  1 EA  Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)  1 EA  Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)  1 EA  Tradesave Slim Dishwasher Power Socket (White)  1 EA  Tradesave Garage Door Open/Close Press Switch (White)  1 EA  Tradesave Slim Garage Door Power Socket (White)  1 EA  Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)  1 EA  Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit  1 EA  Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)  2 EA	$\forall$	Tradesave Double Power Socket Horizontal (White) 10A	16 EA
☆       Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)       1 EA         ☆       Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)       1 EA         ☆       Tradesave Slim Dishwasher Power Socket (White)       1 EA         ♠       Tradesave Garage Door Open/Close Press Switch (White)       1 EA         ☆       Tradesave Slim Garage Door Power Socket (White)       1 EA         ☆       Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)       1 EA         ♣       Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit       1 EA         ④       Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life       5 EA         ➡       Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit       1 EA         ➡       Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation       1 EA         ★       Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)       2 EA	×	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA
Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)  1 EA  Tradesave Slim Dishwasher Power Socket (White)  1 EA  Tradesave Garage Door Open/Close Press Switch (White)  1 EA  Tradesave Slim Garage Door Power Socket (White)  1 EA  Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)  1 EA  Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit  1 EA  Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit  A Installation  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)  2 EA	料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA
Y       Tradesave Slim Dishwasher Power Socket (White)       1 EA         ↑       Tradesave Garage Door Open/Close Press Switch (White)       1 EA         Y       Tradesave Slim Garage Door Power Socket (White)       1 EA         Y       Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)       1 EA         Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit       1 EA         ②       Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life       5 EA         Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation       1 EA         Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation       1 EA         Y       Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)       2 EA	*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)	1 EA
Tradesave Garage Door Open/Close Press Switch (White)  1 EA  Tradesave Slim Garage Door Power Socket (White)  1 EA  Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)  1 EA  Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit  1 EA  Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit  I EA  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)  2 EA	*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)	1 EA
Y       Tradesave Slim Garage Door Power Socket (White)       1 EA         Y       Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)       1 EA         Image: Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit       1 EA         Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life       5 EA         Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation       1 EA         Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation       1 EA         Y       Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)       2 EA	*	Tradesave Slim Dishwasher Power Socket (White)	1 EA
Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)  Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit  1 EA  Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit  I EA  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)  2 EA	<b>%</b>	Tradesave Garage Door Open/Close Press Switch (White)	1 EA
Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit  Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit 1 EA Installation  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) 2 EA	*	Tradesave Slim Garage Door Power Socket (White)	1 EA
Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year 5 EA battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit 1 EA & Installation  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - 1 EA Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) 2 EA	*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)	1 EA
battery life  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit 1 EA & Installation  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - 1 EA Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) 2 EA	20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
& Installation  Newtech ST78 Narrow Towel Rail 7-Bar Square Ladder 800 x 450mm (Chrome) - 1 EA Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) 2 EA		•	5 EA
Excludes Circuit & Installation  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) 2 EA	Ħ	,	1 EA
- <u>-</u>	Ħ	•	1 EA
Extractor Fan Inline 150mm with up to 6m of Duct 3 EA	$\forall$	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
_	E	Extractor Fan Inline 150mm with up to 6m of Duct	3 EA
Extractor Fan External Grille (White) 2 EA		Extractor Fan External Grille (White)	2 EA
Fascia Grille (Supplied By Others)  1 EA	-	Fascia Grille (Supplied By Others)	1 EA

Electrical		
	Item	Total
S	External 180° Infrared Movement Surface Mounted Sensor Up to 12M Range, Adjustable10sec - 15min time delay (White)	1 EA
$\otimes$	Recessed Downlight Prolux DL54 LED 10-Watt 160° Beam (Switchable 3K-4K-6K) White Fascia & Circuit	19 EA
$\oplus$	External LED Up/Down Round 2x 5W Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit	5 EA
$\Theta$	Bulkhead Wall Light Robus Ohio LED 12W IP54 Oval Bulkhead c/w White & Black Trims & Circuit	1 EA
w	Tradesave Slim Light Switch 1-Gang (White)	10 EA
w	Tradesave Slim Light Switch 2-Gang (White)	5 EA
<b>I</b> IP	Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY	2-Way Light Circuit	2 EA
INT	Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring Fibre Hub	Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit	1 EA
to 10 send previously (addressed great)	No TV Aerial, Prewire Only (cable left in ceiling space)	1 EA
Main TV Dusl Data	SC261302 (Oak)-25 - Tradesave Slim Main UHF TV/Dual Network Data Sockets Cat-6 (White)	1 EA
Kitchen Pendants		
	Item	Total

Pendant Light - Sabinar 400 Pendant with 8-watt LED Lamp (White) & Circuit

2 EA

#### In the Area

#### **About Arbor Green**

Arbor Green has everything that makes up a flourishing neighbourhood. Streets, landscaping and amenities that have been purposefully designed to bring people together and enhance everyday wellbeing.

Once complete, Arbor Green will have 1200 new homes built, a primary school and a central neighbourhood precinct that create two main gathering points, while multiple parks, pathways and cycleways ensure every resident can get around with safety and ease.



#### Rolleston and Surrounding Areas

Living in Arbor Green provides you with an open gateway to everything the Selwyn region has to offer.

Rolleston is Canterbury's second largest urban centre. Home to growing businesses, purpose-built facilities, high quality schools and a bevy of shops and eateries, life here is vibrant, easy and fun.

You'll be close to all those urban conveniences that make life easy. There are plenty of work and education opportunities nearby and Christchurch is just 20 minutes down the road. Head a little further afield and Canterbury's mountains, lakes and beaches are yours to discover.









# Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

# Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:


- Master Build 10-Year Guarantee
- 1 year warranty period
- Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Full length tiled splashback to kitchen
- Bosch appliances
- Exposed aggregate driveways and patios
- Insulated garage and garage door





# The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

**P**: (03) 977 2832

E: info@oakridgehomes.co.nz