

House and Land Package

Lot 44 Pinewood Grange, Stage 1, Rolleston

Dwelling	Section
Size	Size
139m²	339m ²

\$692,500












Family sized home featuring three bedrooms, master with ensuite and walk-in robe, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.


Just twenty minutes from Christchurch, Pinewood Grange is one of Rolleston's newest developments located on the fringe of the township, an easy six minute drive to the CBD offers eateries, retail shops, medical centre, cafes and restaurants. You are spoilt for choice with schooling options including a daycare centre and Lemonwood primary within a two minute drive and another primary school on target to be delivered in 2026, Rolleston College is a short distance away making this an ideal area for growing families. Foster Park and the Aquatic Centre are conveniently located for recreational activities including sports clubs and swimming lessons. Secure your new home in Pinewood Grange and enjoy what this neighbourhood has to offer.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 44 Pinewood Grange, Stage 1, Rolleston

General:						
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk			
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre			
Dwelling Exterior:						
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine			
Roofing:	25° metal pressed tile— corona shake	Fascia and gutter:	Dimond metal fascia and quad gutter			
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	The Brickery—70 Series Brick			
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever			
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 2.7m			
Dwelling Interior:						
Insulation:	Insulation: As per Building Code. Including entire garage envelope - internal & external walls		Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings			
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop			
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove			
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4			
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel			
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards			
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L			
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province			
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms			
Landscaping:			,			
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included			
Soft landscaping:	As per plan	Fencing: Boundary fencing as per developer requirements to all boundaries. Int fencing including one gate.				



Specification

Lot 44 Pinewood Grange, Stage 1, Rolleston

Kitchen and Laundry:								
Kitchen, bench surface and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink					
Kitchen tapware:	Greens Astro II Gooseneck Slim	Kitchen handles:	Stefano Orlati 4062— Titanium					
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A					
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU					
Laundry tub:	Aquatica Laundra Studio	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black					



Specification

Lot 44 Pinewood Grange, Stage 1, Rolleston

Bathrooms:			
Vanities:	Newtech Frank Plus 750mm	Mirrors:	Polished edge direct fix—1000x750mm
Showers:	Arena curved with moulded wall	Toilets:	Elementi Uno with soft close seat
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated
Basin mixers:	Greens Astro II	Shower / bath mixers:	Greens Astro II Round
Shower slides:	Greens Glide Rainboost Adjustable	Bath spout:	Greens Legacy




Colour Scheme

Lot 44 Pinewood Grange, Stage 1, Rolleston


Exterior:		Interior:	
Roof:	Cypress	Ceilings:	Half black white
Fascia/ Gutter / Downpipes:	Flaxpod	Walls:	Black white
Window joinery:	Flaxpod	Interior doors:	Black white
Front door:	Flaxpod	Skirting:	Black white
Front door frame:	Flaxpod	Carpet:	Iron
Garage door:	Flaxpod	Vinyl plank:	Natural
Garage door frame:	Flaxpod	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Devon with natural mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	Mid grey	Kitchen splashback:	White gloss with misty grey grout






Kitchen:







Site Info

Site Address Pinewood Grange
Legal Description Lot 44

Site Area 339m²

Building Area 139.59m²

Roof Area* 168.87m²

Site Coverage 49.81%

Design Basis

Wind Zone High Earthquake Zone 2

Snow Zone N4 < 100m

Exposure Zone C

General Notes

All dimensions shown are to <u>face of foundation</u> unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Site bearings, dimensions and North point to be confirmed upon Certificate of Title when issued.

ROA

6 Browns Road, Christchurch
ey.archiplus@gmail.com
021 0238 1905
Archiplus
021 0221 8868

W E N D E L B O R N P R O P E R T Y L T D

LOT 44 PINEWOOD GRANGE ROLLESTON Issue
Concept Design
This plan is developed for the purchaser

and is copy right to Archiplus Ltd.

Site Plan

Scale

1:100 @ A3


Revision 02
Date 10/09/2024


24158


File No.


Sheet No.


1











Building Area

133.90m² 52.80m Over Frame Perimeter Over Cladding 139.59m² Perimeter 53.58m 168.87m² Roof Area* 57.42m Perimeter *Roof area includes fascia & gutter.

General

Main Cladding 70s Clay Brick Feature Cladding JH Axon Panel

Roof Pitch

Roofing

Pressed Metal Tiles (Corona Shake)

Stud Height 2.42m

Interior Door

1.98m high Wardrobe Door 2.20m high

Cooktop Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

Legend

Distribution Board & Smart Meterbox

Data Box

Smoke Detector 10 year long-life battery-operated

& interconnected (Cavius)

Floor Covering


Carpet (excl. Garage)


Vinyl Planks

WINDOW SCHEDULE								
ID H W								
w01	2,130	960						
w02	2,130	1,800						
w03	1,400	1,500						
w04	2,130	2,700						
w05	2,130	900						
w06	2,130	900						
w07	2,130	600						
w08	2,130	1,800						
w09	500	1,800						
w10	1,400	1,500						
w11	1,100	1,200						
w12	1,400	1,500						
w13	2,130	960						



and is copy right to Archiplus Ltd.





Roof Cladding

25° Pressed metal tiles roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

<u>Downpipe Catchment</u> (Plan Area)

d.p.1 60m² d.p.2 49m² d.p.3 52m²

Roof Bracings


Refer to Truss Design.



Scale

1:100 @ A3

File No.







 $W \ E \ N \ D \ E \ L \ B \ O \ R \ N$ PROPERTY LTD

LOT 44 PINEWOOD GRANGE ROLLESTON

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Elevations

1:100 @ A3 Scale

Revision 02 10/09/2024

24158

Date

File No.

Elevation Keys

70 series brick over 50mm cavity.

James Hardies Axon panel over

Colorsteel Quad gutter supported by Colorsteel 185mm fascia. Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed

powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

windows in thermally-broken

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

Security Stay

Safety Glass

Driveway to fall from 20mm max. below

General Notes

garage rebate.

20mm cavity battens. Pressed metal tiles roofing.

C01

C02

R01 R02

J01

J02 J03

S01

S02

w01

SS


SG

<u>Legend</u>

Sheet No.

Section Keys

- C01 70 series bricks over 50mm cavity over building wrap on timber framing.
- C02 James Hardie Axon panel over 20mm cavity battens over building wrap on timber framing.
- W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
- W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- S01 Ribraft foundation.
- T01 Roof trusses as per Truss Design.
- 02 Extended top chord / outriggers to form raking soffit. Refer to Truss Design.
- R01 Pressed metal tiles roofing on 50x40mm timber battens over self-supported roof underlay on trusses.
- R02 Colorsteel Quad gutter on 185mm Colorsteel fascia.
- 03 75x55mm Colorsteel downpipes with wall brackets.
- 21 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- J02 Sectional garage door. H3.1 timber reveals for painted finish.
- B01 R2.8 wall insulation batts.
- B02 R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance..
- L01 4.5mm Hardie soffit linings for painted finish.
- L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
 - 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)







W E N D E L B O R N P R O P E R T Y L T D

LOT 44 PINEWOOD GRANGE ROLLESTON

Issue	Sect
Concept Design	
lan is developed for the purchaser	

and is copy right to Archiplus Ltd.





Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

Cercis Hearts of Glod - Golden Redbud

Acer Palmatum Bloodgood - Japanese Maple

Liquidambar Styraciflua - Sweetgum Magnolia Grandiflora Blanchard

Malus Ioensis Plena

Prunus Autumnalis Southern Gem -Flowering Cherry

*Planting species for garden bed are indicative-not to be limited to.

Legends

Lawn

Stonechip

Garden Bed with Bark

Exposed Aggregate






24158

Date

File No.

Sheet No.



Benchtop	Colour:

12mm square edge Tristone in Pure White

Back Wall Joinery Colour:

Bestwood Simply White Embossed

Island Joinery Colour:

Bestwood Subtle Grey Velvet

Negative Detail Joinery Colour:

Bestwood Subtle Grey Velvet

Handles:


4062-192/320-Titanium Grey

Sink:


Lazio NZLSS-5545 Stainless Single Bowl


D	esigner:	Date:	Client:	BC Ref:	Site Address:	Job#: Default
	Sarah Molyneux	16 Sep 24	Oakridge Homes			Boldan
D	wg:	Scale:	Customer:			
	Kitchen Plan	1:25	The Pine			





Designer: Sarah Molyneux	Date: Client: Oakridge Homes	BC Ref: Si	ite Address: Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: Customer: The Pine			KITCHENS






Designer: Sarah Molyneux	Date: 16 Sep 24	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1 : 20	Customer: The Pine				KITCHENS



Designer: Sarah Molyneux	Date: 16 Sep 24	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Pine				KITCHENS





Client Name: Oakridge Homes
Site Address: The Pine (Garage Left)
Acceptance Signature & Date:

Date: 09-09-2024
Plan Electrical & Lighting

Designed By: Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: The Pine (Garage Left) - Electrical Design

Electrical		
	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA
·R/	Tradesave Rangehood Power Socket	1 EA
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA
Mo Mo	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA
\forall	Tradesave Double Power Socket Horizontal (White) 10A	18 EA
C	Protective Capping for Socket Electrical in Joinery	1 EA
X	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)	1 EA
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)	1 EA
*	Tradesave Slim Dishwasher Power Socket	1 EA
<u>^</u>	Tradesave Garage Door Opener Press Button (White)	1 EA
*	Tradesave Slim Garage Door Power Socket	1 EA
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	6 EA
*	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
=	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA
E	Extractor Fan Inline 150mm & up to 6m of duct	3 EA
\boxtimes	Extractor Fan External Grill (White)	3 EA
S	External 180-Degree Lighting Movement Sensor (White)	1 EA
\otimes	Recessed LED Downlight Prolux DL54 (3k Warm White) with White Fascia & Circuit	25 EA
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA

ElectricalItemTotal№ Tradesave Slim Light Switch 1-Gang (White)9 EA№ Tradesave Slim Light Switch 2-Gang (White)4 EA№ Tradesave Slim Light Switch 3-Gang (White)1 EA№ Tradesave Slim Light Switch 4-Gang (White)1 EA№ Excel Life White IP Rated Light Switch 1 Gang1 EA

Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit

Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White

2WY

2-Way Light Circuit

3 EA

1 EA

1 EA