

Lot 56 Pinewood Grange

Stage 1, Pinewood Grange, Rolleston

NB: Roofing differs from render- to be longrun corrugate



Artist impression only – refer to concept plan.





House & Land Package:

\$769,900

Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

Home area: 158m²

Section area: 490m²+64m² ROW

 4  1  2  2

Features:


- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- RibRaft foundation
- Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- Fully landscaped

P: (03) 977 2832



E: info@oakridgehomes.co.nz

oakridgehomes.co.nz

Floor Layout



Site Location



P: (03) 977 2832
E: info@oakridgehomes.co.nz
oakridgehomes.co.nz

OAKRIDGE
HOMES



Specification

| General | | | |
|------------------------------|---|----------------------------------|---|
| Guarantee: | Master Build 10-Year | Insurance: | Builders All Risk |
| Warranty | 1 year from settlement | Utilities: | Mains supply including fibre |
| Dwelling Exterior | | | |
| Foundation: | TC1 RibRaft | Framing / trusses: | 2.42m LVL |
| Roofing: | 25° longrun corrugate | Fascia and gutter: | Dimond metal fascia and quad gutter |
| Downpipes: | Colorsteel 75×55 rectangular | Main cladding: | Rockcote Graphex (15yr manufacturers guarantee) |
| Feature cladding: | James Hardie Axon | Entry door: | Thermally-Broken APL 860mm Latitude with urbo lever |
| Window joinery: | Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames | Garage door: | Insulated Coloursteel flat panel woodgrain 4.5m |
| Dwelling Interior | | | |
| Insulation: | As per Building Code. Including entire garage envelope - internal & external walls | Plasterboard: | Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings |
| Gib stopping: | Grade 4 paint finish in accordance with AS/NZ 2311:2009 | External corners: | Square stop |
| Hinged doors: | 1980mm (horizontal V groove) | Wardrobe sliders: | 2200mm Horizontal V groove |
| Wardrobe shelving: | MDF shelf and rail | Cupboard shelving: | MDF shelves x4 |
| Door hardware: | Windsor Futura – Apex brushed nickel | Skirting board: | 60mm bevel |
| Electrical: | As per plan | Heatpump: | Fujitsu SET-ASTH22KNTA 6.0/6.5kw |
| Extractor: | Inline extractor fan | Hot water cylinder: | Rheem 250L |
| Carpet: | Belgotex Urban Twist | Vinyl plank: | Belgotex Luxury Plank – Province |
| Splashback tiles: | 100×300mm subway tile (Kitchen only) | Window coverings: | Windowware Everyday Vinyl Collection – Mystic. Excluding garage & bathrooms |
| Landscaping | | | |
| Driveway and patio: | Exposed aggregate – sealed | Vehicle crossing: | Included |
| Soft landscaping: | As per plan | Fencing: | As per plan |
| Colour Scheme | | | |
| EXTERIOR | | INTERIOR | |
| Roof: | Flaxpod | Ceilings: | Half black white |
| Fascia, gutter & downpipes: | Flaxpod | Walls: | Black white |
| Window joinery: | Flaxpod | Interior doors: | Black white |
| Front door: | Flaxpod | Skirting: | Black white |
| Front door frame: | Flaxpod | Carpet: | Iron |
| Garage door: | Flaxpod | Vinyl plank: | Natural |
| Garage door frame: | Flaxpod | Kitchen cabinetry: | Simply white |
| Soffits: | Half black white | Feature kitchen/negative detail: | Subtle grey velvet |
| Exterior cladding (Main): | Black white | Kitchen benchtop: | TriStone 40mm – Pure white |
| Exterior cladding (Feature): | Element | Kitchen splashback: | White gloss with misty grey grout |

Specification

Kitchen and Laundry

Kitchen, bench surface and splashback:

Custom made Melteca or Bestwood finished cabinetry. TriStone 40mm benchtop on negative detail. Tiled splashback full length of back bench/wall.

*Refer to plans and colour scheme

Kitchen sink:

Lazio NZLSS-5545 single stainless steel sink



Kitchen tapware:

Elementi Uno Gooseneck



Kitchen handles:

Stefano Orlati 4062— Titanium



Oven:

Bosch HBF133BSOA



Ceramic cooktop:

Bosch PKE611K17A



Rangehood:

Bosch DWB97DM50A



Dishwasher:

Bosch SMU2ITS01A



Laundry tub:

Aquatica Laundra Studio

*dependent on supply, similar fitting to be used if unavailable



Feature pendant:

Elba—black



Bathrooms

Vanities:

Elementi Novara, 2 drawer 750mm, French Oak



Mirrors:

Polished edge direct fix—1000×750mm



Showers:

Arena curved with moulded wall



Toilets:

Elementi Uno back to wall



Bath:

Elementi Diseno back-to-wall 1700mm



Towel rails:

Newtech 5 bar square—heated




Basin mixers:

Elementi Cura



Shower / bath mixers:

Elementi Cura



Shower slides:


Elementi Rayne



Bath spout:

Elementi Uno





Site Levels

Site Benchmark
MA 4 DP 574553
(Masonry Anchor Flush in Kerb Channel)
RL = 43.201m
Origin of Levels: UG 32 (B882)
RL = 55.908m
Stainless steel pin in concrete block, located
on Jones Road.
Levels are in terms of Lyttleton Vertical
Datum 1937

General Notes


All dimensions shown are to face of foundation unless noted otherwise.
Refer to Foundation Plan for foundation
setout.
Refer to Drainage Plan for specific drainage
info.
Refer to Sediment Control in Specification &
implement where required.
All sealed driveway and patio areas to be
min. 1:100 fall away from building.
Site bearings, dimensions and north point
subject to the Issue of Certificate of Title.

Site Info

| | |
|-------------------|--|
| Site Address | 22 Larch Drive Pinewood Grange |
| Legal Description | Lot 56 DP 611661 |
| Site Area | 490m ² + 64m ² ROW |
| Building Area | 158.47m ² |
| Roof Area* | 200.34m ² |
| Site Coverage | 40.88% |

Design Basis

| | |
|-----------------|-----------|
| Wind Zone | High |
| Earthquake Zone | 2 |
| Snow Zone | N4 < 100m |
| Exposure Zone | C |



6 Browns Road, Christchurch
ey.archiplus@gmail.com
021 0238 1905
021 0221 8868



W E N D E L B O R N
P R O P E R T Y L T D
22 LARCH DRIVE ROLLESTON
LOT 56 PINWOOD GRANGE

Issue
Building Consent

This plan is developed for the purchaser
and is copy right to Archiplus Ltd.


Site Plan

Scale 1:100 @ A3

| | |
|----------|-------------------|
| Revision | BC-1 |
| Date | 10/07/2025 |
| File No. | 25166 (ORH. 3445) |

Sheet No.

1.01



Building Area

| | |
|---------------|----------------------|
| Over Frame | 154.25m ² |
| Perimeter | 59.94m |
| Over Cladding | 158.47m ² |
| Perimeter | 60.50m |
| Roof Area* | 200.34m ² |
| Perimeter | 64.06m |

*Roof area includes fascia & gutter.

General

| | |
|------------------|--------------------|
| Main Cladding | RCS Graphex System |
| Feature Cladding | James Hardie Axon |
| Roof Pitch | 25° |
| Roofing | Longrun Corrugated |
| Stud Height | 2.42m |
| Interior Door | 1.98m high |
| Wardrobe Door | 2.20m high |
| Cooktop | Ceramic Cooktop |

Note: Kitchen layout indicative only, refer to Kitchen Design for details.


Legend

| | |
|--|--|
| | Distribution Board & Smart Meter Box |
| | Data Box |
| | Smoke Detector 10 year long-life battery-operated & interconnected |

Floor Covering

| | |
|--|-----------------------|
| | Carpet (excl. Garage) |
| | Vinyl Planks |

| WINDOW SCHEDULE | | |
|-----------------|-------|-------|
| ID | H | W |
| w01 | 2,130 | 960 |
| w02 | 1,100 | 1,800 |
| w03 | 1,300 | 1,500 |
| w04 | 2,130 | 2,700 |
| w05 | 2,130 | 2,700 |
| w06 | 1,300 | 600 |
| w07 | 1,300 | 600 |
| w08 | 2,130 | 600 |
| w09 | 1,300 | 1,800 |
| w10 | 1,100 | 1,200 |
| w11 | 750 | 1,800 |
| w12 | 2,130 | 1,050 |
| w13 | 2,130 | 960 |
| w14 | 750 | 2,400 |
| w15 | 1,300 | 1,500 |



6 Browns Road, Christchurch
ey.archiplus@gmail.com
021 0238 1905
021 0221 8868



W E N D E L B O R N
P R O P E R T Y L T D
22 LARCH DRIVE ROLLESTON
LOT 56 PINWOOD GRANGE

Issue
Building Consent

This plan is developed for the purchaser
and is copy right to Archiplus Ltd.

Floor Plan


Scale 1:100 @ A3

Revision
Date
File No.

BC-1
10/07/2025
25166 (ORH. 3445)

Sheet No.

1.07



Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations


Seal all pipe penetrations with Dektite flashing kit as per specification.

Downpipe Catchment (Plan Area)

| | |
|-------|------|
| d.p.1 | 45m² |
| d.p.2 | 46m² |
| d.p.3 | 53m² |
| d.p.4 | 47m² |

Roof Bracings

Refer to Truss Design.



6 Browns Road, Christchurch
ey.archiplus@gmail.com
021 0238 1905
021 0221 8868



W E N D E L B O R N
P R O P E R T Y L T D
22 LARCH DRIVE ROLLESTON
LOT 56 PINWOOD GRANGE

Issue
Building Consent

This plan is developed for the purchaser
and is copy right to Archiplus Ltd.


Roof Plan

Scale 1:100 @ A3


Revision BC-1
Date 10/07/2025
File No. **25166 (ORH. 3445)**

Sheet No.


1.09




E-01 NorthEast Elevation
Scale 1:100



E-02 NorthWest Elevation
Scale 1:100



E-03 SouthWest Elevation
Scale 1:100



E-04 SouthEast Elevation
Scale 1:100

Elevation Keys

- C01 RCS Graphex 50mm panel with plastered finish on 20mm cavity battens.
- C02 James Hardie Axon panel on 20mm cavity battens.
- R01 Colorsteel corrugate roofing.
- R02 Colorsteel Quad gutter supported by Colorsteel 185mm fascia.
- R03 Colorsteel 75x55mm downpipes.
- J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.
- J02 Sectional garage door.
- J03 APL entry door in thermally-broken powder coated aluminium frames.
- S01 Drainage vent pipe.
- S02 Heatpump outdoor unit on wall bracket.

Legend

- w01 Window ID
- SS Security Stay
- SG Safety Glass
- CJ Control Joint

General Notes

Driveway to fall from 20mm max. below garage rebate.



6 Browns Road, Christchurch
ey.archiplus@gmail.com
021 0238 1905
021 0221 8868



W E N D E L B O R N
P R O P E R T Y L T D
22 LARCH DRIVE ROLLESTON
LOT 56 PINWOOD GRANGE

Issue
Building Consent

This plan is developed for the purchaser
and is copy right to Archiplus Ltd.

Elevations

Scale 1:100 @ A3


Revision BC-1
Date 10/07/2025
File No. 25166 (ORH. 3445)

Sheet No.


2.01

Section Keys


- C01RCS Graphex 50mm panel with plastered finish on 20mm cavity battens over building wrap on timber framing.
- C02James Hardie Axon panel on 20mm cavity battens over building wrap on timber framing.
- W01External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
- W02Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- S01Ribraft floor slab and foundation.
- T01Roof trusses as per Truss Design.
- R01Colorsteel corrugate roofing on self-supported roof underlay over 70x45mm purlins on trusses.
- R02Colorsteel Quad gutter on 185mm Colorsteel fascia.
- R0375x55mm Colorsteel downpipes with wall brackets.
- J01Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- J02Sectional garage door. H3.1 timber reveals for painted finish.
- B01R2.6 wall insulation batts.
- B022 x R3.6 (165mm) double layer ceiling insulation batts.
- B03R3.6 (130mm x 1200mm) Gutter Line insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underlay.
- L014.5mm Hardie soffit linings for painted finish.
- L0213mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- L0310mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)



A Section A-A
Scale 1:50



Outrigger Fixing Detail
Scale NTS




Plants List for Garden Bed

- Agapanthus Peter Pan - Dwarf blue Nile lily
- Acacia Limelight - Dwarf wattle
- Choisya Ternata - Mexican orange blossom
- Carex Secta - Makura sedge
- Lavandula angustifolia 'Hidcote' - English Lavender
- Pittosporum little gem
- Thuja occidentalis Smaragd - Emerald Cedar
- Viburnum tinus Eve Price
- Azalea
- Corokia geentys green
- Pseudowintera colorata 'Red Leopard' - Horopito/Pepper tree
- Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

Legends

- Lawn
- Exposed Aggregate
- Stonechip
- Garden Bed with Bark
- Timber Batten Edging



6 Browns Road, Christchurch
ey.archiplus@gmail.com
021 0238 1905
021 0221 8868




W E N D E L B O R N
P R O P E R T Y L T D
22 LARCH DRIVE ROLLESTON
LOT 56 PINWOOD GRANGE

Issue
Building Consent
This plan is developed for the purchaser
and is copy right to Archiplus Ltd.

Landscape Plan
Scale 1:100 @ A3

Revision BC-1
Date 10/07/2025
File No. 25166 (ORH. 3445)

Sheet No.
1



Benchtop Colour:

40mm square edge Tristone in Pure White

Main Joinery Colour:

Bestwood Simply White Embossed

Island Back & Side Joinery Colour:

Bestwood Subtle Grey Velvet

Handles:


4062-192/320-Titanium Grey


Sink:

Lazio NZLSS-5545 Stainless Single Bowl


| | | | | | | |
|-----------------------------|--------------------|---------------------------------------|---------|---------------|---------------|--|
| Designer: Sarah Molyneux | Date: 03 Jul 25 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: Default | |
| Dwg: Kitchen Plan | Scale: 1 : 25 | Customer: The Flax - Single Window | | | | |

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.




| | | | | | | |
|-----------------------------|--------------------|---------------------------------------|---------|---------------|---------------|---|
| Designer: Sarah Molyneux | Date: 03 Jul 25 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: Default |  |
| Dwg: Kitchen Elevation | Scale: 1 : 20 | Customer: The Flax - Single Window | | | | |

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.




| | | | | | | |
|-----------------------------|--------------------|---------------------------------------|---------|---------------|---------------|---|
| Designer: Sarah Molyneux | Date: 03 Jul 25 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: Default |  |
| Dwg: Kitchen Elevation | Scale: 1 : 20 | Customer: The Flax - Single Window | | | | |

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.




| | | | | | | |
|-----------------------------|--------------------|---------------------------------------|---------|---------------|---------------|---|
| Designer: Sarah Molyneux | Date: 03 Jul 25 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: Default |  |
| Dwg: Kitchen Elevation | Scale: 1 : 20 | Customer: The Flax - Single Window | | | | |

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.




| | | | | | | |
|-----------------------------|--------------------|---------------------------------------|---------|---------------|---------------|---|
| Designer: Sarah Molyneux | Date: 03 Jul 25 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: Default |  |
| Dwg: Kitchen Elevation | Scale: 1 : 20 | Customer: The Flax - Single Window | | | | |

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.




| | | | | | | |
|--------------------------------|--------------------|---------------------------------------|---------|---------------|---------------|---|
| Designer: Sarah Molyneux | Date: 03 Jul 25 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: Default |  |
| Dwg: Kitchen 3D Perspective | Scale: | Customer: The Flax - Single Window | | | | |


This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.



| | | | | | | |
|-----------------------------|--------------------|---------------------------|---------|---------------|-------|---|
| Designer: Sarah Molyneux | Date: 02 May 24 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: |  |
| Dwg: Pantry Plan | Scale: 1 : 20 | Customer: The Flax | | | | |



| | | | | | | |
|-----------------------------|--------------------|---------------------------|---------|---------------|-------|---|
| Designer: Sarah Molyneux | Date: 02 May 24 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: |  |
| Dwg: Pantry Elevation | Scale: 1 : 20 | Customer: The Flax | | | | |




| | | | | | | |
|-----------------------------|--------------------|---------------------------|---------|---------------|-------|---|
| Designer: Sarah Molyneux | Date: 02 May 24 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: |  |
| Dwg: Pantry Elevation | Scale: 1 : 20 | Customer: The Flax | | | | |



| | | | | | | |
|-------------------------------|--------------------|---------------------------|---------|---------------|-------|---|
| Designer: Sarah Molyneux | Date: 02 May 24 | Client: Oakridge Homes | BC Ref: | Site Address: | Job#: |  |
| Dwg: Pantry 3D Perspective | Scale: | Customer: The Flax | | | | |

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.



Plan: Arbor Green Lot 838 - Electrical Design

| Electrical | | |
|---|--|-------|
| Item | | Total |
|  Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase) | | 1 EA |
|  Tradesave Rangehood Power Socket | | 1 EA |
|  Tradesave Slim Single Power Socket (White) 10A - Fridge | | 1 EA |
|  Tradesave Slim Single Power Socket (White) 10A - Microwave | | 1 EA |
|  Tradesave Double Power Socket Horizontal (White) 10A | | 21 EA |
|  Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A | | 1 EA |
|  Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A | | 1 EA |
|  Tradesave Built-In Oven Hard-Wired Power Connection up to 20 Amp max | | 1 EA |
|  Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32 Amp max | | 1 EA |
|  Tradesave Slim Dishwasher Power Socket | | 1 EA |
|  Tradesave Garage Door Opener Press Button (White) | | 1 EA |
|  Tradesave Slim Garage Door Power Socket | | 1 EA |
|  Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection | | 1 EA |
|  Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit | | 1 EA |
|  Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life | | 7 EA |
|  Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail) | | 2 EA |
|  Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation | | 2 EA |
|  Extractor Fan External Grill (White) | | 3 EA |
|  Extractor Fan Inline 150mm & up to 6m of duct | | 3 EA |
|  External 180-Degree Lighting Movement Sensor (White) | | 1 EA |
|  Recessed LED Downlight Prolux DL54 with White Fascia & Circuit | | 31 EA |
|  Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit | | 2 EA |
|  Tradesave Slim White Light Switch 1 Gang | | 15 EA |

Electrical

| | Item | Total |
|--|---|-------|
|  | Tradesave Slim White Light Switch 2 Gang | 3 EA |
|  | Tradesave Slim White Light Switch 3 Gang | 2 EA |
|  | Excel Life White IP Rated Light Switch 1 Gang | 1 EA |
|  | 2-Way Light Circuit | 3 EA |
|  | Tradesave Slim 3-way Intermediate Switching Light Circuit | 1 EA |
|  | Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit | 1 EA |
|  | Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White | 1 EA |

In the Area

About Pinewood Grange

Pinewood Grange is a new subdivision located in the heart of Rolleston, Canterbury. This vibrant community offers a unique blend of modern living and natural beauty, providing residents with the perfect balance between convenience and tranquility.

With its close proximity to schools, parks, and shopping centres, Pinewood Grange is the ideal place to call home. Our vision for this community is to create a welcoming and inclusive environment where families can thrive and create lasting memories.



Rolleston and Surrounding Areas

Living in Pinewood Grange provides you with an open gateway to everything the Selwyn region has to offer.

Rolleston is Canterbury's second largest urban centre. Home to growing businesses, purpose-built facilities, high quality schools and a bevy of shops and eateries, life here is vibrant, easy and fun.

You'll be close to all those urban conveniences that make life easy. There are plenty of work and education opportunities nearby and Christchurch is just 20 minutes down the road. Head a little further afield and Canterbury's mountains, lakes and beaches are yours to discover.



Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:

- ✓ Master Build 10-Year Guarantee
- ✓ 1 year warranty period
- ✓ Exceeds Healthy Homes Standards
- ✓ LVL framing (laminated veneer lumber) more durable and less likely to warp
- ✓ RibRaft foundation system
- ✓ Quality cladding options
- ✓ Thermally broken window joinery
- ✓ Increased carpet underlay thickness
- ✓ Tri-Stone benchtops for easy maintenance
- ✓ Full height kitchen joinery to avoid dust collection
- ✓ Full length tiled splashback to kitchen
- ✓ Bosch appliances
- ✓ Exposed aggregate driveways and patios
- ✓ Insulated garage and garage door



The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz