

House and Land Package

Lot 571 Arbor Green, Stage 15, Springwood, Rolleston

Dwelling	Section
Size	Size
156m ²	450m ²

\$772,900












Family sized home featuring four bedrooms, master with ensuite and walk-in robe, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

Just twenty minutes from Christchurch, Rolleston has so much to offer. You are spoilt for choice within New Zealand's fasting growing community. Offering retailers, eateries, parks and reserves along with a newly established primary school and Rolleston college in close proximity. Only a short drive to central Rolleston with a shopping complex to cater all requirements.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 571 Arbor Green, Stage 15, Springwood, Rolleston

General:			
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior:		,	
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	Rockcote Graphex (15 year manufacturers guarantee)
Feature cladding:	Abodo AW55 135x18 & Designa Schist	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 4.5m
Dwelling Interior:			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving: MDF shelf and rail		Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms
Landscaping:			
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.



Specification

Lot 571 Arbor Green, Stage 15, Springwood, Rolleston

Kitchen and Laundr	y:		
Kitchen, bench sur- face and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink
Kitchen tapware:	Greens Astro II Gooseneck Slim	Kitchen handles:	Stefano Orlati 4062— Titanium
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU
Laundry tub:	Aquatica Laundra Studio	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black



Specification

Lot 571 Arbor Green, Stage 15, Springwood, Rolleston

Bathrooms:	Bathrooms:					
Vanities:	Newtech Frank Plus 750mm	Mirrors:	Polished edge direct fix—1000x750mm			
Showers:	Arena curved with moulded wall	Toilets:	Newtech Casalino Back To Wall			
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated			
Basin mixers:	Greens Astro II	Shower / bath mixers:	Greens Astro II Round			
Shower slides:	Greens Glide Rainboost Adjustable	Bath spout:	Greens Legacy			



Colour Scheme

Lot 571 Arbor Green, Stage 15, Springwood, Rolleston


Exterior:		Interior:	
Roof:	Titania	Ceilings:	Half black white
Fascia/ Gutter / Downpipes:	Titania	Walls:	Black white
Window joinery:	Titania	Interior doors:	Black white
Front door:	Titania	Skirting:	Black white
Front door frame:	Titania	Carpet:	Iron
Garage door:	Titania	Vinyl plank:	Natural
Garage door frame:	Titania	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Black white	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Abodo):	Vulcan natural	Kitchen splashback:	White gloss with misty grey grout
Exterior cladding (Schist):	Autumn hue		








Kitchen:





General Notes

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage

Refer to Sediment Control in Specification & implement where required.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise

Site Info

Site Area

Building Area


Site Address 134 Jean Archie Dr

Arbor Green Legal Description Lot 571 DP 608463

450m² 156.28m²

Roof Area* 198.95m² 44.21% Site Coverage

N4 < 100m





6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905

W E N D E L B O R N P R O P E R T Y L T D

LOT 571 ARBOR GREEN 134 JEAN ARCHIE DRIVE ROLLESTON

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Site Plan

Scale

1:100 @ A3


Revision Date


File No.


13/11/2024


24217

Sheet No.









Building Area

Over Frame	152.45m²
Perimeter	58.94m
Over Cladding	156.28m²
Perimeter	59.45m
Roof Area* Perimeter	198.95m ² 61.98m

General

Main Cladding **RCS** Graphex

Feature Cladding

Abodo Vulcan Shiplap WB & Designa Schist

Roof Pitch 25°

Roofing

Longrun Corrugated 2.42m

Stud Height

1.98m high Interior Door 2.20m high

Wardrobe Door

Cooktop Ceramic Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Tinted window to w02, w03 & W04.

<u>Legend</u>

Distribution Board & Smart Meterbox

Data Box

Smoke Detector 10 year

long-life battery-operated & interconnected (Cavius)

Floor Covering

Carpet (excl. Garage) Vinyl Planks

WINDOW SCHEDULE			
ID	Н	W	
w01	2,130	960	
w02	2,130	900	
w03	2,130	900	
w04	500	1,800	
w05	1,100	1,200	
w06	1,400	1,500	
w07	1,100	1,200	
w08	1,400	1,800	
w09	1,400	750	
w10	1,400	750	
w11	2,130	2,400	
w12	1,400	1,500	
w13	1,400	1,500	
w14	2,130	750	
w15	1,400	1,500	
w16	2,130	960	





$W \ E \ N \ D \ E \ L \ B \ O \ R \ N$ PROPERTY LTD

Floor Plan

24217

File No.





Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

<u>Downpipes</u>

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

<u>Downpipe Catchment</u> (<u>Plan Area</u>)


d.p.1	48m²
d.p.2	44m²
d.p.3	53m²
d.p.4	45m²

Roof Bracings

Refer to Truss Design.

Scale

1:100 @ A3







W E N D E L B O R N P R O P E R T Y L T D

LOT 571 ARBOR GREEN
134 JEAN ARCHIE DRIVE ROLLESTON

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Elevations

Scale

1:100 @ A3

13/11/2024

24217

Revision

Date

File No.

Elevation Keys

C02

C03

R01

R02

R03

J02

S02

w01

SS

<u>Legend</u>

RCS Graphex 50mm panel with plastered finish on 20mm cavity

weatherboard on 20mm horizontal castellated cavity battens.

500x500mm Designa schist

Colorsteel corrugate roofing.

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes. Low E Argon filled double glazed windows in thermally-broken

powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

Sectional garage door.

Drainage vent pipe.

Window ID

General Notes

garage rebate.


Security Stay Safety Glass Control Joint

Driveway to fall from 20mm max. below

Abodo Vulcan shiplap

Sheet No.


4





Section A-A

Scale 1:50





Section B-B

Scale 1:50



WENDELBORN PROPERTY LTD

LOT 571 ARBOR GREEN 134 JEAN ARCHIE DRIVE ROLLESTON

Issue	Cross Sections	
Concept Design		
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale 1:50 @ A3	

	Cross Sections		
esign			
for the purchaser Archiplus Ltd.	Scale	1:50 @ A3	

		Sheet No.
Revision	1	
Date	13/11/2024	5

24217

File No.

Section Keys

C03

W01

S01

T01

T02

R01

R02

J01

J02

B01 B02

B03

L01

L02

timber framing.

RCS Graphex 50mm panel with plastered finish on 20mm cavity battens over building underlay on

horizontal castellated cavity battens over building

500x500mm Designa schist column on 88x88mm

dwangs @ 800mm crs (dwangs @ 480mm crs for shiplap WB). Top plates 90x45 + 140x35mm. Internal walls 90x45mm studs @ 600mm crs,

External walls 90x45mm studs @ 600mm crs,

Extended truss top chords / outriggers to form

Colorsteel corrugate roofing over self-supported roof underlay on 70x45mm purlins on trusses.

75x55mm Colorsteel downpipes with wall brackets.

thermally-broken powder coated aluminium frames.

Colorsteel Quad gutter on Colorsteel fascia.

Low E Argon filled double glazed windows in

Sectional garage door. H3.1 timber reveals for

2 x R3.6 (165mm) double layer ceiling insulation

R3.6 (130mm x 1200mm) Gutter Line insulation

batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and

H3.1 timber reveals for painted finish.

R3.6 (165mm) ceiling insulation batts.

4.5mm soffit linings for painted finish.

ceiling 13mm Gib Aqualine)

13mm Gib ceiling linings supported by 35mm Rondo ceiling battens direct fixed @ 600mm crs. Stopped smooth for painted finish. (Wet area

10mm Gib wall linings stopped smooth for painted

finish. (Wet area wall 10mm Gib Aqualine)

C02 Abodo Vulcan shiplap weatherboard on 20mm

underlay on timber framing.

PLP12H5-100 Prolam post.

dwangs @ 800mm crs.

raking soffit.


painted finish.

roofing underlay.


R2.6 wall insulation batts.

Ribraft floor slab and foundation.

Roof trusses as per Truss Design.









Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

<u>Legends</u>

Lawn

Exposed Aggregate



Stonechip



Garden Bed with Bark



Portuguese Laurel - Hedge to be a min. 800mm high at time of planting and a max of 600mm apart (stem to stem)



Tree - within 2m of road frontage. 2.5m high (at time of planting)

Macrocarpa posts 200x200mm with capping, supplied by Arbor Green.
To be installed by
Oakridge Homes. Mulseal and concrete encase posts, setback 900mm from road boundary and set off the driveway edge by 200mm

Timber Batten Edging

1.8m 'Picket Panel Juno' fence in black





6 Browns Road, Christchurch

ey.archiplus@gmail.com

021 0238 1905


Archiplus 021 0221 8868

1:100 @ A3

24217

Date

File No.



Benchtop Colour:

12mm square edge Tristone in Pure White
Back Wall Joinery Colour:

Bestwood Simply White Embossed
Island Joinery Colour:

Bestwood Subtle Grey Velvet
Negative Detail Joinery Colour:

Bestwood Subtle Grey Velvet

Handles:


4062-192/320-Titanium Grey

Sink:


Lazio NZLSS-5545 Stainless Single Bowl


Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default
Sarah Molyneux	24 Feb 23	Oakridge Homes			
Dwg:	Scale:	Customer:	•		
Kitchen Plan	1:25	The Oak			





Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: 1 : 20	Customer: The Oak				KITCHENS






^{gner:} Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default
Dwg:	Scale:	Customer:			
Kitchen Elevation	1:20	The Oak			





Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Oak	·			KITCHENS





Oakridge Homes **Client Name: Site Address:**

The Oak STD (Garage RHS) **Acceptance Signature & Date:**

Date: Electrical

Plan Revised 12-07-2024

Designed By: Mike Lew 03 338 4238 Phone:

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: The Oak STD (Garage RHS) - Electrical Design

Electrical					
	Item	Total			
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard	1 EA			
(R)	Tradesave Rangehood Plug	1 EA			
2000	Tradesave Slim Single Power Socket - Fridge	1 EA			
₩ _O	Tradesave Slim Single Power Socket - Microwave	1 EA			
\forall	Tradesave Double Power Socket Horizontal (White) 10A	19 EA			
٧	Tradesave Slim Double Power Socket With Oven Isolator Slot	1 EA			
料	Tradesave Slim Double Power Socket With Hob Isolator Slot	1 EA			
*	Tradesave Slim Built In Oven Connection 20A	1 EA			
*	Tradesave Slim Electric Hob 32A	1 EA			
*	Tradesave Slim Dishwasher Plug	1 EA			
%	Garage Door Opener Switch (White)	1 EA			
*	Tradesave Slim Garage Door Socket & Switch	1 EA			
*	Tradesave Slim Hot Water Cylinder	1 EA			
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA			
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	7 EA			
*	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA			
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA			
E	Extractor Fan 150mm	3 EA			
\boxtimes	Extractor Fan External Grill	3 EA			
S	External 180 Degree Movement Sensor (White)	1 EA			
\otimes	Recessed Downlight DL54 (White) and Circuit	28 EA			
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA			
w	Tradesave Slim White Light Switch 1 Gang	10 EA			

Tradesave Slim Main TV/Data Socket (Cat6)

1 EA