


House and Land Package

Lot 66 Pinewood Grange, Stage 1, Rolleston

Dwelling	Section
Size	Size
161m ²	419m ²

\$762,900










Family sized home featuring four bedrooms, master with ensuite and walk-in robe, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.


Just twenty minutes from Christchurch, Pinewood Grange is one of Rolleston's newest developments located on the fringe of the township, an easy six minute drive to the CBD offers eateries, retail shops, medical centre, cafes and restaurants. You are spoilt for choice with schooling options including a daycare centre and Lemonwood primary within a two minute drive and another primary school on target to be delivered in 2026, Rolleston College is a short distance away making this an ideal area for growing families. Foster Park and the Aquatic Centre are conveniently located for recreational activities including sports clubs and swimming lessons. Secure your new home in Pinewood Grange and enjoy what this neighbourhood has to offer.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 66 Pinewood Grange, Stage 1, Rolleston

General:				
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk	
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre	
Dwelling Exterior:				
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine	
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter	
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	The Brickery—70 Series Brick	
Feature cladding:	Abodo AW55 135x18mm	Entry door:	Thermally-Broken APL 860mm Latitude	
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 4.5m	
Dwelling Interior:				
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings	
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop	
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove	
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4	
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel	
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards	
Extractor:	Extractor outlet through roof	Hot water cylinder:	Rheem 250L	
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province	
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms	
Landscaping:				
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included	
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.	



Specification

Lot 66 Pinewood Grange, Stage 1, Rolleston

Kitchen and Laundry:				
Kitchen, bench sur- face and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink	
Kitchen tapware:	Greens Astro II Gooseneck Slim	Kitchen handles:	Stefano Orlati 4062— Titanium	
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A	
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU	
Laundry tub:	Aquatica Laundra Studio	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black	



Specification

Lot 66 Pinewood Grange, Stage 1, Rolleston

Bathrooms:	Bathrooms:				
Vanities:	Newtech Frank Plus 750mm	Mirrors:	Polished edge direct fix—1000x750mm		
Showers:	Arena curved with moulded wall	Toilets:	Elementi Uno with soft close seat		
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated		
Basin mixers:	Greens Astro II	Shower / bath mixers:	Greens Astro II Round		
Shower slides:	Greens Glide Rainboost Adjustable	Bath spout:	Greens Legacy		



Colour Scheme


Lot 66 Pinewood Grange, Stage 1, Rolleston

Exterior:		Interior:	
Roof:	Titania	Ceilings:	Half black white
Fascia/ Gutter / Downpipes:	Titania	Walls:	Black white
Window joinery:	Titania	Interior doors:	Black white
Front door:	Titania	Skirting:	Black white
Front door frame:	Titania	Carpet:	Iron
Garage door:	Titania	Vinyl plank:	Natural
Garage door frame:	Titania	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Crevole with white mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	Vulcan straw	Kitchen splashback:	White gloss with misty grey grout






Kitchen:







Site Info

Site Address Pinewood
Legal Description Lot 66
Site Area 419m²
Building Area 161.52m²
Roof Area* 174.91m²
Site Coverage 41.74%

Design Basis

Wind Zone High
Earthquake Zone 2
Snow Zone N4 < 100m
Exposure Zone C

General Notes

All dimensions shown are to <u>face of</u> <u>foundation</u> unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info

Refer to Sediment Control in Specification & implement where required.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

Site bearings, dimensions and North point to be confirmed upon Certificate of Title when issued.





24151


File No.

Sheet No.









Building Area

Over Frame	154.74m
Perimeter	56.08m
Over Cladding	161.52m
Perimeter	57.04m
Roof Area*	174.91m
Perimeter	57.70m
*Roof area includes fascia	

<u>General</u>

Main Cladding 70s Clay Brick

Feature Cladding Abodo Vulcan Shiplap

WB

Roof Pitch 25°

Roofing Longrun Corrugate

Stud Height 2.42m
Interior Door 1.98m High

Wardrobe Door 2.20m High
Cooktop Ceramic Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: Bath, Ens & Laundry to have mechanical ventilation through roof.

Legend

Distribution Board & Smart Meter Box

Data Box

Smoke Detector 10 year long-life battery-operated

long-life battery-operated & interconnected (Cavius)

Floor Covering

Carpet (excl. Garage)

Vinyl Planks

WINDOW SCHEDULE			
ID	Н	W	
w01	2,130	960	
w02	2,130	1,500	
w03	1,400	1,800	
w04	1,400	1,800	
w05	2,130	2,700	
w06	2,130	2,100	
w07	1,400	1,500	
w08	2,130	1,800	
w09	1,400	600	
w10	1,400	600	
w11	1,100	1,200	
w12	1,400	1,500	
w13	1,100	1,200	
w14	1,400	1,500	
w15	2.130	960	





and is copy right to Archiplus Ltd.

Floor Plan

24151

File No.





Roof Cladding

25° Colorsteel longrun corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

<u>Downpipe Catchment</u> (Plan Area)

d.p.1	47n
d.p.2	40n
d.p.3	32n
d.p.4	47n
d.p.5	1n


Roof Bracings

Refer to truss design.



Scale

File No.



6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 Archiplus 021 0221 8868

WENDELBORN PROPERTY LTD

LOT 66 PINEWOOD

ROLLESTON

Concept Design

Issue

This plan is developed for the purchaser 1:100 @ A3 and is copy right to Archiplus Ltd. Scale

Elevations

Revision Date

File No.

30/08/2024

24151

Elevation Keys

70 series bricks over 50mm cavity.

weatherboard on 20mm horizontal castellated cavity battens.

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

Extractor outlet roof cowl.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

General Notes

garage rebate.

Security Stay Safety Glass

Driveway to fall from 20mm max. below

Colorsteel corrugate roofing.

Abodo Vulcan shiplap

C01

C02

R01

R02

R03

J01

J02

J03

S01

S02

S03


w01

SS

SG

<u>Legend</u>

Sheet No.



Section Keys

C01	70 series bricks over 50mm cavity over building
	wrap on timber framing.

C02 Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens over building wrap on timber framing.

W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs (dwangs @ 480mm crs for shiplap WB). Top plates 90x45 + 140x35mm.

W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.

S01 Ribraft foundation.

T01 Roof trusses as per Truss Design.

R01 Colorsteel corrugate roofing over self-supported roof underlay on 70x45mm purlins on trusses.

R02 Colorsteel Quad gutter on 185mm Colorsteel fascia.

75x55mm Colorsteel downpipes with wall brackets.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.

J02 Sectional garage door. H3.1 timber reveals for painted finish.

R2.6 wall insulation batts.

B02 2 x R3.6 (165mm) double layer ceiling insulation batts.

R3.6 (130mm x 1200mm) Gutter Line insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underlay.

4.5mm Hardie soffit linings for painted finish.

13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)

10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)




W E N D E L B O R N P R O P E R T Y L T D

> LOT 66 PINEWOOD ROLLESTON

Issue Concept Design	Cross S	ection A-A
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale	1:50 @ A3





Plants List for Garden Bed

Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

<u>Legends</u>

Lawn

Exposed Aggregate



Stonechip




Garden Bed with Bark





24151

File No.




Benchtop Colour:
12mm square edge Tristone in Pure White
Back Wall Joinery Colour:
Bestwood Simply White Embossed
Island Joinery Colour:
Bestwood Subtle Grey Velvet
Negative Detail Joinery Colour:
Bestwood Subtle Grey Velvet
Handles:
4062-192/320-Titanium Grey
Sink:
Lazio NZLSS-5545 Stainless Single Bowl


Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default
Sarah Molyneux	20 Feb 24	Oakridge Homes	Job		Boldan
Dwg:	Scale:	Customer:			
Kitchen Plan	1:25	The Maple Modified			






Designer: Sarah Molyneux	Date: 20 Feb 24 Clier	Oakridge Homes	BC Ref: Sit	ite Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation		omer: The Maple Modified				KITCHENS







Designer: Sarah Molyneux	Date: 20 Feb 24 Client: Oakridge Homes	BC Ref: Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: Customer: The Maple Modified			KITCHENS




Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: S	Site Address:	Job#: Default	TRENDS
^{Dwg:} Kitchen 3D Perspective	Scale:	Customer: The Maple Modified				KITCHENS




Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: Si	lite Address:	Job#: Default	TRENDS
Dwg: Pantry Plan	Scale: 1:20	Customer: The Maple Modified	Modified			KITCHENS






Designer: Sarah Molyneux	Date: Client: Oakridge Homes	BC Ref: Site Address:	Job#: Default	TRENDS
Dwg: Pantry Elevation	Scale: Customer: The Maple Modified			KITCHENS



Designer: Sarah Molyneux	Date: 20 Feb 24	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Pantry 3D Perspective	Scale:	Customer: The Maple Modified				KITCHENS





Client Name: Oakridge Homes

Site Address: The Maple Modified - Garage Right (No Soffits)
Acceptance Signature & Date:

Date: Revised 21-06-2024 **Plan** Electrical & Lighting

Designed By: Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: Maple Modified Garage Right HS (No Soffits) - Electrical Design

Elec	Electrical							
	Item	Total						
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	1 EA						
·R/	Tradesave Rangehood Power Socket	1 EA						
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	1 EA						
₩°	Tradesave Slim Single Power Socket (White) 10A - Microwave	1 EA						
\forall	Tradesave Double Power Socket Horizontal (White) 10A	20 EA						
C	Protective Capping for Socket Electrical in Joinery	1 EA						
SP.	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	1 EA						
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	1 EA						
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20 Amp max	1 EA						
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32 Amp max	1 EA						
*	Tradesave Slim Dishwasher Power Socket	1 EA						
^	Tradesave Garage Door Opener Press Button (White)	1 EA						
*	Tradesave Slim Garage Door Power Socket	1 EA						
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection	1 EA						
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA						
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	7 EA						
\forall	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA						
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA						
E	Extractor Fan Inline 150mm & up to 6m of duct	3 EA						
	Through Roof Cowl & Tube Supply 150mm (Installation excluded)	3 EA						
S	External 180-Degree Lighting Movement Sensor (White)	1 EA						
\otimes	Recessed LED Downlight Prolux DL54 with White Fascia & Circuit	24 EA						
\otimes	Recessed LED Downlight Prolux DL30 Tiltable 3K (White) and Circuit	1 EA						

Electrical

	Item	Total
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
⊕	External LED Up/Down Round Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit	5 EA
W	Tradesave Slim White Light Switch 1 Gang	12 EA
w	Tradesave Slim White Light Switch 2 Gang	6 EA
W	Tradesave Slim White Light Switch 3 Gang	1 EA
K IP	Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY	2-Way Light Circuit	2 EA
INT	Tradesave Slim 3-way Intermediate Switching Light Circuit	1 EA
Smart Wiring Fibre Hub	Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Main TV/Data	Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA