

House and Land Package

Lot 66 Spring Grove, Stage 8, Belfast,

Christchurch

Dwelling	Section
Size	Size
158m ²	401m ²

\$809,900






Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

Spring Grove is conveniently located within a semi-rural setting close to Northwood Supa Centa which includes a supermarket, gym, café, restaurant and numerous retail outlets.

With forests and parks in close proximity and easy access in and out of the city it makes Spring Grove an appealing community for all.



Floor Layout:



Site Location:



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



Specification

Lot 66 Spring Grove, Stage 8, Belfast, Christchurch

General:			
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior:			
Foundation:	TC2 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine
Roofing:	25° metal pressed tile— corona shake	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	Rockcote Graphex (15 year manufacturers guarantee)
Feature cladding:	James Hardie Axon	Entry door:	Thermally-broken APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 4.5m
Dwelling Interior:			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms
Landscaping:			
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.



Specification

Lot 66 Spring Grove, Stage 8, Belfast, Christchurch

Kitchen and Laundr	y:		
Kitchen, bench surface and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink
Kitchen tapware:	Greens Astro II Gooseneck Slim	Kitchen handles:	Stefano Orlati 4062— Titanium
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU
Laundry tub:	Aquatica Laundra Studio	Feature pendant: *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black



Specification

Lot 66 Spring Grove, Stage 8, Belfast, Christchurch


Bathrooms:			
Vanities:	Newtech Frank Plus 750mm	Mirrors:	Polished edge direct fix—1000x750mm
Showers:	Arena curved with moulded wall	Toilets:	Newtech Casalino Back To Wall
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated
Basin mixers:	Greens Astro II	Shower / bath mixers:	Greens Astro II Round
Shower slides:	Shower slides: Greens Glide Rainboost Adjustable		Greens Legacy



Colour Scheme

Lot 66 Spring Grove, Stage 8, Belfast, Christchurch

Exterior:		Interior:	
Roof:	Ebony	Ceilings:	Half black white
Fascia / Gutter / Downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Bestwood simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding : Main	Black white	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding: Feature	All black	Kitchen splashback:	White gloss with misty grey grout






Kitchen:



DRIVE

BILL HAMMOND

RITA ANGUS ROAD



Site Info

Site Address 33 Rita Angus Road

Spring Grove

39.33%

Legal Description Lot 66

Site Area 401m²
Building Area 158.70m²

Design Basis

Site Coverage

Wind Zone High
Earthquake Zone 2

Snow Zone N4 < 100m

Exposure Zone C

General Notes

All dimensions shown are to <u>face of foundation</u> unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Site bearings, dimensions and north point subject to the Issue of Certificate of Title.

Site Levels

Levels shown are proposed Finished Ground Levels. FGL denotes Finished Ground Level. TK denotes Top of Kerb Level.

6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 021 0221 8868

W E N D E L B O R N P R O P E R T Y L T D

LOT 66 SPRING GROVE 39 RITA ANGUS ROAD BELFAST CHCH Issue
Concept Design
This plan is developed for the purchaser

and is copy right to Archiplus Ltd.

Scale 1:100 @ A3

Revision 1
Date 27/11/2024


24228 (ORH. 3289)


File No.

Sheet No.

ı







General Main Cladding Feature Cladding Roof Pitch Roofing

RCS Graphex JH Axon Panel

154.57m²

63.04m

158.70m²

63.60m 204.33m²

67.06m

Pressed Metal Tiles

*Roof area includes fascia & gutter

Building Area

Over Frame

Over Cladding

Perimeter

Perimeter

Roof Area*

Perimeter

(Corona Shake)

Stud Height 2.42m 1.98m High Interior Door Wardrobe Door 2.20m High Cooktop Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

Legend

1,800 w14

089

Distribution Board & Smart Meter Box

Data Box

Smoke Detector 10 year long-life battery-operated & interconnected (Cavius)

Floor Covering

Carpet (excl. Garage)

Vinyl Planks

WINDOW SCHEDULE					
ID	Н	W			
w01	2,130	960			
w02	750	1,800			
w03	2,130	1,500			
w04	2,130	900			
w05	2,130	900			
w06	2,130	2,700			
w07	2,130	2,400			
w08	1,400	600			
w09	1,400	600			
w10	2,130	450			
w11	1,100	1,200			
w12	1,400	1,500			
w13	2,130	960			
w14	500	1,800			
w15	1,400	1,500			
w16	1,400	1,500			



WENDELBORN PROPERTY LTD


LOT 66 SPRING GROVE 39 RITA ANGUS ROAD BELFAST CHCH

Issue	Floor Pla	an
Concept Design		
s plan is developed for the purchaser	Scale	1·100 @ A3

24228 (ORH. 3289)

Date

File No.







WENDELBORN PROPERTY LTD

LOT 66 SPRING GROVE 39 RITA ANGUS ROAD BELFAST CHCH

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Elevations

Scale

Revision Date

27/11/2024

Elevation Keys

C02

R01

R02

R03

J01

J02

J03

S02

w01 SS

SG

Legend

RCS Graphex 50mm panels with plastered finish on 20mm cavity

James Hardies Axon panels on

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

Sectional garage door.

Drainage vent pipe.

Window ID

Security Stay

Safety Glass Lintel Height

Driveway to fall from 20mm max. below


General Notes


garage rebate.

Pressed metal tiles roofing. Colorsteel steel Quad gutter supported by Colorsteel 185mm

20mm cavity battens.

1:100 @ A3 File No. 24228 (ORH. 3289)









6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 021 0221 8868

W E N D E L B O R N P R O P E R T Y L T D

ISS	ue
Concept	Design

and is copy right to Archiplus Ltd.

This plan is developed for the purchaser

Section A-A

Scale

1:50 @ A3

1

Sheet No.

A-A

Revision

Date 27/11/2024 File No. 24228 (ORH. 3289)

Section Keys

C02

W01

W02

S01

T01

T02

R01

R02

R03

J02

B01

B02

L01

L02

fascia.

painted finish.

Gib Aqualine)

R2.8 wall insulation batts.

R5.0 skilion insulation batts.

timber framing.

C01 RCS Graphex 50mm panel with plastered finish over 20mm cavity battens over building wrap on

building wrap on timber framing.

Roof trusses as per Truss Design.

raking soffit. Refer to Truss Design.

dwangs @ 800mm crs.

Ribraft foundation.

JH Axon panel on 20mm cavity battens over

External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 +

Internal walls 90x45mm studs @ 600mm crs,

Extended truss top chords / outriggers to form

Pressed metal tiles roofing on 50x40mm timber

Colorsteel Quad gutter on 185mm pre-painted steel

75x55mm Colorsteel downpipes with wall brackets.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

Sectional garage door. H3.1 timber reveals for

4.5mm Hardie soffit linings for painted finish.

13mm Gib ceiling linings supported by 35mm

Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm

10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)

R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.

H3.1 timber reveals for painted finish.

battens over self-supported roof underlay on

LOT 66 SPRING GROVE 39 RITA ANGUS ROAD BELFAST CHCH

Archiplus 021 0221 8868

6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905

WENDELBORN PROPERTY LTD

LOT 66 SPRING GROVE 39 RITA ANGUS ROAD BELFAST CHCH

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Landscape Plan

Scale


1:100 @ A3

Revision 27/11/2024 Date


24228 (ORH. 3289)

File No.


Sheet No.




Kitchen Plan



Designer:	Date:			Site Address:	Job#: Default	
Sarah Molyneux	24 Feb 23	Oakridge Homes	Job			TRENDS
Dwg:	Scale:	Customer:				KITCHENS
Kitchen Elevation	1:20	The Kauri V3 - Selv	vyn			KITCHENS






Designer: Sarah Molyneux	Date: Client: Oakrid	ridge Homes BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen Elevation	Scale: Customer: The	he Kauri V3 - Selwyn			KITCHENS



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: BC Ref: Job	Site Address:	Job#: Default	TRENDS
Kitchen 3D Perspective		Customer: The Kauri V3 - Selwyn			KITCHENS





Client Name: Oakridge Homes
Site Address: The Kauri STD (V

Site Address: The Kauri STD (V3) Garage Left
Acceptance Signature & Date:

Date: 13-06-2024 Plan Electrical **Designed By:** Mike Lew **Phone:** 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: The Kauri STD (V3) Garage Left - Electrical Design

Elec	trical	
	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard	1 EA
·R/	Tradesave Rangehood Plug	1 EA
2000 F	Tradesave Slim Single Power Socket - Fridge	1 EA
₩°	Tradesave Slim Single Power Socket - Microwave	1 EA
\forall	Tradesave Double Power Socket Horizontal (White) 10A	19 EA
C	Capping for sockets and/or switches in joinery	1 EA
SP.	Tradesave Slim Double Power Socket With Oven Isolator Slot	1 EA
料	Tradesave Slim Double Power Socket With Hob Isolator Slot	1 EA
*	Tradesave Slim Built In Oven Connection 20A	1 EA
*	Tradesave Slim Electric Hob 32A	1 EA
*	Tradesave Slim Dishwasher Plug	1 EA
^	Tradesave Garage Door Opener Switch (White)	1 EA
*	Tradesave Slim Garage Door Socket & Switch	1 EA
*	Tradesave Slim Hot Water Cylinder	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
<u>S</u>	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	6 EA
S/S	E-One Sewerage Grinder & IOTA Pump Power Connection	1 EA
\forall	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA
E	Extractor Fan 150mm	3 EA
\boxtimes	Extractor Fan External Grill	3 EA
S	External 180 Degree Movement Sensor (White)	1 EA
\otimes	Recessed Downlight DL54 (White) and Circuit	26 EA

Electrical

lte	em	Total
St	taverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
w Tr	radesave Slim White Light Switch 1 Gang	10 EA
w Tr	radesave Slim White Light Switch 2 Gang	4 EA
w Tr	radesave Slim White Light Switch 3 Gang	1 EA
FIP EX	xcel Life White IP Rated Light Switch 1 Gang	1 EA
2WY 2-	Way Light Circuit	1 EA
INT Tr	radesave Slim 3-way Switching White	1 EA
Smart Wiring Fibre Hub	mart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Main TV/Data Tr	radesave Slim Main TV/Data Socket (Cat6)	1 EA