Lot 733 Arbor Green

Stage 4, Arbor Green, Springwood, Rolleston



House & Land Package:

Family sized home featuring three bedrooms, master with ensuite, open plan kitchen, living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$669,900

Home area: 130m²

Section area: 292m²

∄3 🕮 1 🖟

全



Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- · RibRaft foundation

- · Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- · Fully landscaped


P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz




Floor Layout



Site Location





P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz



Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior	. , , , , , , , , , , , , , , , , , , ,	Cumuco	ae capp.,e.aage.e
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Rockcote Graphex (15yr manufacturers guarantee)
Feature cladding:	Abodo AW55 135×18mm	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 2.7m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan & extractor duct through fascia grille	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank – Province
Splashback tiles:	Full back wall (kitchen only)	Window coverings:	Windoware Everyday Vinyl Collection – Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan
Colour Scheme			
EXTERIOR		INTERIOR	
Roof:	Ebony	Ceilings:	Half black white
Fascia, gutter & downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen benchtop:	TriStone 40mm – Demeter
Soffits:	Half black white	Kitchen back wall & island back panel:	Cirrus
Exterior cladding (Main):	All black	Kitchen front island panel & boxed ends:	Fiordland elm
Exterior cladding (Feature):	Wood-x goldrush	Kitchen splashback:	Zellige Argilla Gloss 100×100

P: (03) 977 2832

E: info@oakridgehomes.co.nz





Specification

Kitchen and Laundry Kitchen, bench surface and splashback: Kitchen sink: Custom made Melteca or Bestwood finished cabinetry. TriStone Lazio NZLSS-5545 single stainless steel sink 40mm square edge benchtop. Tiled splashback full length of back bench/wall. *Refer to plans and colour scheme Kitchen handles: Kitchen tapware: Stefano Orlati 4062— Titanium Elementi Uno Gooseneck Oven: Ceramic cooktop: Bosch HBF133BSOA Bosch PKE611K17A Powerpack: Dishwasher: Bosch DHL755BAU Bosch SMU2ITS01A Laundry tub: Feature pendant: Aquatica Laundra Studio Minota 1.5 linear black *dependent on supply, similar fitting to be used if unavailable **Bathrooms** Vanities: Mirrors: Elementi Novara, 2 drawer 750mm, French Polished edge direct fix—1000×750mm Oak Toilets: Showers: Arena curved with moulded wall Elementi Uno back to wall Bath: Towel rails: Elementi Diseno back-to-wall 1700mm Newtech 5 bar square—heated **Basin mixers:** Shower / bath mixers: Elementi Cura Elementi Cura **Shower slides: Bath spout:** Elementi Uno Elementi Rayne




E: info@oakridgehomes.co.nz









Site Info Lot 733

Site Address Arbor Green Legal Description Lot 733 Site Area 292m² **Building Area** 130.81m² 139.73m² Roof Area* Site Coverage 47.85% *Roof area includes fascia & gutter.

Design Basis

Wind Zone High

Earthquake Zone 2

N4 < 100m Snow Zone

С Exposure Zone

General Notes

All dimensions shown are to *face of* foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage

Refer to Sediment Control in Specification & implement where required.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.




23/10/2025

25232

Revision

Date

File No.



Building Area for Type C / D

127.28m² 58.04m Over Frame Over Cladding 130.81m² Perimeter 58.46m 139.73m² Roof Area* 58.20m Perimeter *Roof area includes fascia & gutter.

General

Main Cladding **RCS** Graphex

Feature Cladding Abodo Vulcan Shiplap Roof Pitch

Roofing Longrun Corrugated

Stud Height 2.42m 1.98m high Interior Door Wardrobe Door 2.20m high Ceramic Cooktop Cooktop

Note 1: Kitchen layout indicative only, refer to Kitchen Design for details.

Note 2: All mechanical ventilation ducting to go through via fascia grille.

<u>Legend</u>

Distribution Board & Smart Meterbox


Data Box

Smoke Detector 10 year long-life battery-operated & interconnected

WINDOW SCHEDULE						
ID C-w01	2,130	W 960				
D-w01	2,130	960				
D-w02	2,130	750				
D-w03	2,130	750				
D-w04	2,130	2,400				
D-w05	1,400	1,500				
D-w06	1,400	1,500				
D-w07	1,400	1,500				
D-w08	1,400	1,500				
D-w09	500	1,800				
D-w10	2,130	1,800				
D-w11	1,100	1,200				
D-w12	1,100	1,200				
D-w13	2,130	910				







d.p.2

Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

Downpipe Catchment (Plan Area TYPE C & D)

 $35m^2$ d.p.1 52m² d.p.2 d.p.3 47m²

Roof Bracings

Refer to Truss Design.




This plan is developed for the purchaser

and is copy right to Archiplus Ltd.

Scale

1:100 @ A3



RCS Graphex 50mm panel with plastered finish on 20mm cavity

Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens.

Colorsteel corrugate roofing.

by Colorsteel 185mm fascia.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

Sectional garage door.

APL entry door in thermally-broken powder coated aluminium frames.

Drainage vent pipe.

Heatpump outdoor unit on wall

Window ID Security Stay

Driveway to fall from 20mm max. below



021 0238 1905 Archiplus 021 0221 8868

6 Browns Road, Christchurch ey.archiplus@gmail.com

W E N D E L B R O N P R O P E R T Y L T D

LOT 334 & 733 ARBOR GREEN ROLLESTON

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

Elevations 1

Scale


1:100 @ A3

Revision Date


File No.

3 23/10/2025 25232

Sheet No.



E-06 SouthEast Elevation (Lot 733)
Scale 1:100



E-05 NorthWest Elevation (Lot 733)
Scale 1:100

Elevation Keys

C01	RCS Graphex 50mm panel with plastered finish on 20mm cavity battens.

C02 Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens.

R01 Colorsteel corrugate roofing.

R02 Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

R03 Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

J02 Sectional garage door.

J03 APL entry door in thermally-broken powder coated aluminium frames.

S01 Drainage vent pipe.

S02 Heatpump outdoor unit on wall

bracket.

Legend

w01 Window ID SS Security Stay SG Safety Glass

General Notes

Driveway to fall from 20mm max. below garage rebate.



LOT 334 & 733 ARBOR GREEN ROLLESTON

Issue
Concept Design
This plan is developed for the purchas and is copy right to Archiplus Ltd.

Scale

1:100 @ A3

25232

File No.

Section Keys


- B01 R2.6 wall insulation batts.
- B02 2 x R3.6 (165mm) double layers ceiling insulation batts
- B03 R3.6 (140mm) insulation batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underlay.
- L01 4.5mm Hardie soffit linings for painted finish.
- L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- .03 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)
- L04 13mm Gib wall linings stopped smooth for painted finish. Refer to Gib Intertenancy Barrier System specification and details.


Section Keys


- S01 Ribraft foundation.
- T01 Roof trusses as per Truss Design.
- R01 Colorsteel corrugate roofing on self-supported roof underlay over 70x45mm purlines on trusses.
- R02 Colorsteel Quad gutter on 185mm Colorsteel fascia.
- R03 75x55mm Colorsteel downpipes with wall brackets.
- J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- J02 Sectional garage door. H3.1 timber reveals for painted finish.

Section Keys

- C01 RCS Graphex 50mm panel with plastered finish on 20mm cavity battens over building wrap on timber framing
- C02 Abodo Vulcan shiplap weatherboard on 20mm horizontal castellated cavity battens over building wrap on timber framing.
- 01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs (dwangs @ 480mm crs for shiplap WB). Top plates 90x45 + 140x35mm.
- W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- W03 Intertenancy wall (GBTLAB 60d) double frame with central barrier: 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm. Refer to Gib Intertenancy Barrier System specification and details.







B Section B
Scale 1:50



WENDELBRON PROPERTY LTD

Section C

Scale 1:50

LOT 334 & 733 ARBOR GREEN ROLLESTON Issue
Concept Design
This plan is developed for the purchaser

and is copy right to Archiplus Ltd.

Cross Sections


Scale 1:50 @ A3

Revision 3
Date 23/10/2025
File No. 25232

Sheet No.

6





29.25m



Agapanthus Peter Pan - Dwarf blue Nile lily

Acacia Limelight - Dwarf wattle

Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge

Lavandula angustifolia 'Hidcote' - English Lavender

Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Azalea

Corokia geentys green

Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'

*Planting species for garden bed are indicative-not to be limited to.

<u>Legends</u>

Lawn

Exposed Aggregate



Stonechip



Garden Bed with Bark



Portuguese Laurel -Hedge to be a min. 800mm high at time of planting and a max of 600mm apart (stem to stem)



Tree - within 2m of road frontage. 2.5m high (at time of planting)

Macrocarpa posts 200x200mm with capping, supplied by Arbor Green. To be installed by Oakridge Homes. Mulseal and concrete encase posts, setback 900mm from road boundary and set off the driveway edge by 200mm

Timber Batten Edging



'Picket Panel Juno' fence in black



Fencing



W E N D E L B R O N P R O P E R T Y L T D

LOT 334 & 733 ARBOR GREEN ROLLESTON

Issue Concept Design

This plan is developed for the purchaser and is copy right to Archiplus Ltd. Scale

Landscape Plan

1:100 @ A3

Revision Date

File No.


n 1

25232

1 30/09/2025


Sheet No.

1




Designer:	Date:	Client:	BC Ref:	Site Address: Rolleston	Job#: 59130
Sarah Molyneux	29 Oct 25	Oakridge Homes		Tionostori	33.33
Dwg:	Scale:	Customer:			
Kitchen Plan	1:25	Lot 733 Arbor Gree	en		







Designer: Sarah Molyneux	Date: 29 Oct 25		BC Ref:	Site Address: Rolleston	Job#: 59130	TRENDS
Dwg: Kitchen Elevation	Scale:	Customer: Lot 733 Arbor Gree	en			KITCHENS




Designer: Sarah Molyneux	Date: 29 Oct 25		C Ref:	Site Address: Rolleston	Job#: 59130	TRENDS
Dwg: Kitchen Elevation	Scale:	Customer: Lot 733 Arbor Green	ı			KITCHENS





Designer:	Date:	Client:	BC Ref:	Site Address: Rolleston	Job#: 59130
Sarah Molyneux	29 Oct 25	Oakridge Homes		Tiolieston	00100
Dwg:	Scale:	Customer:]	
Kitchen Elevation	0	Lot 733 Arbor Gree	en		





Designer: Sarah Molyneux	Date: 29 Oct 25	Client: Oakridge Homes	f: Site Address: Rolleston	Job#: 59130	TRENDS
Dwg: Kitchen 3D	Scale:	Customer: Lot 733 Arbor Green			KITCHENS





Client Name: Oakridge Homes **Site Address:**

Arbor Green - Lot 334 & 733, Rolleston - Duplex | Plan | Electrical & Lighting **Acceptance Signature & Date:**

Date: 29-10-2025

Designed By: Jodie Curtis Phone: 03 338 4238

Email & Web info@smartsystems.net.nz smartsystems.net.nz

Plan: Arbor Green - Lot 334 & 733, Rolleston

Oakridge Power & Lighting							
	Item	Total					
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)	2 EA					
(R)	Rangehood Single Power Socket	2 EA					
Fridge	Tradesave Slim Single Power Socket (White) 10A - Fridge	2 EA					
Mo	Tradesave Slim Single Power Socket (White) 10A - Microwave	2 EA					
\forall	Tradesave Slim Double Power Socket Horizontal (White) 10A	34 EA					
P	Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A	2 EA					
料	Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A	2 EA					
*	Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)	2 EA					
*	Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)	2 EA					
*	Tradesave Slim Dishwasher Power Socket (White)	2 EA					
%	Tradesave Slim Garage Door Open/Close Press Switch (White)	2 EA					
*	Tradesave Slim Garage Door Power Socket (White)	2 EA					
*	Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection (White)	2 EA					
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	2 EA					
	Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	10 EA					
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	4 EA					
*	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	4 EA					
E	Extractor Fan Inline 150mm & up to 6m of duct	6 EA					
	Extractor Fan External Fascia Grille (Supplied by Others)	6 EA					
S	External 180° Infrared Movement Surface Mounted Sensor Up to 12M Range, Adjustable 10sec - 15min time delay (White)	2 EA					
\otimes	Recessed Downlight Prolux DL54 LED 10-Watt 160° Beam (Switchable 3K-4K-6K) White Fascia & Circuit	42 EA					

Oakridge Power & Lighting

	Item	Total
Minds	Pendant Light - Minota 1.5m Suspension 40-Watt LED, 1400lm down, 800lm up, CCT 3K, 4K, 5K via Wall Switch (Black) & Circuit	1 EA
(E)MG	Pendant Light - Elba 365mm with 8-watt LED Lamp (Black) & Circuit	2 EA
<u>+</u>	External Up/Down Round LED Wall Light Ambius AWLSR316LED 3K (Stainless Steel) & Circuit	12 EA
w	Tradesave Slim Light Switch 1-Gang (White)	14 EA
w	Tradesave Slim Light Switch 2-Gang (White)	4 EA
w	Tradesave Slim Light Switch 3-Gang (White)	6 EA
2WY	2-Way Light Circuit	2 EA
Smart Wiring Fibre Hub	Smart Wiring Base 20" Hub 12-Port with Fibre Optic Pathway and Power Circuit	2 EA
Main TV Dual Data	Tradesave Slim Main UHF TV/Dual Network Data Sockets Cat-6 (White)	2 EA
to 16 soldgravitrosis (address soling span)	No TV Aerial, pre-wire only (cable left in ceiling space)	2 EA

In the Area

About Arbor Green

Arbor Green has everything that makes up a flourishing neighbourhood. Streets, landscaping and amenities that have been purposefully designed to bring people together and enhance everyday wellbeing.

Once complete, Arbor Green will have 1200 new homes built, a primary school and a central neighbourhood precinct that create two main gathering points, while multiple parks, pathways and cycleways ensure every resident can get around with safety and ease.



Rolleston and Surrounding Areas

Living in Arbor Green provides you with an open gateway to everything the Selwyn region has to offer.

Rolleston is Canterbury's second largest urban centre. Home to growing businesses, purpose-built facilities, high quality schools and a bevy of shops and eateries, life here is vibrant, easy and fun.

You'll be close to all those urban conveniences that make life easy. There are plenty of work and education opportunities nearby and Christchurch is just 20 minutes down the road. Head a little further afield and Canterbury's mountains, lakes and beaches are yours to discover.









Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per

element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.

We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:


- Master Build 10-Year Guarantee
- 1 year warranty period
- Exceeds Healthy Homes Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Full length tiled splashback to kitchen
- Bosch appliances
- Exposed aggregate driveways and patios
- Insulated garage and garage door





The Oakridge Journey



If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832

E: info@oakridgehomes.co.nz

oakridgehomes.co.nz