

# House and Land Package

Lot 77 Pinewood Grange, Stage 4,  
Rolleston

Dwelling Size	Section Size
155m <sup>2</sup>	307m <sup>2</sup> + 45m <sup>2</sup> ROW

\$709,900



4



1



2



2



Family sized home featuring four bedrooms, master with ensuite and walk-in robe, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

Just twenty minutes from Christchurch, Pinewood Grange is one of Rolleston’s newest developments located on the fringe of the township, an easy six minute drive to the CBD offers eateries, retail shops, medical centre, cafes and restaurants. You are spoilt for choice with schooling options including a daycare centre and Lemonwood primary within a two minute drive and another primary school on target to be delivered in 2026, Rolleston College is a short distance away making this an ideal area for growing families. Foster Park and the Aquatic Centre are conveniently located for recreational activities including sports clubs and swimming lessons. Secure your new home in Pinewood Grange and enjoy what this neighbourhood has to offer.



**TYPE C**

g.d. 4500

Garage 34.58m<sup>2</sup>

Laundry

ENTRY 0.78m<sup>2</sup>

Dining 7.13m<sup>2</sup>

Kitchen 9.98m<sup>2</sup>

WIP 1.73m<sup>2</sup>

Bed 2 9.53m<sup>2</sup>

Bed 1 13.31m<sup>2</sup>

Bed 3 9.38m<sup>2</sup>

Bed 4 8.74m<sup>2</sup>

Hall 8.24m<sup>2</sup>

Bath 5.35m<sup>2</sup>

WIWR 2.67m<sup>2</sup>

ENS 3.65m<sup>2</sup>

Manhole

Insulation

g.d. 1,895

g.d. 1,890

g.d. 1,785

g.d. 1,780

g.d. 1,775

g.d. 1,770

g.d. 1,765

g.d. 1,760

g.d. 1,755

g.d. 1,750

g.d. 1,745

g.d. 1,740

g.d. 1,735

g.d. 1,730

g.d. 1,725

g.d. 1,720

g.d. 1,715

g.d. 1,710

g.d. 1,705

g.d. 1,700

g.d. 1,695

g.d. 1,690

g.d. 1,685

g.d. 1,680

g.d. 1,675

g.d. 1,670

g.d. 1,665

g.d. 1,660

g.d. 1,655

g.d. 1,650

g.d. 1,645

g.d. 1,640

g.d. 1,635

g.d. 1,630

g.d. 1,625

g.d. 1,620

g.d. 1,615

g.d. 1,610

g.d. 1,605

g.d. 1,600

g.d. 1,595

g.d. 1,590

g.d. 1,585

g.d. 1,580

g.d. 1,575

g.d. 1,570

g.d. 1,565

g.d. 1,560

g.d. 1,555

g.d. 1,550

g.d. 1,545

g.d. 1,540

g.d. 1,535

g.d. 1,530

g.d. 1,525

g.d. 1,520

g.d. 1,515

g.d. 1,510

g.d. 1,505

g.d. 1,500

g.d. 1,495

g.d. 1,490

g.d. 1,485

g.d. 1,480

g.d. 1,475

g.d. 1,470

g.d. 1,465

g.d. 1,460

g.d. 1,455

g.d. 1,450

g.d. 1,445

g.d. 1,440

g.d. 1,435

g.d. 1,430

g.d. 1,425

g.d. 1,420

g.d. 1,415

g.d. 1,410

g.d. 1,405

g.d. 1,400

g.d. 1,395

g.d. 1,390

g.d. 1,385

g.d. 1,380

g.d. 1,375

g.d. 1,370

g.d. 1,365

g.d. 1,360

g.d. 1,355

g.d. 1,350

g.d. 1,345

g.d. 1,340

g.d. 1,335

g.d. 1,330

g.d. 1,325

g.d. 1,320

g.d. 1,315

g.d. 1,310

g.d. 1,305

g.d. 1,300

g.d. 1,295

g.d. 1,290

g.d. 1,285

g.d. 1,280

g.d. 1,275

g.d. 1,270

g.d. 1,265

g.d. 1,260

g.d. 1,255

g.d. 1,250

g.d. 1,245

g.d. 1,240

g.d. 1,235

g.d. 1,230

g.d. 1,225

g.d. 1,220

g.d. 1,215

g.d. 1,210

g.d. 1,205

g.d. 1,200

g.d. 1,195

g.d. 1,190

g.d. 1,185

g.d. 1,180

g.d. 1,175

g.d. 1,170

g.d. 1,165

g.d. 1,160

g.d. 1,155

g.d. 1,150

g.d. 1,145

g.d. 1,140

g.d. 1,135

g.d. 1,130

g.d. 1,125

g.d. 1,120

g.d. 1,115

g.d. 1,110

g.d. 1,105

g.d. 1,100

g.d. 1,095

g.d. 1,090

g.d. 1,085

g.d. 1,080

g.d. 1,075

g.d. 1,070

g.d. 1,065

g.d. 1,060

g.d. 1,055

g.d. 1,050

g.d. 1,045

g.d. 1,040

g.d. 1,035

g.d. 1,030

g.d. 1,025

g.d. 1,020

g.d. 1,015

g.d. 1,010

g.d. 1,005

g.d. 1,000

g.d. 995

g.d. 990

g.d. 985

g.d. 980

g.d. 975

g.d. 970

g.d. 965

g.d. 960

g.d. 955

g.d. 950

g.d. 945

g.d. 940

g.d. 935

g.d. 930

g.d. 925

g.d. 920

g.d. 915

g.d. 910

g.d. 905

g.d. 900

g.d. 895

g.d. 890

g.d. 885

g.d. 880

g.d. 875

g.d. 870

g.d. 865

g.d. 860

g.d. 855

g.d. 850

g.d. 845

g.d. 840

g.d. 835

g.d. 830

g.d. 825

g.d. 820

g.d. 815

g.d. 810

g.d. 805

g.d. 800

g.d. 795

g.d. 790

g.d. 785

g.d. 780

g.d. 775

g.d. 770

g.d. 765

g.d. 760

g.d. 755

g.d. 750

g.d. 745

g.d. 740

g.d. 735

g.d. 730

g.d. 725

g.d. 720

g.d. 715

g.d. 710

g.d. 705

g.d. 700

g.d. 695

g.d. 690

g.d. 685

g.d. 680

g.d. 675

g.d. 670

g.d. 665

g.d. 660

g.d. 655

g.d. 650

g.d. 645

g.d. 640

g.d. 635

g.d. 630

g.d. 625

g.d. 620

g.d. 615

g.d. 610

g.d. 605

g.d. 600

g.d. 595

g.d. 590

g.d. 585

g.d. 580

g.d. 575

g.d. 570

g.d. 565

g.d. 560

g.d. 555

g.d. 550

g.d. 545

g.d. 54

Site plan of the proposed 100-unit residential development at 74311 DP. The plan shows a rectangular lot divided into 10 lots (75-87) by a central access road. Lot 77 is highlighted with a red circle. Surrounding streets include Accadia Drive, Lennon Drive, and Larch Drive. A north arrow is in the top right corner.

Lot 75: 315m<sup>2</sup> ± 46m<sup>2</sup>row

Lot 76: 311m<sup>2</sup> ± 51m<sup>2</sup>row

Lot 77: 307m<sup>2</sup> ± 45m<sup>2</sup>row

Lot 78: 302m<sup>2</sup> ± 46m<sup>2</sup>row

Lot 79: 292m<sup>2</sup> ± 44m<sup>2</sup>row

Lot 80: 280m<sup>2</sup> ± 116m<sup>2</sup>row

Lot 81: 310m<sup>2</sup> ± 44m<sup>2</sup>row

Lot 82: 310m<sup>2</sup> ± 46m<sup>2</sup>row

Lot 83: 322m<sup>2</sup> ± 46m<sup>2</sup>row

Lot 84: 322m<sup>2</sup> ± 45m<sup>2</sup>row

Lot 85: 322m<sup>2</sup> ± 45m<sup>2</sup>row

Lot 86: 322m<sup>2</sup> ± 45m<sup>2</sup>row

Lot 87: 599m<sup>2</sup> ± 74m<sup>2</sup>row

Lot 14 RC.....

Lot 15 RC.....

Lot 16 RC.....

Lot 17 RC.....

Lot 18 RC.....

Lot 19 RC.....

Lot 22 RC.....

MAIL BOXES

9 LOTS BAY COLLECTION AREA (21.6m LONG)


6 LOTS BAY COLLECTION AREA (14.4m LONG)

ACCADIA DRIVE

LENNON DRIVE

LARCH DRIVE

Lot 3 DP 74311





# Specification










*Lot 77 Pinewood Grange, Stage 4, Rolleston*

General:			
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk
Warranty:	365 day from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior:			
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine
Roofing:	25° metal pressed tile— corona shake—shake satin	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	Rockcote Graphex (15 year manufacturers guarantee)
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood-grain 4.5m
Dwelling Interior:			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan & extractor duct through fascia grille	Hot water cylinder:	Rheem 250L
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windowware Austro roller blinds—Slate Excluding garage and bathrooms
Landscaping:			
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.



# Specification











*Lot 77 Pinewood Grange, Stage 4, Rolleston*

Kitchen and Laundry:			
Kitchen, bench surface and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 40mm benchtop on negative detail. Tiled splashback full length of back bench/wall.  *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink  
Kitchen tapware:	Elementi Uno Gooseneck  	Kitchen handles:	Stefano Orlati 4062— Titanium  
Oven:	Bosch HBF133BSOA  	Ceramic cooktop:	Bosch PKE611K17A  
Rangehood:	Bosch DWB97DM50A  	Dishwasher:	Bosch SMU2ITS01A  
Laundry tub:	Aquatica Laundra Studio  	Feature pendant:  *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black  



## Specification

*Lot 77 Pinewood Grange, Stage 4, Rolleston*

Bathrooms:			
Vanities:	Elementi Novara, 2 drawer 750mm French Oak 	Mirrors:	Polished edge direct fix—1000x750mm 
Showers:	Arena curved with moulded wall 	Toilets:	Elementi Uno back to wall 
Bath:	Elementi Diseno back-to-wall 1700mm 	Towel rails:	Newtech 5 bar square—heated 
Basin mixers:	Elementi Cura 	Shower / bath mixers:	Elementi Cura 
Shower slides:	Elementi Rayne 	Bath spout:	Elementi Uno 




# Colour Scheme

*Lot 77 Pinewood Grange, Stage 4, Rolleston*

Exterior:		Interior:	
Roof:	Ebony	Ceilings:	Half black white
Fascia/ Gutter / Downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Black white	Kitchen benchtop:	TriStone 40mm – Pure white
Exterior cladding (Feature):	All black	Kitchen splashback:	White gloss with misty grey grout

## Exterior:




## Interior:



## Kitchen:







# RIGHT OF WAY



## Site Info Lot 77

Site Address	Pinewood Development
Legal Description	Lot 77
Site Area	307m² + 45m² ROW
Building Area	155.34m²
Roof Area*	169.54m²
Site Coverage	55.23%

## Site Info Lot 78

Site Address	Pinewood Development
Legal Description	Lot 78
Site Area	302m² + 45m² ROW
Building Area	155.34m²
Roof Area*	169.54m²
Site Coverage	56.14%

## Design Basis

Wind Zone	High
Earthquake Zone	2
Snow Zone	N4 < 100m
Exposure Zone	C

## General Notes

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.

Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Site bearings, dimensions and North point to be confirmed upon Certificate of Title when issued.

## Earthworks for Lot 77

Driveway & Patio Area*	34.42m²
Excavation Depth	0.20m
Fill Height	0.20m
Total Volume	13.77m³

\*Outside the 2m of the proposed buildings

## Earthworks for Lot 78

Driveway & Patio Area*	34.42m²
Excavation Depth	0.20m
Fill Height	0.20m
Total Volume	13.77m³

\*Outside the 2m of the proposed buildings



6 Browns Road, Christchurch  
ey.archiplus@gmail.com  
021 0238 1905  
021 0221 8868



**W E N D E L B O R N**  
**P R O P E R T Y L T D**  
LOT 77 & LOT 78  
PINEWOOD DEVELOPMENT

**Issue**  
Concept Design

This plan is developed for the purchaser  
and is copy right to Archiplus Ltd.

**Site Plan**



Scale 1:100 @ A3

Revision 7  
Date 13/02/2025  
File No. 24068

**Sheet No.**

**1**





### Building Area Lot C / D

Over Frame	151.83m <sup>2</sup>
Perimeter	58.24m
Over Cladding	155.34m <sup>2</sup>
Perimeter	58.79m
Roof Area*	169.54m <sup>2</sup>
Perimeter	58.12m

### General

Main Cladding	RCS Graphex
Feature Cladding	JH Axon Panel
Roof Pitch	25°
Roofing	Pressed Metal Tiles (Corona Shake)
Stud Height	2.42m
Interior Door	1.98m high
Wardrobe Door	2.20m high
Cooktop	Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details. All extract fans ducting through fascia grille.

### Legend

	Distribution Board & Smart Meterbox
	Data Box
	Smoke Detector with test and hush buttons to comply with NZBC F7/AS1

### Floor Covering

	Carpet (excl. Garage)
	Vinyl Planks

WINDOW SCHEDULE		
ID	H	W
C-w01	2,130	960
C-w02	500	1,800
C-w03	2,130	2,700
C-w04	1,400	1,800
C-w05	1,100	1,200
C-w06	1,400	1,500
C-w07	1,400	1,800
C-w08	1,100	1,200
C-w09	1,100	1,200
C-w10	1,400	1,500
C-w11	600	1,500
C-w12	1,400	1,500
C-w13	2,130	910
D-w01	2,130	960
D-w02	500	1,800
D-w03	2,130	2,700
D-w04	1,400	1,800
D-w05	1,100	1,200
D-w06	1,400	1,500
D-w07	1,400	1,800
D-w08	1,100	1,200
D-w09	1,100	1,200
D-w10	1,400	1,500
D-w11	600	1,500
D-w12	1,400	1,500
D-w13	2,130	910



6 Browns Road, Christchurch  
ey.archiplus@gmail.com  
021 0238 1905  
021 0221 8868



**W E N D E L B O R N**  
**P R O P E R T Y L T D**  
LOT 77 & LOT 78  
PINWOOD DEVELOPMENT

### Issue

Concept Design

This plan is developed for the purchaser  
and is copy right to Archiplus Ltd.

### Floor Plan

Scale 1:100 @ A3


### Revision

7  
Date 13/02/2025  
File No. 24068

### Sheet No.

3





Roof Cladding

25° Pressed metal tiles roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations


Seal all pipe penetrations with Dektite flashing kit as per specification.

Downpipe Catchment  
(Plan Area TYPE C / D)

d.p.1	42m²
d.p.2	20m²
d.p.3	48m²
d.p.4	53m²

Roof Bracings

Refer to truss design.



6 Browns Road, Christchurch  
ey.archiplus@gmail.com  
021 0238 1905  
021 0221 8868



W E N D E L B O R N  
P R O P E R T Y L T D  
LOT 77 & LOT 78  
P I N E W O O D D E V E L O P M E N T

Issue  
Concept Design

This plan is developed for the purchaser  
and is copy right to Archiplus Ltd.

Roof Plan


Scale 1:100 @ A3

Revision	7
Date	13/02/2025
File No.	24068

Sheet No.

4





### Elevation Keys

- |     |  |
|-----|--|
| C01 | RCS Graphex 50mm panel with plastered finish on 20mm cavity battens.                         |
| C02 | James Hardie Axon panel on 20mm cavity battens.  |
| R01 | Pressed metal tiles roofing.   |
| R02 | Colorsteel Quad gutter supported by Colorsteel 185mm fascia.                                 |
| R03 | Colorsteel 75x55mm downpipes.  |
| J01 | Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. |
| J02 | Sectional garage door.   |
| J03 | APL entry door in thermally-broken powder coated aluminium frames.                           |
| S01 | Drainage vent pipe.  |
| S02 | Heatpump outdoor unit on wall bracket.   |

### Legend

- |     |               |
|-----|---------------|
| w01 | Window ID     |
| SS  | Security Stay |
| SG  | Safety Glass  |
| CJ  | Control Joint |

### General Notes

Driveway to fall from 20mm max. below garage rebate.



6 Browns Road, Christchurch  
ey.archiplus@gmail.com  
021 0238 1905  
021 0221 8868



**W E N D E L B O R N**  
**P R O P E R T Y L T D**  
**LOT 77 & LOT 78**  
**P I N E W O O D D E V E L O P M E N T**

**Issue**  
**Concept Design**

This plan is developed for the purchaser  
and is copy right to Archiplus Ltd.

### Elevations 1

Scale 1:100 @ A3

Revision	7
Date	13/02/2025
File No.	<b>24068</b>


**Sheet No.**

**5**






E-04 SouthEast Elevation  
- Scale 1:100



E-05 NorthEast (Lot 77) Elevation  
- Scale 1:100



E-06 SouthWest (Lot 77) Elevation  
- Scale 1:100

## Elevation Keys

- |     |  |
|-----|--|
| C01 | RCS Graphex 50mm panel with plastered finish on 20mm cavity battens.                         |
| C02 | James Hardie Axon panel on 20mm cavity battens.  |
| R01 | Pressed metal tiles roofing.   |
| R02 | Colorsteel Quad gutter supported by Colorsteel 185mm fascia.                                 |
| R03 | Colorsteel 75x55mm downpipes.  |
| J01 | Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. |
| J02 | Sectional garage door.   |
| J03 | APL entry door in thermally-broken powder coated aluminium frames.                           |
| S01 | Drainage vent pipe.  |
| S02 | Heatpump outdoor unit on wall bracket.   |


## Legend

- |     |               |
|-----|---------------|
| w01 | Window ID     |
| SS  | Security Stay |
| SG  | Safety Glass  |
| CJ  | Control Joint |


## General Notes

Driveway to fall from 20mm max. below garage rebate.






**A** Section A-A  
- Scale 1:50



**A** Section A-A cont.  
- Scale 1:50





**B** Section B  
- Scale 1:50

## Section Keys

- C01 RCS Graphex 50mm panel with plastered finish on 20mm cavity battens over building wrap on timber framing.
- C02 James Hardie Axon panel on 20mm cavity battens over building wrap on timber framing.
- W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.
- W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.
- W03 Intertenancy wall construction to be confirmed.
- S01 Ribraft foundation.
- T01 Roof trusses as per Truss Design.
- R01 Pressed metal tiles on 50x40mm battens over self-supported roof underly on trusses.
- R02 Colorsteel Quad gutter on 185mm Colorsteel fascia.
- R03 75x55mm Colorsteel downpipes with wall brackets.
- J01 Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- J02 Sectional garage door. H3.1 timber reveals for painted finish.
- B01 R2.8 wall insulation batts.
- B02 R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.
- L01 4.5mm Hardie soffit linings for painted finish.
- L02 13mm Gib ceiling linings supported by 35mm Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- L03 10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)
- L04 13mm Gib wall linings stopped smooth for painted finish. Refer to Gib Intertenancy Barrier System specification and details.





## Legends

	Lawn
	Exposed Aggregate
	Stonechip
	Garden Bed with Bark

## Plants List for Garden Bed

- Agapanthus Peter Pan - Dwarf blue Nile lily
- Acacia Limelight - Dwarf wattle
- Choisya Ternata - Mexican orange blossom
- Carex Secta - Makura sedge
- Lavandula angustifolia 'Hidcote' - English Lavender
- Pittosporum little gem
- Thuja occidentalis Smaragd - Emerald Cedar
- Viburnum tinus Eve Price
- Azalea
- Corokia geentys green
- Pseudowintera colorata 'Red Leopard' - Horopito/Pepper tree
- Camellia 'Cinnmon Cindy'
- Cercis Hearts of Gold - Golden redbud
- Acer Palmatum Bloodgood - Japanese Maple
- Liquidambar Styraciflua - Sweetgum
- Magnolia Grandiflora Blanchard
- Malus loensis Plena
- Prunus Autumnalis Southern Gem - Flowering Cherry

\*Planting species for garden bed are indicative-not to be limited to.

## Landscape Area Lot 77

Total Landscaping Area	74.59m <sup>2</sup>
Site Area	307m <sup>2</sup>
Landscaping Site Coverage	24.30%

## Landscape Area Lot 78

Total Landscaping Area	70.44m <sup>2</sup>
Site Area	302m <sup>2</sup>
Landscaping Site Coverage	23.32%



6 Browns Road, Christchurch  
ey.archiplus@gmail.com  
021 0238 1905  
021 0221 8868



**W E N D E L B O R N**  
**P R O P E R T Y L T D**  
LOT 77 & LOT 78  
PINWOOD DEVELOPMENT

**Issue**  
Concept Design

This plan is developed for the purchaser  
and is copy right to Archiplus Ltd.

**Landscape Plan**


Scale 1:100 @ A3

Revision 7  
Date 13/02/2025  
File No. 24068

**Sheet No.**

**2**






<b>Benchtop Colour:</b>
40mm square edge Tristone in Pure White
<b>Main Joinery Colour:</b>
Bestwood Simply White Embossed
<b>Island Back &amp; Side Joinery Colour:</b>
Bestwood Subtle Grey Velvet
<b>Handles:</b>
4062-192/320-Titanium Grey
<b>Sink:</b>
Lazio NZLSS-5545 Stainless Single Bowl

Designer: Sarah Molyneux	Date: 27 Jan 25	Client: Oakridge Homes	BC Ref:	Site Address: Lot 75,77,79 Pinewood Grange	Job#: Default	
Dwg: Kitchen Plan	Scale: 1 : 25	Customer: TYPE C				

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.






Designer: Sarah Molyneux	Date: 27 Jan 25	Client: Oakridge Homes	BC Ref:	Site Address: Lot 75,77,79 Pinewood Grange	Job#: Default	
Dwg: Kitchen Elevation	Scale: 1 : 20	Customer: TYPE C				

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.






Designer: Sarah Molyneux	Date: 27 Jan 25	Client: Oakridge Homes	BC Ref:	Site Address: Lot 75,77,79 Pinewood Grange	Job#: Default	
Dwg: Kitchen Elevation	Scale: 1 : 20	Customer: TYPE C				

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.







Designer: Sarah Molyneux	Date: 27 Jan 25	Client: Oakridge Homes	BC Ref:	Site Address: Lot 75,77,79 Pinewood Grange	Job#: Default	
Dwg: Kitchen Elevation	Scale: 1 : 20	Customer: TYPE C				

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.







Designer: Sarah Molyneux	Date: 27 Jan 25	Client: Oakridge Homes	BC Ref:	Site Address: Lot 75,77,79 Pinewood Grange	Job#: Default	
Dwg: Kitchen 3D Perspective	Scale:	Customer: TYPE C				

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.








Designer: Sarah Molyneux	Date: 27 Jan 25	Client: Oakridge Homes	BC Ref:	Site Address: Lot 75,77,79 Pinewood Grange	Job#: Default	
Dwg: Pantry Plan	Scale: 1 : 20	Customer: TYPE C				

This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.






Designer: Sarah Molyneux	Date: 27 Jan 25	Client: Oakridge Homes	BC Ref:	Site Address: Lot 75,77,79 Pinewood Grange	Job#: Default	
Dwg: Pantry Elevation	Scale: 1 : 20	Customer: TYPE C				


This is an original design and must not be released or copied unless applicable fee has been paid or job order placed. All dimensions and size designations given are subject to verification on job site and adjustment to fit job conditions.





Designer: Sarah Molyneux	Date: 27 Jan 25	Client: Oakridge Homes	BC Ref:	Site Address: Lot 75,77,79 Pinewood Grange	Job#: Default	
Dwg: Pantry 3D Perspective	Scale:	Customer: TYPE C				















# Plan: Pinewood Grange Type C Electrical Design

Electrical		
Item		Total
 Electrical Base with 34-Way Deep Combined Meter Switchboard (Single Phase)		1 EA
 Tradesave Rangehood Power Socket		1 EA
 Tradesave Slim Single Power Socket (White) 10A - Fridge		1 EA
 Tradesave Slim Single Power Socket (White) 10A - Microwave		1 EA
 Tradesave Double Power Socket Horizontal (White) 10A		20 EA
 Tradesave Slim Double Power Socket with Oven Isolator Switch (White) 10A		1 EA
 Tradesave Slim Double Power Socket with Hob Isolator Switch (White) 10A		1 EA
 Tradesave Built-In Oven Hard-Wired Power Connection up to 20A (max)		1 EA
 Tradesave Slim Electric Hob Hard-Wired Power Connection up to 32A (max)		1 EA
 Tradesave Slim Dishwasher Power Socket		1 EA
 Tradesave Garage Door Opener Press Button (White)		1 EA
 Tradesave Slim Garage Door Power Socket		1 EA
 Tradesave Slim Hot Water Cylinder Hard-Wired Power Connection		1 EA
 Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit		1 EA
 Orca OM866S-10RF Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life		6 EA
 Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation		2 EA
 Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)		2 EA
 Extractor Fan Inline 150mm & up to 6m of duct		3 EA
 External 180-Degree Lighting Movement Sensor (White)		1 EA
 Recessed LED Downlight Prolux DL54 (3k Warm White) with White Fascia & Circuit		25 EA
 Recessed LED Downlight Prolux CL78 Mini Tilttable 55° Beam 8W 3K (White) and Circuit		2 EA
 Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit		2 EA



## Electrical

Item	Total
 Bulkhead Wall Light Robus Ohio LED 12W IP54 Oval Bulkhead c/w White & Black Trims & Circuit	1 EA
 Tradesave Slim Light Switch 1-Gang (White)	11 EA
 Tradesave Slim Light Switch 2-Gang (White)	3 EA
 Tradesave Slim Light Switch 3-Gang (White)	1 EA
 Excel Life White IP Rated Light Switch 2 Gang	1 EA
 2-Way Light Circuit	2 EA
 Smart Wiring Base 20" Hub 12 Port with Fibre Optic Pathway and Power Circuit	1 EA
 Tradesave Slim Main UHF TV/Data Network Socket (Cat6) - White	1 EA