Lot 817 Arbor Green

Stage 27, Arbor Green, Springwood, Rolleston

NB: Roofing differs from render- to be longrun corrugate



House & Land Package:

Family sized home featuring four bedrooms, master with ensuite, open plan kitchen living and dining, family bathroom and internal access garaging. Well appointed for the sun on a fully landscaped section, offering quality fixtures and fittings throughout.

\$774,900

Home area:			158m²
Section area:		486m ²	
– 4	🖽 1	斎2	ê <u>2</u>


Features:

- Turnkey
- Master Build 10-Year Guarantee
- 1 year warranty period
- Healthy Homes compliant
- RibRaft foundation

- Modern bathroomware
- Custom kitchen cabinetry
- Tri-Stone benchtop
- Window coverings
- Fully landscaped



Floor Layout



Site Location





Specification

General			
Guarantee:	Master Build 10-Year	Insurance:	Builders All Risk
Warranty	1 year from settlement	Utilities:	Mains supply including fibre
Dwelling Exterior			
Foundation:	TC1 RibRaft	Framing / trusses:	2.42m LVL
Roofing:	25° longrun corrugate	Fascia and gutter:	Dimond metal fascia and quad gutter
Downpipes:	Colorsteel 75×55 rectangular	Main cladding:	Rockcote Graphex (15yr manufacturers guarantee)
Feature cladding:	James Hardie Axon	Entry door:	Thermally-Broken APL 860mm Latitude with urbo lever
Window joinery:	Low E Argon filled double glazed win- dows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel woodgrain 4.5m
Dwelling Interior			
Insulation:	As per Building Code. Including entire garage envelope - internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop
Hinged doors:	1980mm (horizontal V groove)	Wardrobe sliders:	2200mm Horizontal V groove
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel
Electrical:	As per plan	Heatpump:	Fujitsu SET-ASTH22KNTA 6.0/6.5kw
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L
Carpet:	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank – Province
Splashback tiles:	100×300mm subway tile (Kitchen only)	Window coverings:	Windoware Everyday Vinyl Collection – Mystic. Excluding garage & bathrooms
Landscaping			
Driveway and patio:	Exposed aggregate – sealed	Vehicle crossing:	Included
Soft landscaping:	As per plan	Fencing:	As per plan
Colour Scheme			
EXTERIOR		INTERIOR	
Roof:	Ebony	Ceilings:	Half black white
Fascia, gutter & downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half black white	Feature kitchen/ negative detail:	Subtle grey velvet
Exterior cladding (Main):	Black white	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding (Feature):	All black	Kitchen splashback:	White gloss with misty grey grout




Specification

Kitchen, bench surface and splashback: Kitchen sink: Lazio NZLSS-55.45 single stainless steel sink Image: Comparison on pagative detail. Tiled splashback full ison of the top dank of colour scheme Kitchen tapware: Elementi Uno Gooseneck Image: Colour scheme Kitchen handles: Steef to plans and colour scheme Image: Colour scheme Image: Colour scheme Image: Colour scheme Kitchen tapware: Elementi Uno Gooseneck Image: Colour scheme Image: Colour scheme Image: Colour scheme Oven: Bosch HBET33BSOA Image: Colour scheme Image	Kitchen and Laundry			
12mm benchtop on negative detail. Tiled splasbback full length of back bench/well. *Refer to plans and colour scheme Kitchen tapware: Elementi Uno Gooseneck Oven: Bosch HBF133BSOA Bosch HBF133BSOA Bosch HBF133BSOA Sted and Orlati 4062 Titanium Rangehood: Bosch DWB97DM50A Laundry tub: Aquatica Laundra Studio *dependent on supply, similar fitting to be used if avaitable Besch DWB97DM50A Steveron 1Lblack Janter Studio *dependent on supply, similar fitting to be used if Dishwasher: Besch DWB97DM50A Besch DWB97DM50A Besch DWB97DM50A Staverton 1Lblack Janter Studio *dependent on supply, similar fitting to be used if Dishwasher: Besch DWB97DM50A Besch DWB97DM50A Besch DWB97DM50A Besch DWB97DM50A Showers: Aquatica Laundra Studio Showers: Arena curved with moulded wall Image: Besch DWB97DM50A Image: Besch DWB97DM Shower / bath mixers: Elementi Uno back-to-wall 1700mm Image: Shower / bath mixers: Elementi Cura Shower / bath mixers: Elementi Cura	Kitchen, bench surface and splashback:		Kitchen sink:	
Elementi Uno Gooseneck Stefano Orlati 4062-Titanium Over: Bosch HBF133BSOA Bosch HBF133BSOA Image Stefano Orlati 4062-Titanium Rangehood: Bosch PKE611K17A Bosch DWB97DM50A Image Stefano Orlati 4062-Titanium Laundry tub: Image Stefano Orlati 4062-Titanium Aquatica Laundra Studio Image Stefano Orlati 4062-Titanium Stefano Orlati 4000 Image Stefano Orlati 4062-Titanium Aquatica Laundra Studio Image Stefano Orlati 4062-Titanium Aquatica Laundra Studio Image Stefano Orlati 4062-Titanium Stefano Orlati 4000 Image Stefano Orlati 4062-Titanium Bathrooms Image Stefano Orlati 4062-Titanium Showers: Toilets: Arena curved with moulded wall Image Stefano Image Stefano Orlati 4000 Image Stefano Orlati 4000×750mm Bath: Image Stefano Orlati 4000 Basin mixers: Image Stefano Orlati 4000×750mm Elementi Cura Image Stefano Orlati 4000×750mm Shower / bath mixers: Image Stefano Orlati 4000×750mm Elementi Cura Image Stefano Orlati 4000×750mm	12mm benchtop on negative detail. Tiled splash back bench/wall.		Lazio NZLSS-5545 single stainless steel sink	Ø
Oven: Bosch HBF133BSOA Bosch HBF133BSOA Image Soch Rangehood: Image Soch PKE611K17A Bosch DWB97DM5OA Image Soch SMU2ITSO1A Image Soch JWB97DM5OA Image Soch So	Kitchen tapware:	\bigcirc	Kitchen handles:	
Bosch HBF133BSOA Easch PKE611K17A Rangehood: Dishwasher: Bosch DWB97DM50A Image Construction Laundry tub: Bosch SMU2ITS01A Aquatica Laundra Studio Feature pendant: Staverton 1L—black Image Construction Vanities: Feature pendant: Elementi Novara, 2 drawer 750mm, French Image Construction Showers: Toilets: Arena curved with moulded wall Image Construction Bath: Elementi Uno back to wall Elementi Diseno back-to-wall 1700mm Image Construction Shower sildes: Image Construction Shower sildes: Image Construction	Elementi Uno Gooseneck		Stefano Orlati 4062— Titanium	
Rangehood: Bosch DWB97DM50A Laundry tub: Aquatica Laundra Studio Aquatica Laundra Studio *dependent on supply, similar fitting to be used if unavailable Bathrooms Vanities: Elementi Novara, 2 drawer 750mm, French Oak Mirrors: Polished edge direct fix—1000×750mm Foliets: Elementi Diseno back-to-wall 1700mm Showers: Arena curved with moulded wall Towel rails: Newtech 5 bar square—heated Newtech 5 bar square—heated Shower / bath mixers: Elementi Cura Shower slides: Bath spout:	Oven:		Ceramic cooktop:	
Bosch DWB97DM50A Bosch SMU2ITS01A Laundry tub: Feature pendant: Aquatica Laundra Studio Staverton 1L—black dependent on supply, similar fitting to be used if Staverton 1L—black Bathrooms Mirrors: Polished edge direct fix—1000×750mm Image: Staverton 1D Showers: Toilets: Arena curved with moulded wall Image: Staverton 1D Bath: Image: Staverton 1D Elementi Diseno back-to-wall 1700mm Image: Staverton 1D Basin mixers: Image: Staverton 1D Elementi Cura Image: Staverton 1D Shower slides: Staverton 1D	Bosch HBF133BSOA		Bosch PKE611K17A	
Laundry tub: Aquatica Laundra Studio *dependent on supply, similar fitting to be used if unavailable Bathrows Arena curved with moulded wall Dath: Elementi Diseno back-to-wall 1700mm Elementi Cura Shower slides: Shower slides:	Rangehood:		Dishwasher:	
Aquatica Laundra Studio *dependent on supply, similar fitting to be used if Bathrooms Vanities: Elementi Novara, 2 drawer 750mm, French Oak Folished edge direct fix—1000×750mm Showers: Arena curved with moulded wall Toilets: Elementi Diseno back-to-wall 1700mm Towel rails: Basin mixers: Elementi Cura Shower slides: Shower slides: Shower slides:	Bosch DWB97DM50A		Bosch SMU2ITS01A	
*dependent on supply, similar fitting to be used if Bathrooms Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Toilets: Elementi Diseno back-to-wall 1700mm Towel rails: Newtech 5 bar square—heated Basin mixers: Elementi Cura Shower slides: Bath spout: Tower slides:	Laundry tub:	A DA	Feature pendant:	T
unavailable Bathrooms Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Toilets: Elementi Diseno back-to-wall 1700mm Towel rails: Elementi Cura Shower slides: Bath spout: Shower slides:			Staverton 1L—black	
Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Toilets: Elementi Uno back to wall Bath: Elementi Diseno back-to-wall 1700mm Towel rails: Newtech 5 bar square—heated Basin mixers: Elementi Cura Shower slides: Bath spout: Shower slides:				
Elementi Novara, 2 drawer 750mm, French Oak Polished edge direct fix—1000×750mm Showers: Arena curved with moulded wall Image:				
Oak Showers: Arena curved with moulded wall Image: Disense back-to-wall 1700mm Bath: Elementi Disense back-to-wall 1700mm Image: Disense back-to-wall 1700m	Bathrooms			
Arena curved with moulded wall Elementi Uno back to wall Bath: Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura Shower / bath mixers: Elementi Cura Shower slides: Bath spout:		ħ	Mirrors:	10
Bath: Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura Shower / bath mixers: Elementi Cura Shower slides: Bath spout:	Vanities: Elementi Novara, 2 drawer 750mm, French			
Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura Shower / bath mixers: Elementi Cura Bath spout: Elementi Cura	Vanities: Elementi Novara, 2 drawer 750mm, French Oak		Polished edge direct fix—1000×750mm	
Basin mixers: Shower / bath mixers: Elementi Cura Elementi Cura Shower slides: Bath spout:	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers:		Polished edge direct fix—1000×750mm Toilets:	
Elementi Cura Elementi Cura Shower slides:	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall	
Shower slides: Bath spout:	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath:		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails:	
	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath: Elementi Diseno back-to-wall 1700mm		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails: Newtech 5 bar square—heated	
Elementi Rayne Elementi Uno	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath: Elementi Diseno back-to-wall 1700mm Basin mixers:		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails: Newtech 5 bar square—heated Shower / bath mixers:	
	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath: Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails: Newtech 5 bar square—heated Shower / bath mixers: Elementi Cura	
N 1	Vanities: Elementi Novara, 2 drawer 750mm, French Oak Showers: Arena curved with moulded wall Bath: Elementi Diseno back-to-wall 1700mm Basin mixers: Elementi Cura Shower slides:		Polished edge direct fix—1000×750mm Toilets: Elementi Uno back to wall Towel rails: Newtech 5 bar square—heated Shower / bath mixers: Elementi Cura Bath spout:	







Site Info

Site Address

Legal Description Site Area **Building Area** Roof Area* Site Coverage

26 Harlequin Drive Arbor Green Lot 817 DP 614255 486m² 158.70m² 204.33m² 42.04%

8.00m Ш CYAN LAN

Revision

Date

File No.

1

25080

Design Basis

Wind Zone Earthquake Zone Snow Zone Exposure Zone

High 2 N4 < 100m С

General Notes

All dimensions shown are to face of foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.

Refer to Drainage Plan for specific drainage info.

Refer to Sediment Control in Specification & implement where required.


Driveway stormwater runoff to road when it does not flow over a footpath. Otherwise driveway stormwater runoff to be collected and disposed via soak pit located within property.

All sealed driveway and patio areas to be min. 1:100 fall away from building.

Site bearings, dimensions and North point to be confirmed upon Certificate of Title when issued.





6/05/2025



.910

3,980











WENDELBORN PROPERTY LTD 26 HARLEQUIN DRIVE ROLLESTON LOT 817 ARBOR GREEN

lssue Concept Design Floor Plan

Scale

3,000 1,800 w14

550 190

106

1,900

*****06

3,120

90

1,000

520

<u>В</u> 5

Building Area

Over Frame	154.57m²
Perimeter	63.04m
Over Cladding	158.70m²
Perimeter	63.60m
Roof Area*	204.33m²
Perimeter	67.06m
*Roof area includes fasc	ia & gutter

<u>General</u>

Main Cladding	RCS Graphex
Feature Cladding	JH Axon Panel
Roof Pitch	25°
Roofing	Longrun Corrugated
Stud Height	2.42m
Interior Door	1.98m High
Wardrobe Door	2.20m High
Cooktop	Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

Legend

	Distribution Board & Smart Meter Box
	Data Box
O SD	Smoke Detector 10 year long-life battery-operated & interconnected (Cavius)

Floor Covering

-
_

Carpet (excl. Garage)

Vinyl Planks


WINDOW SCHEDULE			
ID	Н	W	
w01	2,130	960	
w02	750	1,800	
w03	2,130	1,500	
w04	2,130	900	
w05	2,130	900	
w06	2,130	2,700	
w07	2,130	2,400	
w08	1,400	600	
w09	1,400	600	
w10	2,130	450	
w11	1,100	1,200	
w12	1,400	1,500	
w13	2,130	960	
w14	500	1,800	
w15	1,400	1,500	
w16	1,400	1,500	

Revision Date File No.

1 6/05/2025 25080











WENDELBORN PROPERTY LTD 26 HARLEQUIN DRIVE ROLLESTON LOT 817 ARBOR GREEN

lssue Concept Design **Roof Plan**

Scale

This plan is developed for the purchaser and is copy right to Archiplus Ltd.

1:100 @ A3

Roof Cladding

25° Colorsteel corrugate roofing over Thermakraft 215 roof underlay.

Fascia & Gutter

Colorsteel Quad gutter supported on 185mm Colorsteel fascia.

Downpipes

75x55mm Colorsteel downpipes with wall brackets.

Roof Penetrations

Seal all pipe penetrations with Dektite flashing kit as per specification.

Downpipe Catchment (Plan Area)


d.p.1	29m²
d.p.2	58m²
d.p.3	57m²
d.p.4	47m²

Roof Bracings

Refer to truss design.

Revision Date File No.

1 6/05/2025 25080



and is copy right to Archiplus Ltd.

1:100 @ A3

Elevation Keys

C01	RCS Graphex 50mm panels with plastered finish on 20mm cavity battens.
C02	James Hardies Axon panels on 20mm cavity battens.
R01	Colorsteel corrugate roofing.
R02	Colorsteel steel Quad gutter supported by Colorsteel 185mm fascia.
R03	Colorsteel 75x55mm downpipes.
J01	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.
J02	Sectional garage door.
J03	APL entry door in thermally-broken powder coated aluminium frames.
S01	Drainage vent pipe.
S02	Heatpump outdoor unit on wall bracket.

<u>Legend</u>


w01	Window ID
SS	Security Stay
SG	Safety Glass
LH	Lintel Height

General Notes


Driveway to fall from 20mm max. below garage rebate.

Revision	1
Date	6
File No.	2

1 6/05/2025 25080



Section A-A А Scale 1:50





6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 Archiplus 021 0221 8868



WENDELBORN PROPERTY LTD 26 HARLEQUIN DRIVE ROLLESTON LOT 817 ARBOR GREEN

Issue Concept Design Sections

Scale

Section Keys

- C01 RCS Graphex 50mm panel with plastered finish over 20mm cavity battens over building wrap on timber framing.
- C02 James Hardie Axon panel on 20mm cavity battens over building wrap on timber framing.
- W01 External walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs. Top plates 90x45 + 140x35mm.

W02 Internal walls 90x45mm studs @ 600mm crs, dwangs @ 800mm crs.

S01 Ribraft foundation.

T01 Roof trusses as per Truss Design.

- Extended truss top chords / outriggers to form T02 raking soffit. Refer to Truss Design.
- Colorsteel corrugate roofing over self-supported R01 roof underlay on 70x45mm purlins on trusses.
- R02 Colorsteel Quad gutter on 185mm pre-painted steel fascia.
- R03 75x55mm Colorsteel downpipes with wall brackets.
- Low E Argon filled double glazed windows in J01 thermally-broken powder coated aluminium frames. H3.1 timber reveals for painted finish.
- J02 Sectional garage door. H3.1 timber reveals for painted finish.
- B01 R2.6 wall insulation batts.
- B02 2 x R3.6 (165mm) double layers ceiling insulation batts.
- R3.6 (130mm x 1200mm Gutter Line insulation B03 batts cut to size between the trusses and fit at the first 500mm from the centre of top plate. Maintain 25mm ventilation gap between top of insulation and roofing underly.
- B04 R3.6 ceiling insulation batts.
- L01 4.5mm Hardie soffit linings for painted finish.
- 13mm Gib ceiling linings supported by 35mm L02 Rondo ceiling battens @ 600mm crs. Stopped smooth for painted finish. (Wet area ceiling 13mm Gib Aqualine)
- 10mm Gib wall linings stopped smooth for painted L03 finish. (Wet area wall 10mm Gib Aqualine)

Revision	1
Date	6/05/2025
File No.	25080



HARLEQUIN DRIVE



and is copy right to Archiplus Ltd.

Carex Secta - Makura sedge Lavandula angustifolia 'Hidcote' - English Lavender Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar Viburnum tinus Eve Price

Azalea


Corokia geentys green Pseudowintera colorata 'Red Leopard' -Horopito/Pepper tree

Camellia 'Cinnmon Cindy'


*Planting species for garden bed are indicative-not to be limited to.


1:100 @ A3


Scale













Designer: Sarah Molyneux	24 Feb 23 Client: Client: Oakridge Hon	IES Job	Job#: Default	TRENDS
^{Dwg:} Kitchen Elevation	Scale: 1:20 Customer: The Kauri	/3 - Selwyn		KITCHENS



Designer:	Dale:	Client:	BC Ref:	Site Address:	Job#: Default	TH
Sarah Molyneux	24 Feb 23	Oakridge Homes	Job		Doridant	TRENDS
Dwa:		Customer:				INLADS
Kitchen Elevation						KITCHENS
KILCHEN Elevation	1 : 20	The Rauli V3 - Sei	wyn			



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
^{Dwg:} Kitchen 3D Perspective	Scale:	Customer: The Kauri V3 - Se	elwyn			KITCHENS





Client Name: Site Address: Acceptance Signature & Date:

Oakridge Homes The Kauri STD (V3) Garage Left Date: 13-06-2024 Plan Electrical Designed By:Mike LewPhone:03 338 4238Email & Webinfo@smartsystems.net.nzsmartsystems.net.nz

Plan: The Kauri STD (V3) Garage Left -Electrical Design

Electrical

2100		
	Item	Total
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard	1 EA
R	Tradesave Rangehood Plug	1 EA
2000 F	Tradesave Slim Single Power Socket - Fridge	1 EA
₩	Tradesave Slim Single Power Socket - Microwave	1 EA
\mathbf{x}	Tradesave Double Power Socket Horizontal (White) 10A	19 EA
С	Capping for sockets and/or switches in joinery	1 EA
ዏ	Tradesave Slim Double Power Socket With Oven Isolator Slot	1 EA
жŲ	Tradesave Slim Double Power Socket With Hob Isolator Slot	1 EA
\Re	Tradesave Slim Built In Oven Connection 20A	1 EA
\mathbb{A}	Tradesave Slim Electric Hob 32A	1 EA
$\mathbf{\mathbb{Y}}$	Tradesave Slim Dishwasher Plug	1 EA
\mathbf{h}	Tradesave Garage Door Opener Switch (White)	1 EA
$\mathbf{\mathbb{Y}}$	Tradesave Slim Garage Door Socket & Switch	1 EA
#	Tradesave Slim Hot Water Cylinder	1 EA
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA
S	Cavius Wireless Interconnected Smoke Detector - Photoelectric 10-year battery life	6 EA
S/S	E-One Sewerage Grinder & IOTA Pump Power Connection	1 EA
\mathbf{X}	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA
Ħ	Newtech ST65 Towel Rail 5-Bar Square Ladder 530 x 600mm (Chrome) - Excludes Circuit & Installation	2 EA
Ε	Extractor Fan 150mm	3 EA
\boxtimes	Extractor Fan External Grill	3 EA
S	External 180 Degree Movement Sensor (White)	1 EA
\otimes	Recessed Downlight DL54 (White) and Circuit	26 EA

The Kauri STD (V3) Garage Left - Electrical Designend

Electrical

Item	Total
Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA
Tradesave Slim White Light Switch 1 Gang	10 EA
Tradesave Slim White Light Switch 2 Gang	4 EA
Tradesave Slim White Light Switch 3 Gang	1 EA
Excel Life White IP Rated Light Switch 1 Gang	1 EA
2WY 2-Way Light Circuit	1 EA
INT Tradesave Slim 3-way Switching White	1 EA
Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit	1 EA
Tradesave Slim Main TV/Data Socket (Cat6)	1 EA

In the Area

About Arbor Green

Arbor Green has everything that makes up a flourishing neighbourhood. Streets, landscaping and amenities that have been purposefully designed to bring people together and enhance everyday wellbeing.

Once complete, Arbor Green will have 1200 new homes built, a primary school and a central neighbourhood precinct that create two main gathering points, while multiple parks, pathways and cycleways ensure every resident can get around with safety and ease.





Rolleston and Surrounding Areas

Living in Arbor Green provides you with an open gateway to everything the Selwyn region has to offer.

Rolleston is Canterbury's second largest urban centre. Home to growing businesses, purposebuilt facilities, high quality schools and a bevy of shops and eateries, life here is vibrant, easy and fun.

You'll be close to all those urban conveniences that make life easy. There are plenty of work and education opportunities nearby and Christchurch is just 20 minutes down the road. Head a little further afield and Canterbury's mountains, lakes and beaches are yours to discover.





Why Choose an Oakridge Home?

Oakridge Homes is a locally owned Canterbury company with decades of experience. We are Canterbury's second largest residential builder delivering 200 homes per year with a proven track record of completing over 400 homes for happy homeowners in the region. Oakridge is a small team of fifteen, each of us working diligently to achieve the company goal of delivering quality homes as efficiently and stress free as possible.

All Oakridge house and land packages are competitively priced offering true value for money including turnkey funding, meaning you pay a 10% deposit and the balance the day you get your keys. In our experience this is the preferred contract method when securing finance and a service we offer as a standard inclusion. We work closely with our contractors and suppliers to get the best product for the best cost which is reflected in our all-inclusive package pricing.

At Oakridge we are extremely proud of the relationships we have built with local tradesmen and suppliers, ensuring quality is delivered every time. We deal with one longstanding company per element of the build which has helped us achieve our average build time of 17 weeks. We are very thankful to everyone who makes an Oakridge home come to life, many of us working alongside one another for over ten years.

Our team has put immense effort in to streamlining the consenting process by working alongside the local councils and have formed great relationships with the team leaders guaranteeing our consents are handled as efficiently as possible. Oakridge has a reputation for providing quality documentation for our consent applications which helps ensure we receive your building consent in a timely manner.


We understand that customers value quality and transparency which has been a major focus for Oakridge Homes, we offer a range of fixed price turnkey house and land packages that suit the majority of homebuyers. From the letterbox numbers to the window coverings – an Oakridge home truly is fully inclusive and move in ready when handover day comes. There are no hidden surprises and nothing for you to do but sit back and trust us to build your home.

Oakridge Homes has taken steps to ensure your home is here to stand the test of time by including:

- Ø Master Build 10-Year Guarantee
- ✓ 1 year warranty period
- Standards
- LVL framing (laminated veneer lumber) more durable and less likely to warp
- RibRaft foundation system
- Quality cladding options
- Thermally broken window joinery

- Increased carpet underlay thickness
- Tri-Stone benchtops for easy maintenance
- Full height kitchen joinery to avoid dust collection
- Sull length tiled splashback to kitchen
- Ø Bosch appliances
- Subscription Exposed aggregate driveways and patios
- Insulated garage and garage door





If you'd like more information on one of our listings or want to learn more about the process of buying an Oakridge home, get in touch.

P: (03) 977 2832 **E:** info@oakridgehomes.co.nz

oakridgehomes.co.nz