

# **House and Land Package**

Lot 86 Sabys Estate, Halswell, Christchurch

Dwelling Size	Section Size
156m <sup>2</sup>	409m²

\$849,900






Turnkey house and land package featuring four bedrooms, master includes an ensuite, open plan kitchen, dining and living, internal access garaging. Custom designer kitchen, quality fittings and full landscaping package included.


Within ten minutes drive to Christchurch City Centre Sabys Estate conveniently located within close proximity to the Halswell Shopping Centre where you will find various retail outlets, cafes, restaurants, a pharmacy and supermarket. Zoned for sought-after Halswell School and close to the public swimming pool and library. Sabys Estate is a highly desirable location.



# Floor Layout:



## **Site Location:**



Disclaimer: For the use of illustrative purposes only. Oakridge Homes Limited accept no liability for any discrepancies which may become apparent once construction commences.



# **Specification**

Lot 86 Sabys Estate, Stage 1, Halswell, Christchurch

General:						
Guarantee:	10 year Masterbuild	Insurance:	Builders All Risk			
Warranty:	365 day from settlement	Utilities:	Sewer pump chamber & Fibre			
Dwelling Exterior:						
Foundation:	TC2 RibRaft	Framing / trusses:	2.42m NZ5S 3602:2003 with building wrap / kiln dried pine			
Roofing:	28° metal pressed tile— corona shake	Fascia and gutter:	Dimond metal fascia and quad gutter			
Downpipes:	Colorsteel 75x55 rectangular	Main cladding:	The Brickery—70 Series Brick			
Feature cladding:	TMT Taiga	Entry door:	Thermally-broken APL 860mm Latitude with urbo lever			
Window joinery:	Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames	Garage door:	Insulated Coloursteel flat panel wood- grain 4.5m			
Dwelling Interior:	,					
Insulation:	As per Building Code—Including entire garage envelope, internal & external walls	Plasterboard:	Plasterboard - 10mm to walls, wet area to bathrooms and 13mm to ceilings			
Gib stopping:	Grade 4 paint finish in accordance with AS/NZ 2311:2009	External corners:	Square stop			
Hinged doors:	1980mm Straten (horizontal V groove polycore—2 line)	Wardrobe sliders:	2200mm Horizontal V groove			
Wardrobe shelving:	MDF shelf and rail	Cupboard shelving:	MDF shelves x4			
Door hardware:	Windsor Futura – Apex brushed nickel	Skirting board:	60mm bevel			
Electrical:	As per plan	Heatpump:	As per Healthy Home Standards			
Extractor:	Inline extractor fan	Hot water cylinder:	Rheem 250L			
Carpet	Belgotex Urban Twist	Vinyl plank:	Belgotex Luxury Plank—Province			
Splashback tiles:	100x300mm subway tile (Kitchen only)	Window coverings:	Windoware Austro roller blinds—Slate Excluding garage and bathrooms			
Landscaping:						
Driveway and patio:	Exposed aggregate—sealed	Vehicle crossing:	Included			
Soft landscaping:	As per plan	Fencing:	Boundary fencing as per developers requirements to all boundaries. Internal fencing including one gate.			



# **Specification**

Lot 86 Sabys Estate, Stage 1, Halswell, Christchurch

Kitchen and Laundr	y:		
Kitchen, bench surface and splashback:	Custom made Melteca or Bestwood finished cabinetry. TriStone 12mm benchtop on negative detail. Tiled splashback full length of back bench/wall.  *Refer to plans and colour scheme	Kitchen sink:	Lazio NZLSS-5545 single stainless steel sink
Kitchen tapware:	Adesso Urban—Brushed nickel	Kitchen handles:	Stefano Orlati 4062— Titanium
Oven:	Bosch HBF133BSOA	Ceramic cooktop:	Bosch PKE611K17A
Rangehood:	Bosch DWB97DM50A	Dishwasher:	Bosch SMU05D05AU
Laundry tub:	Raymor 560x560 laundry tub	Feature pendant:  *dependent on supply, similar fitting to be used if unavailable	Staverton 1L—black



# **Specification**

Lot 86 Sabys Estate, Stage 1, Halswell, Christchurch

Bathrooms:							
Vanities:	Raymor Armada 750mm	Mirrors:	Polished edge direct fix—1000x750mm				
Showers:	Arena curved with moulded wall	Toilets:	Elementi Uno with soft close seat				
Bath:	Newtech Indus back-to-wall 1700mm	Towel rails:	Newtech 5 bar square—heated				
Basin mixers:	Paffoni BLU071	Shower / bath mixers:	Paffoni BLU010LUG CP				
Shower slides:	Paffoni Brio 3F ZSAL194CR	Bath spout:	Paffoni Stick ZBOC041				



# **Colour Scheme**


## Lot 86 Sabys Estate, Stage 1, Halswell, Christchurch


Exterior:		Interior:	
Roof:	Obsidian	Ceilings:	Half black white
Fascia / Gutter / Downpipes:	Ebony	Walls:	Black white
Window joinery:	Ebony	Interior doors:	Black white
Front door:	Ebony	Skirting:	Black white
Front door frame:	Ebony	Carpet:	Iron
Garage door:	Ebony	Vinyl plank:	Natural
Garage door frame:	Ebony	Kitchen cabinetry:	Simply white
Soffits:	Half Black White	Feature kitchen/ negative detail:	Subtle grey
Exterior cladding (main):	Crevole with white mortar	Kitchen benchtop:	TriStone 12mm – Pure white
Exterior cladding:	Wood-X Goldrush	Kitchen splashback:	White gloss with misty grey grout






### Kitchen:







# RIGHT OF WAY

6 Browns Road, Christchurch ey.archiplus@gmail.com 021 0238 1905 Archiplus 021 0221 8868

W E N D E L B O R N P R O P E R T Y L T D

LOT 86 SABYS ESTATE 40 KIRIRUA AVENUE CHCH

Site Plan Issue Concept Design This plan is developed for the purchaser and is copy right to Archiplus Ltd. 1:100 @ A3 Scale

Revision 8/02/2024 Date File No. 24027

Sheet No.

Site Coverage 39.01%

409m²

159.57m<sup>2</sup>

40 Kirirua Avenue Sabys Estate

Lot 86 DP 576673

#### **Design Basis**

Site Info

Site Address

Site Area **Building Area** 

Legal Description

Wind Zone High 2 Earthquake Zone Snow Zone N4 < 100m С Exposure Zone

#### **General Notes**

All dimensions shown are to  $\underline{\textit{face of}}$ foundation unless noted otherwise.

Refer to Foundation Plan for foundation setout.


Refer to Drainage Plan for specific drainage


Refer to Sediment Control in Specification & implement where required.


All sealed driveway and patio areas to be min. 1:100 fall away from building.

#### Vehicle Access Near Tree

The earthworks for driveway and crossing that will be undertaken within 5 metres of the base of the street tree will be undertaken by, or under the supervision of, a works arborist employed or contracted by the Council -Treetech.







#### **Building Area**

Over Frame	152.80m
Perimeter	57.00m
Over Cladding	159.47m
Perimeter	58.12m
Roof Area* Perimeter *Roof area includes fasc	197.68m 60.66m

#### **General**

Main Cladding 70s Clay Bricks TMT Taiga Shiplap WB Feature Cladding

Roof Pitch

Roofing

Pressed Metal Tiles (Corona Shake)

Stud Height 2.42m 1.98m high

Interior Door

Wardrobe Door 2.20m high

Cooktop

Ceramic Cooktop

Note: Kitchen layout indicative only, refer to Kitchen Design for details.

#### **Legend**

Distribution Board & Smart Meterbox

Data Box

Smoke Detector with test and hush bottons to

comply with NZBC F7/AS1

#### Floor Covering




Vinyl Planks

WINDOW SCHEDULE						
ID H W						
w01	2,130	960				
w02	2,130	1,200				
w03	1,400	1,500				
w04	2,130	2,700				
w05	2,130	1,800				
w06	1,400	1,500				
w07	2,130	1,800				
w08	1,400	600				
w09	1,400	600				
w10	1,100	1,200				
w11	1,400	1,500				
w12	1,100	1,200				
w13	1,400	1,500				
w14	2,130	960				



24027

File No.







W E N D E L B O R N P R O P E R T Y L T D

LOT 86 SABYS ESTATE 40 KIRIRUA AVENUE CHCH

Issue Concept Design

This plan is developed for the purchaser

**Elevations** 

Revision

Sheet No.

**Elevation Keys** 

cavity battens.

C02

R01

R02

R03

J02

J03

S01

S02

w01

SS

Legend

70 series brick veneer over 50mm

TMT Taiga shiplap weatherboard on 20mm horizontal castellated

Colorsteel Quad gutter supported by Colorsteel 185mm fascia.

Colorsteel 75x55mm downpipes.

Low E Argon filled double glazed windows in thermally-broken powder coated aluminium frames.

APL entry door in thermally-broken powder coated aluminium frames.

Heatpump outdoor unit on wall

Pressed metal tiles roofing.

Sectional garage door.

Drainage vent pipe.

bracket.

Window ID

**General Notes** 

garage rebate.


Security Stay Safety Glass


Driveway to fall from 20mm max. below

8/02/2024 Date File No. 24027

and is copy right to Archiplus Ltd. 1:100 @ A3 Scale

3





Section B Scale 1:50

Scale 1:50



#### WENDELBORN PROPERTY LTD

LOT 86 SABYS ESTATE 40 KIRIRUA AVENUE CHCH

Issue	Cross Sections
Concept Design	
This plan is developed for the purchaser and is copy right to Archiplus Ltd.	Scale 1:50 @ A3

	Cross Sections					
er	Scale	1·50 @ A3				

		Sheet No.
Revision	1	
Date	8/02/2024	4

Section Keys

each side.

70 series brick veneer over 50mm cavity over building underlay on timber framing C02 TMT Taiga shiplap weatherboard on 20mm

horizontal castellated cavity battens over building

100x100x6L veneer lintel with 100mm min. seating

100x100x6L shelf angle fixed to timber lintel with

dwangs @ 800mm crs (Dwangs @ 480mm crs for Shiplap WB). Top plates 90x45 + 140x35mm.

Internal walls 90x45mm studs @ 600mm crs,

Extended truss top chords / outriggers to form

Pressed metal tile roofing on 50x40mm battens

75x55mm Colorsteel downpipes with wall brackets.

thermally-broken powder coated aluminium frames.

R7.0 ceiling insulation batts. Compressed insulation to fit at the first 500mm from the top plate as per manufacturer's instruction. Insulation baffle required to allow for the 25mm ventilation clearance.

over self-supported roof underlay on trusses. Colorsteel Quad gutter on Colorsteel fascia.

Low E Argon filled double glazed windows in

Sectional garage door. H3.1 timber reveals for

R5.0 skillion insulation batts to coved ceiling.

13mm Gib ceiling linings supported by 35mm Rondo ceiling battens direct fixed @ 600mm crs. Stopped smooth for painted finish. (Wet area

10mm Gib wall linings stopped smooth for painted finish. (Wet area wall 10mm Gib Aqualine)

4.5mm soffit linings for painted finish.

ceiling 13mm Gib Aqualine)

H3.1 timber reveals for painted finish.

90x12mm coach screw @ 300mm crs. External walls 90x45mm studs @ 600mm crs,

underlay on timber framing.

dwangs @ 800mm crs.

Ribraft floor slab and foundation.

Roof trusses as per Truss Design.

raking soffit, refer to Truss Design.

C01

V01

V02

W01

W02

S01 T01

T02

R03

J01

J02

B01

B03

L01 L02


File No.

24027

painted finish.

R2.8 wall insulation batts.







The landscaper will use an assortment of plants from the list below:

Agapanthus Peter Pan - Dwarf <u>blue Nile</u> lily Acacia Limelight - Dwarf wattle Choisya Ternata - Mexican orange blossom

Carex Secta - Makura sedge Lavandula angustifolia 'Hidcote' - English Lavender Pittosporum little gem

Thuja occidentalis Smaragd - Emerald Cedar

Viburnum tinus Eve Price

Corokia geentys green

Pseudowintera colorata 'Red Leopard' - Horopito/Pepper tree

Camellia 'Cinnamon Cindy'

#### Vehicle Access Near Tree

The earthworks for driveway and crossing that will be undertaken within 5 metres of the base of the street tree will be undertaken by, or under the supervision of, a works arborist employed or contracted by the Council - Treetech.

Note: Stain street facing fences ebony





W E N D E L B O R N P R O P E R T Y L T D


LOT 86 SABYS ESTATE 40 KIRIRUA AVENUE CHCH

Landscape Plan Issue Concept Design This plan is developed for the purchaser and is copy right to Archiplus Ltd. Scale


1:100 @ A3

Revision 8/02/2024 Date File No. 24027


Sheet No.




Kitchen Plan




Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	74
Sarah Molyneux	24 Feb 23	Oakridge Homes	Job		Donash	TRENDS
Dwg:	Scale:	Customer:	•			KITCHENS
Kitchen Elevation	1:20	The Maple - Selwyn				KITCHENS







Designer:	Date: Client:	BC Ref:	Site Address:	Job#: Default	TM.
Sarah Molyneux	24 Feb 23 Oakridge Homes	Job			TRENDS
Dwg:	Scale: Customer:		-		
Kitchen Elevation	1 : 20 The Maple - Selwyn				KITCHENS




Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Dwg: Kitchen 3D Perspective	Scale:	Customer: The Maple - Selwyn				KITCHENS



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes BC Ref:	Site Address:	Job#: Default	TRENDS
Dwg: Pantry Plan	Scale: 1:20	Customer: The Maple - Pantry V2			KITCHENS






Designer:	Date:	Client:	BC Ref:	Site Address:	Job#: Default	TM.
Sarah Molyneux	24 Feb 23	Oakridge Homes	Job			TRENDS
Dwg:		Customer:				KITCHENS
Pantry Elevation	1:20	The Maple - Pantry V2				KTTCHENS



Designer: Sarah Molyneux	Date: 24 Feb 23	Client: Oakridge Homes	BC Ref: Job	Site Address:	Job#: Default	TRENDS
Pantry 3D Perspective	Scale:	Customer: The Maple - Pantry V2	)			KITCHENS





**Client Name: Site Address:** 

Oakridge Homes

The Maple (Garage Right Laundry Flipped) **Acceptance Signature & Date:** 

**Plan** Electrical

**Date:** Revised 30-01-2024

**Designed By:** Mike Lew **Phone:** 03 338 42 03 338 4238

**Email & Web** info@smartsystems.net.nz smartsystems.net.nz

# Plan: The Maple Ver 1. STD (Garage Right Laundry Flipped) - Electrical Design

Electrical						
	Item	Total				
SWB/MB	Electrical Base with 34-Way Deep Combined Meter Switchboard	1 EA				
·R	Tradesave Rangehood Plug	1 EA				
2000 F	Tradesave Slim Single Power Socket - Fridge	1 EA				
Mo	Tradesave Slim Single Power Socket - Microwave	1 EA				
$\forall$	Tradesave Double Power Socket Horizontal (White) 10A	20 EA				
C	Capping for sockets and/or switches in joinery	1 EA				
×	Tradesave Slim Double Power Socket With Oven Isolator Slot	1 EA				
料	Tradesave Slim Double Power Socket With Hob Isolator Slot	1 EA				
*	Tradesave Slim Built In Oven Connection 20A	1 EA				
*	Tradesave Slim Electric Hob 32A	1 EA				
*	Tradesave Slim Dishwasher Plug	1 EA				
<b>^</b>	Garage Door Opener Switch (White)	1 EA				
*	Tradesave Slim Garage Door Socket & Switch	1 EA				
*	Tradesave Slim Hot Water Cylinder	1 EA				
20	Air Conditioning Circuit 20A MCB Installation For Heat Pump Circuit	1 EA				
S	Smoke Detector Mains Powered with 9V Battery Backup	3 EA				
*	Tradesave Slim Heated Towel Rail Circuit & Installation (Excludes supply of Towel Rail)	2 EA				
E	Extractor Fan 150mm	3 EA				
	Extractor Fan External Grill	3 EA				
S	External 180 Degree Movement Sensor (White)	1 EA				
$\otimes$	Recessed Downlight DL54 (White) and Circuit	30 EA				
•	Staverton Black 1L 365mm Pendant Light, LED Lamp & Circuit	2 EA				
W	Tradesave Slim White Light Switch 1 Gang	13 EA				

#### **Electrical Total** Item Tradesave Slim White Light Switch 2 Gang 4 EA Tradesave Slim White Light Switch 3 Gang 2 EA Excel Life White IP Rated Light Switch 1 Gang 2 EA 2WY 2-Way Light Circuit 2 EA INT Tradesave Slim 3-way Switching White 1 EA Smart Wiring 20" Hub & Fibre Optic Pathway incl Power Circuit 1 EA

Tradesave Slim Main TV/Data Socket (Cat6)

1 EA